

**Intertape Polymer Group**

**General-Purpose Masking Tape** - A full crepe light-duty PG515 grade masking tape with natural rubber adhesive has excellent strength. It is designed for sealing small packages, light bundling, holding, labeling, and short term paint masking applications. Insures conformability on curves and irregular surfaces. It unwinds easily for easy application. When used for paint masking in areas exposed to the sun, remove within 3 hours. Bulk roll is 1/2" (12mm) W. x 60 yd.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773210-D	70787	12mm G/p Masking Tape	1/0/72	.205	.99 EA

**Intertape Polymer Group**

**Do it® General-Purpose Masking Tape** - A general-purpose masking tape designed for numerous household applications including sealing small packages, light bundling and holding, labeling and paint masking.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776297-D	77656	3/4" W. x 60 yd.	1/0/48	.292	1.09 EA
776300-D	77657	1" W. x 60 yd.	1/0/36	.389	1.49 EA
776319-D	77658	1-1/2" W. x 60 yd.	1/0/24	.583	2.29 EA
776327-D	77659	2" W. x 60 yd.	1/0/20	.750	2.99 EA

**Intertape Polymer Group**

**General-Purpose Masking Tape** - A utility PG500 grade accordion wrap masking tape that is designed for sealing small packages, light bundling, holding, labeling, and short term paint masking applications. The aggressive synthetic adhesive insures good coverage. It unwinds easily for easy application. When used for paint masking in areas exposed to the sun, remove within 3 hours. All rolls are individually wrapped to keep stock clean and neat on the shelf.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784805-D	5100	3/4" W. x 60 yd.	1/0/48	.333	1.19 EA
789640-C	5101	1" W. x 60 yd.	1/0/36	.417	1.59 EA
784798-D	5102	1-1/2" W. x 60 yd.	1/0/24	.667	2.49 EA
789695-D	5103	2" W. x 60 yd.	1/0/24	.625	3.49 EA
782905-D	5104	3" W. x 60 yd.	1/0/12	1.250	4.99 EA

**Intertape Polymer Group**

**Do it Best™ Painters Grade Masking Tape** - Designed for the professional painter. Full crepe ensures conformability on curves and irregular surfaces. Specially treated to prevent penetration of moisture, stains, paint, and solvents. Special painters grade adhesive is designed to release easily without leaving adhesive residue. If used in areas exposed to the sun remove within 24 hours.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781703-E	77946	3/4" W. x 60 yd.	1/0/48	.313	1.49 EA
782148-E	77947	1" W. x 60 yd.	1/0/36	.464	1.99 EA
782157-D	77948	1-1/2" W. x 60 yd.	1/0/24	.667	2.79 EA
782825-D	77949	2" W. x 60 yd.	1/0/20	.750	3.49 EA

**Intertape Polymer Group**

**Anchor-Mask Edging Tape** - Made of quality crepe paper for superior flexibility to handle tough curve and corner applications. Adhesive is placed on only a portion of the tape making application easy and removal quick and clean. Ideal for window trim, door frames, baseboards, and curved surfaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795186-C	5261	2" x 180'	1/0/24	.750	4.99 EA
795194-D	5262	3-3/4" x 75'	1/0/24	.542	3.79 EA

**Intertape Polymer Group**

**Pro-Mask Blue™ Masking Tape** - The gentle hold acrylic adhesive is ideal for delicate surfaces such as freshly painted walls and wallpaper. Has excellent UV resistance and can be left in place for up to 14 days without leaving a sticky residue. It is easy-to-unwind and conforms well to the surface. Distinctive blue color.




Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784538-C	9530	3/4" W. x 60 yd.	1/0/32	.344	3.29 EA
784547-C	9531	1" W. x 60 yd.	1/0/24	.458	4.29 EA
784556-C	9532	1-1/2" W. x 60 yd.	1/0/16	.688	6.49 EA
784574-C	9533	2" W. x 60 yd.	1/0/12	.917	8.29 EA

Masking Products, Masking Papers, cont'd

**3M™ Hand-Masker™ General Purpose Masking Paper**

3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.



UPC Number	Size	Case Qty	Units
00-051115-04138-9	6"x60yds	12	RL
00-051115-04139-6	9"x60yds	12	RL
00-051115-04140-2	12"x60yds	12	RL
00-051131-06655-7	15"x60yds	12	RL

**3M™ Hand-Masker™ Kit M3000 KML**

Tape guide pin molded into the M3000 KML frame. Guide pin aids tracking of the masking tape onto masking paper while dispensing. Tack-Down Tape Dispenser (PN06789) allows easy on-off mounting. Provides fingertip access to an extra roll of masking tape. Includes 12" cut off blade. Making film is not included with dispenser.



UPC Number	Size	Case Qty	Units
00-051131-06788-2	12"	4	EA

**3M™ Hand-Masker™ M3000 Dispenser**

The 3M™ Hand-Masker™ M3000 Dispenser applies masking tape to masking film up to 144" or paper up to 18" in one continuous application. Compact, lightweight, saves time. For professional heavy duty use.



UPC Number	Case Qty	Units
00-051131-77385-1	4	EA

**3M™ Hand-Masker™ Pre-Folded Contractor's Plastic CP4**

3M™ Hand Masker™ Pre-Folded Contractors Plastic CP4, 48" x 180' Pre-Folded, non treated high density film dispenses on M3000 and folds out to 48" for draping and covering large areas, dust containment and overspray protection with latex paints.



UPC Number	ID	Size	Case Qty	Units
00-051131-86806-9	CP4	4'x180'	12	RL

Masking Products, Masking Papers, cont'd

**3M™ Hand-Masker™ Pre-Folded Contractor's Plastic CP6**

Pre-folded, non treated high density plastic dispenses on M3000 and folds out to 6'. for draping and covering large areas, dust containment and overspray protection.



UPC Number	ID	Size	Case Qty	Units
00-051131-79683-6	CP6	6'x90'	12	RL

**3M™ Hand-Masker™ Pre-Folded Masking Film**

Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers.



UPC Number	ID	Size	Color	Case Qty	Units
00-051131-06845-2	MF24++	24"x180'	White	12	RL
00-051131-06860-5	MF36++	36"x90'	White	12	RL
00-051131-06848-3	MF48++	48"x180'	White	12	RL
00-051131-77406-3	MF72++	72"x90'	White	12	RL
00-051131-77407-0	MF99++	99"x90'	White	12	RL
00-051131-06849-0	MF99++	99"x90'	White	12	RL
00-051131-06861-2	MF144++	144"x60'	White	12	RL

**3M™ Hand-Masker™ Premium Quality Masking Paper MP12**

3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.



UPC Number	Size	Case Qty	Units
00-051131-77399-8	12"x60yds	12	RL

**3M™ Hand-Masker™ Premium Quality Masking Paper MP6**

3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.



UPC Number	Size	Case Qty	Units
00-051131-77402-5	6"x60yds	12	RL

3M Supply House

Masking Products, Masking Papers, cont'd

**3M™ Hand-Masker™ Pre-Taped Drop Cloth w/ 72" General Purpose Masking Tape**

3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2020-72 is a pre-folded high density plastic drop cloth pre-taped with General Purpose Masking tape. The plastic drop cloth unfolds out to 72".



UPC Number	ID	Case Qty	Units
00-051131-80052-6	PT2020-72	8	RL

Masking Products, Masking Papers, cont'd

**3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090**

3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090. This is a pre-folded high density plastic drop cloth pre-taped with Scotch® 2090 Long-Mask™ tape. Plastic folds out.



UPC Number	Desc	Case Qty	Units
00-051131-06696-0		12	EA
00-051131-06697-7		12	EA
00-051115-07997-9	w/Dispenser	12	EA

Masking Products, Masking Tapes

**3M™ General Purpose Masking Tape 203**

3M™ Masking Tape is a cost-effective choice for bundling, attaching, holding, sealing, wrapping and masking. Construction strength for holding power, the convenience of tearing by hand, and the strength for reliable bundling, easy unwind, instant adhesion, and smooth backing.



UPC Number	Size	Color	Desc	Case Qty	Units
00-048011-58068-5	12mmx55m	Beige	Bulk	72	RL
00-048011-58035-7	18mmx55m	Beige	Bulk	48	RL
00-048011-58499-7	18mmx55m	Beige	Individual Wrap	48	RL
00-048011-58036-4	24mmx55m	Beige	Bulk	36	RL
00-048011-58452-2	24mmx55m	Beige	Individual Wrap	36	RL
00-048011-58037-1	36mmx55m	Beige	Bulk	24	RL
00-048011-58453-9	36mmx55m	Beige	Individual Wrap	24	RL
00-048011-58038-8	48mmx55m	Beige	Bulk	24	RL
00-048011-58454-6	48mmx55m	Beige	Individual Wrap	24	RL
00-048011-58039-5	72mmx55m	Beige	Bulk	12	RL
00-048011-58040-1	96mmx55m	Beige	Bulk	8	RL

**3M™ Paper Masking Tape 2214**

Economical, quality, general purpose paper tape with rubber adhesive. Exceptional shear to corrugated boxes and exceptionally consistent adhesion. Use for bundling, sealing, holding and non-critical indoor jobs. 5.3 mil, pressure sensitive tape resists slivering. Use up to 150°F.



UPC Number	Size	Case Qty	Units
00-021200-26074-2	18mmx55m	48	RL
00-021200-26075-9	24mmx55m	36	RL
00-021200-26076-6	36mmx55m	24	RL
00-021200-26077-3	48mmx55m	24	RL

**Scotch® Painters' Masking Tape 2050**

Works well with most paint applications. Removes quickly and easily. Provides a superior paint line. Prevents seepage and paint bleed-through. Works well for general purpose applications such as sealing, bundling, and other jobs where a pressure sensitive tape is needed.



UPC Number	Size	Desc	Case Qty	Units
00-021200-05617-8	0.71"x60yds		48	RL
00-021200-05618-5	0.94"x60yds		36	RL
00-021200-50499-0	0.94"x60yds		36	RL
00-021200-05619-2	1.42"x60yds		108	RL
00-021200-50501-0	1.88"x60yds	Bulk	24	RL
00-021200-05620-8	1.88"x60yds		24	RL

3M Supply House

Masking Products, Masking Tapes, cont'd

**Scotch® Painters' Masking Tape for Hard-to-Stick Surfaces 2060**


This tape features very high adhesion designed specifically for use with lacquer coatings. It sticks aggressively, making it ideal for rough surfaces such as stucco, concrete and wood. This tape is for interior and exterior use and can be cleanly removed for up to three days.



UPC Number	Size	Color	Desc	Case Qty	Units
00-021200-71132-9	24mmx55m	Green	Individual	36	RL
00-021200-72066-6	24mmx55m	Green	Bulk Packaging	36	RL
00-021200-71133-6	36mmx55m	Green	Individual	24	RL
00-021200-72067-3	36mmx55m	Green	Bulk Packaging	24	RL
00-021200-71134-3	48mmx55m	Green	Individual	24	RL
00-021200-72068-0	48mmx55m	Green	Bulk Packaging	24	RL

**Scotch® Performance Masking Tape 233+ Scotch® Safe-Release™ Painters' Masking Tape for Painted Surfaces & Glass 2090**

Highly conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results.



Ideal for long-term masking projects when tape must be left on for up to a week. Removes cleanly and easily for up to seven days without leaving adhesive residue.



UPC Number	Size	Case Qty	Units
00-051131-26334-5	18mmx55m	48	RL
00-051131-26338-3	36mmx55m	16	RL
00-051131-26340-6	48mmx55m	12	RL

**Scotch® Safe-Release™ Painters' Masking Tape For Faux & Decorative Painting 2080**

This tape removes cleanly without adhesive transfer or surface damage for up to 60 days-even in direct sunlight. It is a low-medium adhesion tape that is ideal for smooth, freshly painted surfaces, striping, vinyl coated wallpaper and glass.



UPC Number	Size	Color	Desc	Case Qty	Units
00-051115-03680-4	1/4"x60yds	Blue		24	RL
00-051115-06817-1	1/2"x60yds	Blue		48	RL
00-051131-87126-7	1"x60yds	Blue		12	PH
00-051115-06818-8	1"x60yds	Blue	Bulk	36	RL
00-051115-03681-1	1"x60yds	Blue		36	RL
00-051115-06819-5	1 1/2"x60yds	Blue		24	RL
00-051115-06820-1	2"x60yds	Blue		24	RL
00-051115-03683-5	2"x60yds	Blue		81	RL
00-051115-06910-9	3"x60yds	Blue		16	RL

Packaging Products, Box Sealing Tapes

**Scotch® Box Sealing Tape 371**

Colored polypropylene tapes for single wall, low burst strength RSCs with high weight contents. More than 3,000 minutes adhesion to fiberboard. Tensile strength of 22 lb/in in machine direction; 44 lb/in cross direction.



UPC Number	Size	Color	Case Qty	Units
00-051131-79748-2	1"x60yds	Blue	162	RL
00-051131-79749-9	1 1/2"x60yds	Blue	108	RL
00-051131-79750-5	2"x60yds	Blue	81	RL

UPC Number	Size	Color	Case Qty	Units
00-021200-13679-5	48mmx50m	Clear	36	RL
00-021200-15873-5	48mmx100m	Clear	36	RL

3M Supply House

## TAPES

## PAINT

### Intertape Polymer Group

**Professional Green Painter's Grade Tape** - Best quality crepe masking tape for paint edging. Features thin paper and a low density, aggressive adhesive that does not leave a residue on the surface. Conforms very well to the surfaces and produces fine lines for professional results. Safely releases up to 8 days. Green in color.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773255-D	5802	.75" x 60 yd.	1/0/48	.252	2.29 EA
773531-C	5803	.94" x 60 yd.	1/0/36	.336	2.99 EA
773638-D	5804	1.4" x 60 yd.	1/0/24	.336	4.49 EA
773743-D	5805	1.87" x 60 yd.	1/0/24	.675	5.99 EA



**Tartan® Masking Tape** - All-purpose masking tape for noncritical applications. Designed for numerous household applications including paint masking, labeling, sealing small packages, and light bundling.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772372-D	5142	3/4" W. x 60 yd.	1/0/48	.313	1.49 EA
772380-D	5142	1" W. x 60 yd.	1/0/36	.417	1.99 EA
772399-D	5142	1-1/2" W. x 60 yd.	1/0/24	.625	2.99 EA
772402-D	5142	2" W. x 60 yd.	1/0/24	.625	3.99 EA



**Painter's Masking Tape** - Designed specifically for paint masking applications. Produces a superior paint line while preventing seepage. Strong enough to hold draping, and allows clean, easy removal.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773034-C	2050	3/4" W. x 60 yd.	1/0/48	.308	2.49 EA
772410-C	2050	1" W. x 60 yd.	1/0/36	.417	3.29 EA
773042-C	2050	1-1/2" W. x 60 yd.	1/0/24	.617	4.79 EA
772429-C	2050	2" W. x 60 yd.	1/0/24	.700	6.49 EA



### Scotch® Safe-Release™ Painter's Masking Tape

Safe-Release blue painters' masking tape is the most versatile tape on the market. While it can be used for most any painting project, it is specially designed for safe use on delicate or damageable smooth surfaces. Safely releases from freshly painted surfaces that have dried for at least 1 day and vinyl wallcoverings. Ideal for smooth surfaces, especially glass. It can stay up longer even in direct sunlight, up to 60 days, and removes clean with sharp edges.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
798204-C	2080	1" W. x 60 yd.	1/0/36	.298	6.99 EA
780328-C	2080	1-1/2" W. x 60 yd.	1/0/24	.458	10.29 EA
798228-C	2080	2" W. x 60 yd.	1/0/24	.604	13.99 EA



**Long-Mask Masking Tape** - Bright blue color gives visual identification to this unique product. A revolutionary adhesive allows this tape to be applied for up to 7 days and be removed cleanly and easily from most surfaces without causing damage. Clean and easy removal is possible even after prolonged exposure to direct sunlight. Provides sharp paint lines even in the most intricate painting jobs.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
799648-D	2090	3/4" W. x 60 yd.	1/0/24	.296	4.49 EA
772461-C	2090	1" W. x 60 yd.	1/0/24	.392	5.49 EA
799657-C	2090	1-1/2" W. x 60 yd.	1/0/12	.592	8.29 EA
772488-C	2090	2" W. x 60 yd.	1/0/12	.775	10.99 EA



**Adhesive Cleaner And Remover** - Specially blended solvent which provides easy clean up of most types of adhesives. Will not harm most thoroughly cured paints, vinyl, or fabrics when used properly. Also removes waxes, road tars, grease, oil, and similar materials. Stocked only in quart size.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792799-D	08984	Adhesive Remover	1/0/6	2.333	16.99 QT

# PAINT

# MASKING TOOLS



**Masking Tool** - Lightweight and simple to use. Makes paint preparation quick and easy. Protects windows, cabinets, carpets, and numerous other surfaces from paint runs, drips, roller spatter, and overspray. Masking tape and masking paper are dispensed together directly to the work surface. Recommended for the homeowner or nonprofessional. Tool will accept 6" to 12" masking paper and 3/4" to 2" tape.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781983-C	M1000	Hand Masker Masking Tool	1/0/4	1.000	26.29 EA



**Masking Tool** - Professional grade masking tool for the contractor or commercial user. Easily and accurately dispenses masking tape and masking paper to work surface to protect windows, cabinets, carpets, and many other surfaces from overspray, drips, runs, and roller spatter. Tool will accept 3" to 18" masking paper and 3/4" to 2" masking tape. No oiling or maintenance is required.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781991-C	M3000K	Pro Masking Tool	1/0/4	1.167	65.99 EA




**Pre-Folded Masking Film** - High-density, nonporous masking film rolls are pre-folded. Masking film rolls repel liquids and cling to protected surface making clean up quick and easy. Once applied they unfold to 36, 48, 72, or 99".



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783378-C	MF-36	36" x 90'	1/0/12	1.050	7.29 RL
783385-C	MF-48	48" x 180'	1/0/12	1.575	18.79 RL
783392-C	MF-72	72" x 90'	1/0/12	1.183	14.79 RL
783408-C	MF-99	99" x 90'	1/0/12	1.583	20.49 RL

## Loparex

**Masking Paper** - For use in masking tools. Daubert masking paper is a general-purpose 28 lb. kraft paper treated to resist bleedthrough and paint spatters.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782017-D	564160	6" x 60 yd.	1/0/12	1.000	1.99 EA
782009-D	564260	9" x 60 yd.	1/0/12	1.667	2.79 EA
792578-E	564360	12" x 60 yd.	1/0/12	2.167	3.79 EA

## Shur Line

**Paint Guide** - Economical plastic straight edge trim guide. Use to protect adjacent areas when painting windows, trim, walls, etc. Each guide has a hang hold for easy display.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772738-E	06040C	10" length	1/0/30	.050	1.29 EA
772747-D	06050	15" length	1/0/10	.063	1.29 EA



**Dual Trim-Guard** - Protect surrounding areas when painting windows and trim. Dual trim-guard has 2 edges: 1 for small hard to get areas and 1 for large areas. 18" long.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791209-D	4049	18" Trim Paint Guard	1/0/12	.260	3.99 EA

## CORNERGUARDS

### K J Miller

**Cornerguards** - These are the strong Corner Savers™. Manufactured with a nonyellowing, copolyester plastic polymer resin that has been engineered for outstanding clarity, rugged durability, and thermoformability. Easy-to-install with all hardware included. Screw on models are Drop Shipment only.

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780060-E	CS2141S	3/4" x 3/4" x 4', nail on, clear	1/0/24	.125	1.99 EA
785067-E	CS2181S	3/4" x 3/4" x 8', nail on, clear	0/0/24	.292	3.99 EA
780266-E	CS2141A	3/4" x 3/4" x 4', self-adhesive, clear	1/0/24	.167	1.99 EA
785075-E	CS2181A	3/4" x 3/4" x 8', self-adhesive, clear	0/0/24	.292	3.99 EA
785853-C	CS3142A	1-1/8" x 1-1/8" x 4', self-adhesive, white	1/0/6	1.167	9.49 EA
785860-C	CS3182A	1-1/8" x 1-1/8" x 8', self-adhesive, white	0/0/6	2.333	17.99 EA
786055-D	CS2142S	1-1/8" x 1-1/8" x 4', nail on, clear	1/0/12	.417	5.49 EA
785884-D	CS2182S	1-1/8" x 1-1/8" x 8', nail on, clear	0/0/12	.750	10.99 EA

### Lundmark Wax

**Tri-Sodium Phosphate** - All-purpose heavy-duty powdered cleaner. Excellent for cleaning garage floors, interior walls and trim, etc. Removes grease and wax quickly and easily.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774237-D	3287P001	1 lb.	1/0/12	1.083	2.49 EA
774246-D	3287P004	4 lb.	1/0/8	4.125	7.99 EA

### Homax Corp.

**TSP No-Rinse Substitute** - A 1-step concentrated cleaner and deglosser for use on walls, ceilings, and floors. Just wipe it on and wipe it off. Cleans and prepares surfaces for repainting, refinishing or before wallpapering. Removes grease, grime, food stains, crayon, dirt, smoke, old wallpaper paste, and wax from most surfaces. Mix with water and apply with a cloth, sponge, or sprayer. Harmless to glass, mirrors, ceramic tile, or aluminum and chrome fixtures. Contains no phosphates and is biodegradable, noncorrosive, nonflammable, and odorless. Quart bottle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774086-C	0408	Tsp Substitute Cleaner	1/0/12	2.500	5.49 QT

## PAINT

### Savogran

**Dirtex Cleaner** - A fast acting cleaner formulated for use on every washable surface in the home. Effectively removes grease, oily film, dirt and finger prints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775352-D	10601	1 lb.	1/0/12	1.135	3.29 EA
780435-D	10602	4-1/2 lb.	1/0/8	4.750	12.29 EA
780426-D	10761	18 oz. aerosol	1/0/12	.950	4.49 EA
783576-C	10763	22 oz. pump	1/0/12	1.750	4.99 EA

### Wm Zinsser, William

#### Jomax® House Cleaner And Mildew Killer - Jomax®

mildewcide concentrate is a patented formula that mixes with water and household bleach to make an effective and economical solution to remove mildew from exterior surfaces. Use Jomax® to remove mildew stains from almost any nonporous exterior surface including painted siding and trim, vinyl and aluminum siding, stained or painted decks or fences, stucco, brick, and masonry. Porous surfaces may require multiple applications. To make 5 gallon of solution mix 3 quart of household bleach with 4 gallon of water and 1 quart of Jomax®. 5 gallon treats approximately 1000 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792627-C	60104	Quart	1/0/12	2.417	8.29 QT
792208-C	60101	Gallon	1/0/4	9.500	19.99 GALL

### Covulence Plastics

#### Do it® Plastic Drop Cloth - Size: 9' x 12'. Transparent plastic.

Various thicknesses to help with numerous household tasks. 3 weights packaged with Do it® logo.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781443-D	HW001	Medium; 1 mil.	1/0/24	.458	1.99 EA
782031-D	HW002	Heavy-duty; 2 mil.	1/0/12	.953	3.79 EA
780453-D	HW003	Extra heavy-duty; 3 mil.	1/0/12	2.250	5.99 EA

PAINT

**Covalence Plastics**

**Plastic Drop Cloth** - General-purpose plastic covers for a variety of household jobs. Ideal for protecting furniture and appliances while painting, books, pictures, and knick-knacks in storage.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773050-E	HM005	9' x 12', .5 mil.	1/0/48	.184	1.49 EA
788133-D	HS007	10' x 20', 1 mil.	1/0/12	.792	3.79 EA

**Covalence Plastics**

**Painter's Plastic** - Roll of polyethylene sheeting designed specifically for the professional or large do-it-yourself projects. Ideal as an overspray shield, dust barrier or drop cloth. Made of specially blended resins for improved performance at low mil. gauges. Roll is 9' x 400' and sheeting is .7 mil. thickness.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774488-C	CL0809	9x400 Plastic Sheeting	0/0/1	12.100	30.99 EA

**Covalence Plastics**

**High-Density Drop Cloth** - 9' x 12' drop cloth made of film-gard plastic. Each box contains 5 cloths. Superior protection for furniture, appliances, and carpets. Easy-to-unfold and spread. Provides better tape adhesion. Perforated on a roll.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786232-D	HD591212	9x12 Plastic Drop Cloth	1/0/24	1.271	6.79 EA

**Covalence Plastics**

**High-Density Painter's Plastic** - New lightweight high-density plastic drop cloth in a convenient roll. The new plastic formulation has twice the tensile strength of linear plastic. Lightweight and easy-to-unfold the .35 mil. thick plastic provides better protection than drop cloths twice as thick.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788669-C	HD9400	9' x 400'	0/0/1	6.200	18.49 EA
783803-C	HD12400	12' x 400'	0/0/1	8.270	23.99 EA

**Covalence Plastics**

**Professional Painter's Plastic** - Embossed plastic sheeting that provides greater holding power to grip surfaces and improve traction. Textured design holds paint spills better and clings better to furniture and appliances. Opens and spreads easily. Dispenser pack lets user cut off just what is needed. Size is 12' x 50' with 1.5 mil. thickness.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774585-D	J1250	12x50 Plastic Sheeting	0/0/1	4.800	14.49 RL

**Thermwell Prods. Co.**

**Plastic Sheeting** - 10 x 20 3 mil plastic sheeting. Use for painting, storage, and protection indoors and out. Ideal for garden mulch. Dozens of other uses.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
100517-B	P1020/3	Clear	1/0/12	2.870	5.99 EA
100526-B	P1020/3B	Black	1/0/12	2.870	5.99 EA

**Loparex**

**KleenEdge™ High Tack Pre-Taped Plastic Dropcloth** - A premium grade tape is applied along 1 edge of a .5 mil. high-density plastic film. The film has a static cling characteristic which helps the dropcloth cling to the protected surface. The tape's moisture-resistance allows it to be used in a variety of spray applications with exceptional performance. The package application illustrations and easy-to-follow trilingual instructions will promote purchases. As an added bonus, the new core size fits most common hand-held masking devices available today. 8' W. x 75' L.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780355-C	396490	8x75 Pretaped Dropcloth	1/0/12	1.667	15.99 EA



## DROP CLOTHS

## PAINT

### Trimaco LLC

**Butyl-Back Canvas Drop Cloth** - Heavy weight, butyl-back drop cloth for the professional as well as the DIY. Butyl coating ensures spill resistance.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788115-C	80321	9' x 12'	1/0/6	7.667	31.99 EA
773352-C	80322	12' x 15'	1/0/4	12.833	49.99 EA
773360-D	80328	4' x 15'	1/0/12	4.283	19.49 EA

### Trimaco LLC

**Paper Drop Cloth** - Special, highest quality tan paper. All-purpose usage. Reusable or disposable.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789702-D	02101	9x12 Paper Drop Cloth	1/0/12	1.083	3.49 EA

### Trimaco LLC

**Plastic And Paper Combination Drop Cloth** - Plastic on 1 side, paper on the other. Reversible. Ideal for house cleaning, decorating, and commercial/industrial jobs. 9' x 12'.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770973-D	02301	Paper/plastic Drop Cloth	1/0/12	1.167	4.79 EA

### Trimaco LLC

**Painter's Tyvek Coveralls** - Coveralls made of heavy-duty and impenetrable Tyvek material features tear-resistant zippered front.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793136-C	14121	Medium	1/0/12	.250	8.99 EA
793145-C	14122	Large	1/0/12	.250	8.99 EA
793154-C	14123	Extra large	1/0/12	.250	8.99 EA

### Trimaco LLC

**Painter's Poly Coveralls** - Tough, durable, lightweight coveralls made of white polypropylene material. Protects skin and clothes. Eliminates messy clean-ups. Disposable or can be washed in cold water for reuse. Legs and sleeves can be shortened easily with scissors.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771120-C	14141	Medium	1/0/12	.375	4.99 EA
771163-C	14142	Large	1/0/12	.375	4.99 EA
771171-C	14143	Extra large	1/0/12	.375	4.99 EA

### Kimberly-Clark/Scott Paper

**Krew® 1300 Hooded Coveralls** - Ideal for professional painters in spray painting environments. Glazed fabric for high abrasion resistance and low lint. Breathable fabric for worker comfort. Elastic wrist, ankle, and back for a secure fit. Patented SMS 3-layered material will keep you clean, cool, and comfortable. Treated with anti-static coating.

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773167-C	72423	Large/extra large	1/0/12	.700	10.99 EA
775274-C	72215	Extra extra large	1/0/10	.510	9.99 EA

PAINT

# PAINT

# WIPERS

## Kimberly-Clark/Scott Paper

**Krew® 1100 Light-Duty Coveralls** - Ideal for use in dusty environments with grinding, filing, or sanding. Lightweight breathable fabric made from SMS patented 3-layered material that will keep you clean, cool, and comfortable. Resistant to dry particulates and water-based liquid splashes and sprays.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773271-C	72422	Large/extra large	1/0/12	.583	7.29 EA
775606-C	76420	Extra extra large	1/0/12	.417	5.99 EA

## Trimaco LLC

**Spray Sock** - Cotton stretchable material covers head, neck, mouth, and/or nose against overspray. 1 size fits all.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783774-D	09301-A	Cotton Spray Sock	1/0/36	.167	1.49 EA

## Trimaco LLC

**Paint Strainer** - Perfect for straining all types of paint, stains, and liquids. Removes dried flakes, lumps, filaments, and other dust particles from paint. Elastic top holds around pail rim. 2 per pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783798-D	11522	1 gallon	1/0/36	.056	1.79 PK
783804-D	11523	5 gallon	1/0/36	.069	2.99 PK

## Kimberly-Clark/Scott Paper

**Paper Towel Rags** - Paper towels with cloth like strength and spongelike absorbency. Ideal for general-purpose cleaning around the house or shop. Roll consists of 55 towels.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790281-D	75230	55ct Paper Towel Rags	1/0/30	.810	3.79 EA

## Kimberly-Clark/Scott Paper

**Rags In A Box** - A heavy-duty dispensing carton of 200 wipers for general clean up associated with maintenance, decorating, repair, and general fix-up. Designed to be used as a substitute for cloth rags. Wipers are produced through a process that binds high-quality absorbent fibers with the strength of latex to provide clothlike durability and softness. They are very absorbent yet soft enough to avoid scratching sensitive surfaces. Wipers are white in color and are 10" x 14" in size. They are remarkably lint free, consistent in quality, and cost less to use than cloth rags.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784281-B	75260	200ct Scott Rags	1/0/8	4.250	14.99 EA

## Trimaco LLC

**Painter's Rags And Wipers** - Recycled remnants of 100% cotton material. Soft, absorbent and reusable. Great for cleaning, staining, and polishing jobs both for the professional or the DIY.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793108-D	10841	8 oz. bag	1/0/24	.125	2.49 BG
793094-D	10845	5 lb. box	0/0/1	5.000	12.49 BX

## STEEL WOOL

### Trimaco LLC

**White Knit Staining Rags** - Soft, absorbent white knit t-shirt material ideal for stain application and wiping. Available in package sizes for both the professional and the DIY.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797795-C	10811	8 oz. (1/2 lb.)	1/0/24	.500	2.49 BG
774415-C	10844	1 lb. bag	1/0/24	1.000	3.79 BG
774451-C	10817	5 lb. box	0/0/1	5.000	13.99 BX
774479-C	10848	10 lb. box	0/0/1	10.000	27.99 BX

### Homax Corp.

**Bronze Wool** - The mariners choice for stripping, sanding, smoothing, and polishing all types of wood and metal surfaces. Unlike steel wool, which leaves behind small fibers that can rust and discolor wood in corrosive marine environments, Bronze wool resists shedding, rust, and corrosion. It is an essential maintenance item for boaters seeking to maintain beautiful wood and bright work. Available in premium quality 3 pad packages of fine, medium, or coarse grades.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773476-D	123100	Fine	1/0/24	.167	3.79 EA
773530-D	123101	Medium	1/0/24	.167	3.79 EA
773581-D	123102	Coarse	1/0/24	.167	3.79 EA

## 3M

**Abrasive Pads** - Pads are made from tough, nonwoven synthetic material. They will not rust, splinter, or shred like steel wool. Pads rinse clean for repeated use. Use stripping pad (model No. 7413) with chemical strippers to remove paint and varnish. Use metal finishing pad (model No. 7414) to remove light rust and to clean and brighten metal. Use wood finishing pad (model No. 7415) for smoothing bare wood, rubbing in furniture oils, or denibbing between top coats. Each pad is packaged separately. Pads measure 4-1/2" x 11".



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791487-D	7413	Stripping pad	1/0/10	.100	2.99 EA
791496-D	7414	Metal finishing pad	1/0/10	.100	2.99 EA
791502-D	7415	Wood finishing pad	1/0/10	.100	2.99 EA

## PAINT

## 3M

**Synthetic Steel Wool** - A combination of synthetic fibers and abrasive particles formed into a 2" x 4" pad. Pads are durable yet easier on hands and resist clogging. Outlasts conventional steel wool because it can be rinsed, stored, and reused. Won't rust, splinter, or shred. Pads are compatible with both solvent-based and water-based stains, finishes and removers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795666-D	10115NA	Grade 3	1/6/18	.208	3.99 PKG
795674-D	10116NA	Grade 2	1/6/18	.175	3.99 PKG
795682-D	10118NA	Grade 0	1/6/18	.108	3.99 PKG
795690-D	10120NA	Grade 000	1/6/18	.083	3.99 PKG

### Homax Corp.

**Steel Wool** - A staple item for many household tasks. Use for wood finishing projects, as well as for cleaning, polishing, and refinishing. The bold, 16-pad package is designed to make product location and selection easy. Color-coded packaging and grade indicator charts help to quickly identify the proper grade for any project.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791970-D	106100	#0000 final finish	1/0/12	.667	3.49 PKG
791977-D	106101	#000 buff and wax	1/0/12	.667	3.49 PKG
791986-E	106102	#00 metal polishing	1/0/12	.667	3.49 PKG
792002-E	106103	#0 between coats	1/0/12	.667	3.49 PKG
792011-E	106104	#1 household	1/0/12	.667	3.49 PKG
792048-E	106105	#2 surface prep	1/0/12	.667	3.49 PKG
792057-E	106106	#3 paint removal	1/0/12	.667	3.49 PKG
792146-E	106107	#4 heavy-duty	1/0/12	.667	3.49 PKG

### gerson INTERNATIONAL

**Do it@ Tack Cloth** - 1 wipe-over picks up all traces of dust, dirt, and particles left by sanding. Does not mar surface. Can be used over again, doesn't dry out. Cloth size: 18" x 36" mesh. 24 cloths per display box.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772710-E	772710	18x36 Tack Cloth	24/0/144	.047	.69 EA

Service is our priority!  
Our commitment is to meet your needs!

## PAINT

### Trimaco LLC


**Tack Cloth** - Pick up all traces of dust, dirt, and particles left by sanding. Does not mar surface. Can be used over again, doesn't dry out. Cloth size is 18" x 36".



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797740-D	10501	18x36 Tack Cloth	24/0/144	.005	.79 EA

## 3M

**Dual Cartridge Paint Spray Respirator** - NIOSH/MSHA approved. Comfortable, lightweight, easy-to-adjust. Low maintenance, only cartridge and prefilter to replace. Easy-to-clean between use. Low profile improves visibility and accommodates safety glasses. Cool flow exhalation valve opens easier making breathing easier, helps reduce heat and moisture build-up in face piece, and helps provide cool, dry comfort. Carded.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
337617-D	R-7512ES	Paint Respirator	1/0/4	1.208	57.99 EA

## 3M

**Home Dust Mask** - This mask is for typical house dust. It has a higher filtration efficiency than other unapproved masks as per independent laboratory testing with particle sizes of 0.3 to 10 microns. While not a government approved respirator, the patented material in the 3M home dust mask filters more than 90% of particles. Wear the dust mask while house-cleaning, sweeping the garage, gardening, raking leaves, or cutting the lawn. This mask can also be used as an air-warming mask by those who work or exercise in cold air and are irritated by its effects. 2 elastic head straps hold the mask firmly in place. A flexible, adjustable noseclip reduces pressure points and provides added comfort for the user. The patent-pending, multi-layer construction improves durability and helps reduce collapsing.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787884-D	8661ES	5 pack carded	1/0/12	.150	4.79 CD
787930-D	8662ES	15 pack carded	1/0/12	.292	11.99 CD

## DUST MASKS

## 3M

**Particle Respirator Mask** - The model No. 8000 mask is a government approved N95 respirator. It helps filter out fine airborne particles from light sanding and sweeping and helps create a more comfortable work environment. The unique lightweight single-layer construction helps you stay cool for light-duty work over a short duration. 3M patented filter media provides at least 95% filtration efficiency against nonoil airborne particles. Adjustable noseclip reduces eyewear fogging and provides a secure seal. 30 masks per box.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787777-D	8000	30ct Lgt Duty Respirator	1/0/4	.775	19.99 BX

## 3M

**General Dust And Sanding Respirator** - Helps reduce exposures against dusts and mists. Soft and lightweight. Easy-to-talk through and reduces interference with safety glasses. NIOSH/MSHA approved TC-21C-132. 20 per box.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
798568-D	8210	20ct Sanding Respirator	1/0/4	.025	26.99 BX

## 3M

**Sanding And Fiberglass Insulation Respirator** - Offers relief from dusts and mists during sanding jobs and installation of fiberglass insulation. Government certified for dusts and mists (including lead). User has virtually no speech restriction and respirator is lightweight and comfortable. Easy to put on and take off. Packed 2 respirators per card.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794392-D	8654ES	2pk Sanding Respirator	1/0/12	.150	7.29 CD

## DUST MASKS



**Latex Paint And Odor Respirator** - Offers relief from nontoxic latex paint odors and smog (excluding oxides of nitrogen). Provides relief from general household nuisance odors and irritants. Government certified for dusts and mists. Easy to put on and take off. Product package provides reusable storage for longer life of respirator. Packed 1 respirator per card.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785644-D	8656ES	Paint & Odor Respirator	1/0/12	.150	6.99 CD



**Woodworking, Sanding And Fiberglass Respirator** - Cool flow exhalation valve for easy breathing and cool, dry comfort. Adjustable M-noseclip. Lightweight for greater comfort and longer wear time. All filter design has no spare parts to clean and maintain. Promotes easier communication. Suggested for grinding, sanding, sweeping, bagging, fiberglass insulation, and other dusty/hot operations. NIOSH 42 CFR 84 N95 approved. TC-84A-1299.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772730-C	R8511	Carded	1/0/12	.128	7.29 EA
772723-D	8511	10 per box	1/0/4	.071	29.99 BX

## Trimaco LLC

**Cone Paint Strainer** - Ideal for latex or oil-based paints to remove unwanted dust or other impurities. 400 microns, medium size. 4 pack.




Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787221-C	11101	4pk Med Cone Strainers	1/0/25	.200	.99 PK

## PAINT



**Cone Paint Strainer** - Made from dense white stock and quality fabric for effective straining of paints. Removes dried flakes, lumps, skins, and other impurities. Exclusive reinforced filter tip design ensures all paint passes through the strainer. *Medium mesh* -44 x 36 (400u micron rating). Bulk pack. Contains 100 medium strainers in a dispenser box. Packed 10 boxes (1000 strainers) per case.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787213-D	012040	Cone Paint Strainer	1/0/10	1.900	11.99 BX



**Paint Strainer** - Made of finely woven nylon mesh to effectively strain paints, enamels, varnishes and lacquers. Economical because they are reusable. Stocked only in 5 gallon size.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790540-E	071205	Bulk pack (does not come with a rubber band)	1/25/100	.042	2.29 EA
785628-C	070217	3 pack	1/0/24	.125	5.49 PK



**Spray Sock** - Cool, comfortable hood type spray sock fits snugly over the head. Can be positioned to expose eyes only, eyes and nose, or eyes, nose and mouth. Use to protect face and head from spray or other foreign matter. Packaged 1 sock per polybag, 12 bags per display box.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793434-D	70195	Spray Sock	1/12/144	.097	1.79 EA

PAINT

**Leaktite Corp.**

**Utility Tub** - All-purpose plastic utility tub without handle. Handy for small painting or cleaning jobs. Economically priced. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782912-D	5PT	5 pint	1/0/50	.180	1.19 EA
782939-D	10PT	10 pint	1/0/50	.300	1.79 EA

**Leaktite Corp.**

**Wide Mouth Plastic Pail** - A wider mouth plastic utility pail that allows the ease to mix, stir, and clean. It is perfect for faux painting, sponging, and tile grouting. The 9" bottom on the bucket will not tip easily. The shallow depths will fit under most sink faucets. Both sizes have dual pouring spouts and metal carrying handle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780024-D	805	5 quart pail (10" W. x 4-1/2" D.)	1/0/24	.417	2.49 EA
780202-D	809	9 quart pail (10" W. x 7-1/2" D.)	1/0/24	.625	3.99 EA

**Leaktite Corp.**

**Do it Best™ 5 Gallon Pail** - 5 gallon capacity plastic pail. Sturdy construction permits handling of heavy materials. Features a steel handle with plastic grip for easy handling. Ideal for large painting or cleaning jobs. White with Do it Best™ logo. Lid sold separately.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782920-D	5GL	Do it Best™ Pail only	1/0/10	1.700	5.99 EA
795259-D	5GLD	Lid only	1/0/10	.700	2.99 EA

NOTE: Lid sold separately.

**Leaktite Corp.**

**2 Gallon Plastic Pail** - The perfect size mixing pail with handle. Holds 8 quart of liquid. Plastic reinforced lip adds body strength. Lid model No. 2GLD is sold separately.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778867-D	2GL	Pail	1/0/20	.900	3.99 EA
778876-D	2GLD	Lid	1/0/20	.300	1.79 EA

**Leaktite Corp.**

**Easy-Off 5 Gallon Lid** - Rigid plastic snap-on construction provides a tight seal without a rubber gasket. Convenient re-usable cover to protect the leftover paint.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778923-D	6GLD	5gal Easyoff Plastic Lid	1/0/10	.400	2.29 EA

**Leaktite Corp.**

**Promotional Paint Pail** - Sturdy pail at an economical price. 5 quart capacity. Its many uses make this pail a great value. Assorted colors: Red, yellow, blue, and black.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791511-D	500	5qt Plastic Paint Pail	1/0/36	.361	1.69 EA

## PAINT PAILS

### Leaktite Corp.

**Steel Paint Pail** - Double ribbed for extra strength. Rust-resistant, leak-tight and permanently embossed for accurate measures in pints and quarts. 5 quart capacity. Perfect size for many household uses.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773292-D	5	5qt Metal Paint Pail	1/0/24	.833	3.99 EA



**Professional Roller Grid** - A heavy-duty professional's tool when painting with a roller from 5 gallon pails. When roller rolls across sturdy metal grid, excess paint is removed and paint is distributed evenly on roller cover to assure even application on painting surface. Pre-bent end holds the grid securely in the side of the bucket. Bottom of the ramp keeps the grid stable.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773407-E	991	5gal Pro Roller Grid	1/0/24	.917	3.49 EA



**Paint Can Hook** - Wrap around spring holds securely onto all ladders. Will hold up to a 2 gallon size container. Individually carded.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775770-D	3930	Paint Can Hook	1/12/72	.132	1.79 CD

## PAINT

### Warner Mfg.

**Pot And Pail Hooks** - Keep things close and convenient to your ladder or work surface with pot hooks. Pot hooks are specially designed to hold paint cans and buckets firmly without spilling. Made of nickel-plated metal. Packaged on card or bucket of 30 hooks.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794800-E	412	2 per card	1/0/10	.100	2.49 CD
794817-E	8833	30 per bucket	0/0/1	3.000	35.99 DISP

### Warner Mfg.

**Pot And Pail Hook With Swivel** - Keep your paint and cleaning tools close and convenient to the ladder or work surface with pot hooks. This pot hook is specially designed to hold paint cans or buckets firmly without spilling. The swivel end allows ease of turning the pail. Made of nickel-plated metal.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794824-D	411	Pot/pail Swivel Hook	1/0/10	.100	2.79 EA

### Valspar

**Empty 1 Gallon Paint Can** - Lined to prevent corrosion. Includes lid and bail.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782869-C	007.0060689.000	Empty 1 Gallon Paint Can	1/0/36	1.389	2.49 EA

### D A L E S Corp.

**Pourit® Reusable Paint Can Cover** - Seals to the inside of all 1 gallon cans. Keeping the lid channel for a perfect reseal. It keeps all contaminants out of your paint. It has a quality screw cap on the pour spout for easier access to materials that are used often, in smaller quantities. Pourit® eliminates hazardous paint spills and reduces material waste. This product should be used anytime you open a round 1 gallon can. Pourit® is washable and reusable.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779302-D	11374	Gal Pourit Can Cover	1/0/24	.208	2.49 EA

# PAINT

# PAINT MIXERS

## D A L E S Corp.

**Jr. Pourit® Reusable Paint Can Cover** - Has a screw cap for easy access and is large enough for a 2" brush. It seals to the inside rim. Jr. Pourit® converts any quart can into a jar for maximum material usage. It is washable and reusable. This product should be used anytime you open a 1 quart can.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779319-D	12324	Qt Pourit Can Cover	1/0/24	.104	2.29 EA

## Encore Plastics

**Paint Stretcher Spout™** - A convenient snap-on spout that will keep the paint can rim clean. Provides a neat spout for pouring paint directly from the can to the tray. The sturdy plastic spout will fit gallon, quart, and pint metal cans. It will keep the rim clean to make closing the can easier by reducing time and mess of wiping off the rim.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796131-D	82126	Snap-on Paint Can Spout	50/0/100	.086	.99 EA

## Encore Plastics

**EZ Pour™ Spout** - A convenient re-usable pour spout for a 5 gallon pail lid provides an air tight cap for storage. It will fit both screw top lids and tint plug lids. Protects the paint quality by eliminating contamination and skimming. Made of sturdy plastic.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796174-D	82130	5gal Plastic Pour Spout	1/0/24	.083	1.79 EA

## D A L E S Corp.

**Storeit™ Paint Saving Disc** - The only paint saving disc that floats on top of any left over paint in a 1 gallon can. Storeit™ will eliminate the skinning and spoiling of paints in storage for reuse at a later date. It will contain VOCs in open containers. It will also eliminate all of your consumer waste disposal expenses associated with these problems. Storeit™ should be used anytime a paint is prone to skinning or for any paint put into storage for a long period of time. It is washable and reusable.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779333-D	13372	Gal Storeit Can Disc	1/0/24	.063	1.99 PR

## Shur Line

**Gallon Can Paint Pourer** - A single-construction polyethylene spout that fits snugly in any standard U.S. gallon or 4 litre can. The no-drip spout makes pouring easy and the paint pourer enlarges can volume for adding paint additives without a mess and simpler stirring.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781193-D	06100C	Gallon Can Paint Pourer	1/0/15	.190	2.79 EA

## Shur Line

**Paint Mixer** - Nylon impeller on 10" steel shaft fits electric drills. Gives fast, thorough blending of paint. Use in quart or gallon cans.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785760-D	06200C	10" Impeller Paint Mixer	1/0/10	.173	2.79 EA

## Warner Mfg.

**Hurricane Electric Drill Paint Mixer** - Paint mixer for use with electric drills. For use with most viscous fluids; paints, coatings, wall texture, and adhesives. 1/4" shaft x 10" long for 1 gallon paint cans and 5/16" shaft x 16" for 5 gallon paint pails.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791860-D	353	Gallon	1/0/6	.333	4.99 EA
791879-D	355	5 gallon	1/0/6	.667	7.99 EA



## PAINT SCRAPERS

### Warner Mfg.

**Spray Shield** - Provide protection and reduce splatters when painting or finishing. Shields are lightweight to minimize fatigue and are easy-to-clean. 18" plastic handles are attached to the blades. Flexible.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792977-C	305	24" x 8" plastic blade	1/0/5	1.000	9.99 EA
792985-C	10053	36" x 9" aluminum blade	1/0/5	2.100	15.49 EA

### Warner Mfg.

**Strip 'N' Clean™ Scraper** - Heavy-duty scrapers are made for professionals tackling big scraping jobs from paint to floor tile. Great for removing hardened paints, adhesives, ceramic wall tile, asphalt tile, carpeting, and various industrial applications. Featuring die-cast aluminum scraping head for maximum blade rigidity and steel handle with comfortable nonslip grips. 4" scraper head is on both models listed below. Refer to model No. 793 for replacement blade.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793213-C	790	12" handle	1/0/4	.800	25.99 EA
793566-C	792	48" handle	1/0/4	3.750	39.99 EA

### Warner Mfg.

**Do it Best® Paint Scraper** - Scrapers are injection molded from chemically-resistant polypropylene. Blades are made from heat-treated high-carbon steel and secured to handle with machine screw and nut assembly. 2 models feature a work knob for extra pressure on tough jobs. Available in the following sizes:



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774995-D	8341	1-3/4" with work knob	1/5/50	.480	6.29 EA
775002-D	8346	2-1/2" with work knob	1/5/50	.680	7.29 EA
775010-D	8337	1-3/4" without knob	1/10/100	.330	5.29 EA
775029-E	8338	2-1/2" without knob	1/10/100	.480	6.79 EA

**NOTE:** Use replacement blade model No. 8391 for 1-3/4" scraper or model No. 8389 for 2-1/2" scraper.

## PAINT

### Warner Mfg.

**Do it Best® Paint Scraper Replacement Blade** - Made from heat-treated high-carbon steel. Blades have 4 work edges and are resharpenable. Packaged 2 blades per card.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775037-D	8391	1-3/4"	1/10/100	.100	3.29 CD
775045-D	8389	2-1/2"	1/10/100	.200	3.79 CD

**NOTE:** Use these blades only with paint scraper model No. 8341, 8346, 8337, and 8338.

### Warner Mfg.

**Plastic Putty Knife And scraper** - A low cost, plastic putty knife that is extremely flexible and retains a clean, sharp edge. Is not affected by most solvents or chemicals. Great for spackle, water putty, crack filler, stucco, drywall patch, caulk, and window patch.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775541-E	8336	1-1/2" Putty knife	1/20/480	.040	.59 EA
775533-E	8908	2" Putty knife	1/20/480	.045	.59 EA
775576-E	8334	3" Scraper knife	1/20/480	.055	.69 EA
775592-E	8911	4" Scraper knife	1/20/480	.060	.69 EA

### Warner Mfg.

**Do it™ Plastic Spreader** - Economical plastic spreaders for applying adhesives and mastics. Use v-notch when smaller and lighter beads of adhesive are needed and square notch for heavier applications. 3" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786470-F	8917	Square notch	1/20/480	.065	.79 EA
786489-F	8914	V-notch	1/20/480	.065	.79 EA

PAINT

# PAINT



**Putty Knife** - Durable, high-carbon steel precision ground blade, mirror finished and lacquered. Blade extends through handle for maximum dependability. Black polypropylene comfort grip handle is shatterproof and solvent-resistant for safety. Solid steel nail setting head for setting drywall nails is included on all size blades 3" and above.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775843-D	4201	1-1/4" stiff	1/12/72	.208	3.29 EA
775878-D	4202	1-1/4" flexible	1/12/72	.174	3.29 EA
775894-D	4203	1-1/2" stiff	1/12/72	.219	4.29 EA
775886-D	4204	1-1/2" flexible	1/12/72	.181	4.29 EA
775908-D	4205	2" stiff	1/12/72	.250	4.79 EA
775916-D	4206	2" flexible	1/12/72	.208	4.79 EA
775924-E	4209	3" stiff	1/6/72	.372	5.29 EA
775932-E	4210	3" flexible	1/6/72	.264	5.29 EA
775967-D	4213	4" stiff	1/6/72	.385	6.29 EA
775975-D	4214	4" flexible	1/6/72	.292	6.29 EA
775983-D	4216	5" flexible	1/6/72	.319	6.79 EA
775991-D	4218	6" flexible	1/6/72	.333	7.29 EA



**Wallpaper Stripper** - Die-cast zinc head with replaceable 3" single edge blade. Tubular steel handle with nonslip vinyl grip. Replacement blades available. 2 double edge blades per pack. 10 packs per shelf carton. 120 packs per case. Refer to model No. 3274 for replacement blades.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775754-D	3241	3" Wallpaper Stripper	1/6/72	.052	7.29 EA



**Replacement Blades** - For model No. 3241 wallpaper stripper.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780097-D	3274	2pk Wlppr Striپر Blades	10/0/120	.031	1.29 PKG

# PUTTY KNIVES



**Window Scraper Blade** - Replacement blades for the Red Devil window scraper model No. 3225. Packed 5 blades per card.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789453-D	3251	5pk Windw Scraper Blades	10/0/120	.056	1.79 CD




**Pry And Scrape Bar - Lil Jimmie** moulding chisel specially designed to remove moulding without damage, loosening stuck windows. Pulls nails, scrapes, lifts and can be used as glazier's chisel and point driver. Hardened high-carbon tool steel, both ends ground to chisel edge. Individually carded. 1-1/2" x 9-1/2" long.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775835-D	4050	9.5" Pry&scrape Bar	1/6/72	.458	7.29 EA



**Paint Scraper** - For coarse or fine work. Double sided blades on 1-1/2" and 2-1/2" scrapers. Single blade on model No. 3010WD-1" scraper. Good gripping hardwood handle. Refer to model No. 3061 thru 3063 for replacement blades.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775622-D	3010-WD	1" scraper	1/6/72	.135	3.29 EA
775630-D	3040-WD	1-1/2" wide blade: 7" long	1/6/36	.243	4.49 EA
775649-D	3050-WD	2-1/2" wide blade: 9-1/2" long	1/6/36	.458	5.29 EA



**Replacement Blade** - Refer to model No. 3010 thru 3050 paint scraper. High-carbon, hardened steel blades. Can be resharpened with file. 1 set per card.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775657-D	3061	1" wide for model No. 3010	1/12/144	.063	1.79 CD
775665-D	3062	1-1/2" wide for model No. 3040	1/12/72	.066	1.79 CD
775673-D	3063	2-1/2" wide for model No. 3050	1/12/72	.208	1.99 CD

## PUTTY KNIVES

### Hyde Mfg.

**Professional Quality Tools** - These top quality Black & Silver® tools are made of hardened high-carbon steel. Full tang construction. Handle and blade are locked together with a patented process for accurate handle alignment and prevention of spreading and pinching. Nylon handle resists wear, abrasion and common solvents. Large metal-grommeted hang hole.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786640-D	02100	1-1/2" flexible putty knife	1/0/5	.159	4.79 EA
786659-D	02150	1-1/2" stiff putty knife	1/0/5	.196	4.79 EA
786667-D	02200	1-5/16" chisel putty knife	1/0/5	.206	5.29 EA
786675-D	02350	3" flexible scraper	1/0/5	.224	6.29 EA
786683-D	02400	3" stiff scraper	1/0/5	.319	6.29 EA
786691-D	02550	4" flexible joint knife	1/0/5	.234	7.49 EA
786721-D	02750	5" flexible joint knife	1/0/5	.276	7.99 EA
786756-D	02850	6" flexible joint knife	1/0/5	.286	8.99 EA

### Hyde Mfg.

**Professional Flexible Hammer Head® Joint Knife** - Made of the same quality materials as the Black & Silver® putty knives. Full tang construction and patented handle. Hammer head is built into handle to set drywall nails.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786713-D	02570	4"	1/0/5	.320	8.49 EA
786748-D	02770	5"	1/0/5	.360	8.99 EA
786764-D	02870	6"	1/0/5	.400	9.99 EA

### Hyde Mfg.

**2-In-1 Glazing Tool** - 1 end has a slotted V-blade to apply a smooth strip of putty. The other end has a heavy 1-1/4" chisel blade to remove old putty.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786772-D	02950	2-in-1 Glazing Tool	1/0/5	.214	6.29 EA

## PAINT

### Hyde Mfg.

**5-In-1 Painter's Tool** - Multipurpose tool that has a sharp scraper blade, can be used as a putty remover and spreader, has a half round cutoff for removing paint from paint rollers and a sharp point for opening cracks for patching.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786780-D	02970	5-in-1 Painter Tool	1/0/5	.208	6.99 EA

### Hyde Mfg.

**Long Point Vinyl Knife** - Use to cut both soft and hard core vinyl and floor covering. 2-1/2" long point blade made from high-carbon cutlery steel. Blade is hardened, tempered and honed. Contoured hardwood handle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787116-D	20450	Long Point Vinyl Knife	1/0/5	.280	7.99 EA

### Hyde Mfg.

**Bent Chisel Blade Scraper** - Heavy-duty scraper with 3" wide stiff steel blade angled at 20° for easy paint removal. Polypropylene handle. Designed for use with paint removers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786985-D	12000	3" Chisel Scraper	1/0/5	.374	8.49 EA

PAINT

**Hyde Mfg.**


**Long Handle Chisel Blade Scraper** - Heavy-duty scraper with 3" wide stiff steel blade. Extra long 8" polypropylene handle. Designed for use with paint removers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786993-D	12050	3" Lh Chisel Scraper	1/0/5	.486	8.49 EA

**Hyde Mfg.**

**Crack Opener** - Use this convenient tool to clean and open cracks for patching. Carbon steel blade. Hardwood handle. Tool measures 6" overall.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787208-D	45400	Crack Open Scraper	1/5/50	.150	6.79 CD

**Hyde Mfg.**

**Professional Paint Scraper** - Solid polypropylene handles are shaped to fit the human hand and are balanced for comfortable grip and more control. Handles are angled for extra leverage and shaped to keep knuckles safely away from the work surface. Blade angle gives maximum paint scraping efficiency. Uses 2 edge high-carbon steel blade.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786853-D	10500	1" blade and 6-1/2" handle	1/0/5	.230	3.79 EA
786861-D	10510	1-1/2" blade and 7-1/2" handle	1/0/5	.310	4.99 EA
786888-D	10520	2-1/2" blade and 9" handle	1/0/5	.410	6.29 EA

**Hyde Mfg.**

**Replacement Blades** - 2 edge high-carbon steel blade. Packed 1 blade per card.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786926-E	11000	1" blade for model No. 10500	1/0/10	.032	1.99 EA
786934-E	11050	1-1/2" blade for model No. 10510	1/0/10	.038	2.49 EA
786942-E	11100	2-1/2" blade for model No. 10520	1/0/10	.051	2.49 EA

**Hyde Mfg.**

**Professional Paint Scraper** - Same computer designed solid polypropylene handle as model No. 10500, 10510, and 10520. This paint scraper has 4 scraping edges instead of 2. 1-1/2" blade and 7-1/2" handle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786896-D	10530	1-1/2" Paint Scraper	1/0/5	.310	5.79 EA

**Hyde Mfg.**

**Professional Paint Scraper** - Same computer designed solid polypropylene handle as model No. 10500, 10510, and 10520. This paint scraper has 4 scraping edges and a pull-knob grip with a metal cap to set nails. 2-1/2" blade and 12-1/2" handle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786918-D	10540	2-1/2" Paint Scraper	1/0/5	.740	8.99 EA

**Hyde Mfg.**

**Replacement Blade** - 4 edge high-carbon steel blade. Packed 1 blade per card.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786950-E	11120	1-1/2" blade for model No. 10530	1/0/10	.061	2.79 EA
786969-D	11130	2-1/2" blade for model No. 10540	1/0/10	.105	2.99 EA

## SPACKLING/GLAZING

## PAINT

### Hyde Mfg.

**Pry Bar And Scraper** - Used to remove molding, open boxes, scrape paint, and pull nails. High-carbon steel, hardened and tempered. Ground scraping end. Nail slot. Tool measures 9-1/2" overall.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785891-D	45600	Pry Bar/scraper	1/5/50	.044	8.29 EA



**Interior Or Exterior Spackling Paste** - This product combines excellent adhesion with a high degree of weather resistance to produce a durable interior or exterior resurfacing and repair compound. Convenient paste fills and covers splits, knots, nail heads, cracks, and breaks in primed wood, composition board, plaster, drywall, and masonry. It dries quickly, sands easily, and produces a repair that is resistant to mildew and weathering. Dries in 15 to 30 minutes depending on humidity and depth of patch. Apply in temperatures 50° F. or higher. Color is off white. Available in 1 gallon pail.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
799122-D	SPIEHPT	1/2 pint	1/0/18	2.167	2.29 HPT
799130-D	SPIEQT	Quart	1/0/6	4.333	3.99 QT
780634-C	SPIE1	Gallon	1/0/2	15.750	13.99 GAL



**Latex Glazing** - Provides a long lasting seal against weather and moisture. Resists cracking, sagging and chalking. Seals wood, metal and aluminum sash. Paintable. Cleans up with water. Unique rectangular spout automatically forms a smooth, consistent bead at just the right angle between glass and sash. Available in 10.5 oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770051-C	12108	Latex Glazing Compound	1/0/12	1.333	3.99 EA



**Glazing Compound** - For new or old windows; wood or metal, primed or unprimed. Ready for use as it comes from the can. Will not dry out, chip, crack, or crumble. Resists cold, heat and moisture. Should be painted after application. White in color.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774692-D	12120	1/2 pint	1/0/12	1.208	2.99 HPT
774709-C	12121	Pint	1/0/12	2.333	4.49 PT
774718-C	12122	Quart	1/0/6	4.583	7.29 QT
774727-C	12019	Gallon	1/0/2	17.750	22.99 GAL



**Painter's Putty '53™** - A smooth, easy-working putty designed for the special needs of professional painters. It is ideal for filling nail holes, dents, and cracks in interior or exterior wood surfaces such as baseboards, window sills, and woodwork. It has exceptional adhesion and resists oil bleeding. May also use putty to glaze wooden sashes except: Not recommended to use as glazing on insulated glass units, plastic window panes, or any window over 48" in any dimension. Exceptional paintability. For best results, prime putty with an oil-base primer before painting with latex paints. Do not use lacquer or finishes containing heavy solvents over the putty. Exterior temperature should be over 40° F. for application. Contains linseed oil for a smooth consistency. Odor is mild and pleasant. Color: White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773662-C	12242	Pint	1/0/12	2.542	5.49 PT
773654-C	12244	Quart	1/0/6	5.000	8.49 QT

PAINT



**Fast 'N Final™ Spackling** - Lightweight formula spreads easier and dries faster than vinyl or powder compounds. Won't crack, sag or shrink even on larger fills. Excellent for spot patching and repairing nail holes, cracks and dents in wood, plaster, drywall concrete, and many other interior surfaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778389-C	12140	1/2 pint	1/0/12	.325	2.79 HPT
778362-B	12142	Quart	1/0/6	1.125	6.29 QT
773568-C	12143	Gallon	1/0/4	5.175	16.99 GAL



**Interior And Exterior Vinyl Spackling Compound** - Ready mixed vinyl paste spackling compound. Creamy smooth. For patching plaster, wood or dry wall. Dries fast. Can be painted without priming. Stays fresh in can. Interior/exterior.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772051-C	12008	5.5 oz. tube	1/0/12	.792	2.79 EA
773791-C	12130	1/2 pint	1/0/12	1.109	2.49 HPT
773817-C	12132	Quart	1/0/6	4.063	4.99 QT
780569-B	12133	Gallon	1/0/2	16.000	15.99 GAL



**OneTime® Spackling Compound** - New lightweight spackling compound covers nail heads and fills cracks, crevices and large holes in 1 easy application. One Time spackling doesn't sag, shrink, crack or require sanding. Use indoors or out. Contains no asbestos. Adheres well to plaster, wallboard, wood, and stucco.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790246-C	0542	1/2 pint	1/0/12	.333	2.99 HPT
790264-C	0548	Pint	1/0/12	.583	4.79 PT
790273-C	0544	Quart	1/0/6	1.333	6.99 QT
781266-B	0541	Gallon	1/0/2	4.500	18.99 GAL



**Finishing Putty** - A smooth, pre-mixed easy working putty that quickly repairs minor scratches and holes in interior or exterior surfaces. Resists oil bleeding. Recommended for filling and hiding countersunk nail holes, gouges, scratches and mitre joints. Use on paneling, woodwork, moulding, furniture, cabinets, and other wood surfaces that are pre-finished. 2.8 oz. jar.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782068-C	21245	White	1/0/6	.292	2.49 EA
782102-C	21247	Light oak	1/0/6	.292	2.49 EA
782317-C	21276	Natural oak	1/0/6	.292	2.49 EA
782175-C	21250	Cherry	1/0/6	.292	2.49 EA
782308-C	21251	Light walnut	1/0/6	.292	2.49 EA
782200-C	21255	Dark walnut	1/0/6	.292	2.49 EA
782362-C	21262	Red oak	1/0/6	.292	2.49 EA
793773-C	21266	Ebony	1/0/6	.300	2.49 EA
793766-C	21268	Red mahogany	1/0/6	.300	2.49 EA
793735-C	21270	Maple	1/0/6	.300	2.49 EA
793780-C	21272	Natural pine	1/0/6	.300	2.49 EA
793759-C	21274	Pickled oak	1/0/6	.300	2.49 EA

## WOOD FILLER



**Plastic Wood** - Hardens on exposure to the air, giving surface and body just like wood. Handles like putty. Can be applied to any surface that is free from oil or grease. When set, can be cut, planed, polished, or varnished and will hold nails, tacks or screws. Acetone may be used as a solvent to thin and soften plastic wood.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774683-D	21400	Light oak, 4 oz.	1/0/12	.064	3.29 EA
773498-D	21408	Golden oak, 4 oz.	1/0/12	.425	3.29 EA
772733-D	21412	White, 4 oz.	1/0/12	.396	3.29 EA
775860-D	21420	Red oak, 4 oz.	1/0/12	.064	3.29 EA
775879-D	21424	Red mahogany, 4 oz.	1/0/12	.064	3.29 EA
775851-D	21430	Maple, 4 oz.	1/0/12	.064	3.29 EA
773504-D	21434	Walnut, 4 oz.	1/0/12	.425	3.29 EA
773470-D	21500	Natural 1.87 oz. tube	1/0/12	.167	2.79 EA
773489-D	21502	Natural, 4 oz. can	1/0/12	.417	3.29 EA
771668-D	21504	Natural, 8 oz. can	1/0/12	.306	4.99 EA
791771-C	21506	Natural, 16 oz. can	1/0/12	1.583	6.49 EA



**Latex Plastic Wood** - A low-odor, solvent free fibre filler that hardens on exposure to air, creating a surface and body that looks and acts like wood. Latex plastic wood can be sanded, cut, drilled, planed, and finished. Holds screws and nails without splitting. Natural color. Stocked in 1/4 pint size only.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791833-D	08111	1/4pt Latex Plastic Wood	1/0/12	.667	2.79 EA

## PAINT



**Wood Epoxy Paste** - P.C. Woody epoxy paste is an epoxy repair material formulated to replace missing and rotted wood with structural strength greater than most wood. Use for permanent repairs on all types of wood either interior or exterior. Natural wood color. Can be painted or stained. Saw, nail, screw or sand when cured. Remains workable after mixing for over 30 minutes and cures for service overnight at 70° F. Cure will take longer at cooler temperatures.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785715-C	02333	1.5 oz.	1/0/24	.167	4.79 EA
785724-C	08333	6 oz.	1/0/24	.583	10.29 EA



**PC-Petrifier® Wood Hardener** - A pre-mixed single component adhesive, formulated to fully penetrate and revitalize rotted wood. The water-based wood consolidant is environmentally friendly. Restore interior or exterior decorative woodwork, window frames, sills, sashes, nonsupportive posts or columns. Apply PC-Petrifier® to rotted area, let dry overnight, apply PC-Woody® to repair missing wood. After cure (overnight), sand, prime, and paint. Product may be poured, brushed, rolled, or sprayed on the treated area. 16 oz. bottle covers approximately 32 to 75 sq. ft., depending on porosity. Do not use for heavy structural support. For greater structural strength, refer to model No. 35061, PC-Rot Terminator®.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783781-C	08444	8 fl. oz.	1/12/24	.625	5.49 EA
797627-C	16444	16 fl. oz.	1/0/12	1.250	9.49 EA

### Elmer's Prod.

**Interior And Exterior Wood Filler** - Elmer's latex-based Carpenter's Wood Filler for interior and exterior use is ideal for repairing holes, dents, scratches, gouges, and defects on any wood, metal, wallboard, molding, or painted surface. The weather-resistant, solvent free formula is nonflammable and easy-to-apply. Tough enough to hold screws and nails after dried. It is paintable, stainable, and mildew-resistant.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795658-D	E847	1/4 pint	1/0/12	.350	2.79 EA
795968-D	E848	1/2 pint	1/0/12	1.550	3.99 EA
795976-D	E849	Pint	1/0/6	2.111	5.99 EA
795984-C	E842	Quart	1/0/6	4.042	6.99 EA

We will gladly special order any items you require, and we can ship most non-stocked items next day!

# PAINT

## Durham, Donald

**Water Putty** - Rock hard. Plastic repair material in powder form; to be mixed with water. Will not shrink. Can be used on walls, floors, furniture, woodwork or plaster. Hardens in 30 minutes. Can be colored or painted.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773648-D	RHWP1	1 lb. can	1/0/12	1.250	2.19 EA
773657-D	RHWP4	4 lb. can	1/0/6	4.667	7.29 EA
777900-D	RHWP25	25 lb. drum	0/0/1	27.000	33.99 EA

## Homax Corp.

**Stain Putty Powder** - Bix® wood putty will accept any latex or oil topcoat after it has cured 24 hours because it is produced from real wood. May be mixed with any stain or varnish to match colors. Gradually add to varnish while mixing until texture is desired color, add water to achieve a thick yet spreadable consistency. Fills cracks, joints, nail holes, dents, etc. Can be sanded, nailed, or sawed when cured. For patch application, mix 3 parts putty powder to 1 part water. Mix only amount needed to fill the working area. Remove any excess patching mixture, allow to dry, then sand and topcoat as desired.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788071-D	7001	7 oz.	1/0/12	.583	2.49 EA
780006-D	7002	13 oz.	1/0/6	1.000	3.79 EA

## Henkel Corp/ OSI

**Carded Touch Up Stik™** - For easy and quick repairing of small nicks, holes, and scratches in finished wood surfaces. Wide range of colors to match practically any finished wood. Net weight .40 oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
798053-D	DT110096	Cherry	1/6/36	.050	1.89 EA
798061-D	DT180096	Black	1/6/36	.050	1.89 EA
798088-D	DT113096	Dark mahogany/redwood	1/6/36	.050	1.89 EA
798096-D	DT130096	Pine	1/6/36	.050	1.89 EA
798118-D	DT140096	Light walnut	1/6/36	.050	1.89 EA
798126-D	DT141096	Teak	1/6/36	.050	1.89 EA
798134-D	DT142096	Dark maple	1/6/36	.050	1.89 EA
798142-D	DT145096	Dark birch	1/6/36	.050	1.89 EA
798150-D	DT148096	Dark walnut	1/6/36	.050	1.89 EA
798169-D	DT160096	Almond	1/6/36	.050	1.89 EA
798177-D	D173096	Oak	1/6/36	.050	1.89 EA
798185-D	DT190096	White	1/6/36	.050	1.89 EA

# WOOD FILLER

## K J Miller

**Scratch Fix** - Felt touch-up pen. Covers and hides scratches, nicks and mars in furniture, paneling, cabinets, doors, woodwork, or any finished wood surface. Simply apply to scratch and wipe off excess immediately. Repeat for darker finish. Dries in 5 minutes. Carded.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780293-D	SF1201	Light brown	1/0/12	.063	3.49 EA
780738-D	SF1202	Dark brown	1/0/12	.063	3.49 EA
780845-D	SF1203	Black brown	1/0/12	.063	3.49 EA
780854-D	SF1204	Red brown	1/0/12	.063	3.49 EA
799960-D	SF1205	Medium brown	1/0/12	.073	3.49 EA

## Saint-Gobain Tech Fabrics

**Hole Repair Kit** - Complete ready-to-use hole repair kit for drywall repair jobs. Includes all material necessary to repair holes up to 5" diameter. Kit includes: 1 quadramesh patch, 1 triple edge compound spreader, 2 pouches premixed wall patch compound (1 for first coat and 1 for finishing coat), 1 wet'n dry sanding pad, and complete step-by-step instruction. E-Z Vue clamshell packaging.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
282197-D	108239	Hole Repair Kit	1/0/8	1.900	7.79 EA

## Valspar

**Good-Bye Crack Repair** - A nonflammable liquid that forms an elastic, preventative film. Spackle cracks first, spray on crack repair and paint with either latex or oil-base paint.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790990-C	011.0002504.079	4oz Crack Repair	1/0/12	.500	5.49 EA



## WALL REPAIR



**Presto Patch®** - An all-purpose, high-performance patching compound formulated to set fast and dry hard. Set time is 5 to 10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling, and floor projects. Interior use. Mixing ratio is 3 parts powder: 1 cold water. 4 lb. bag covers approximately 2 sq. ft. at 1/4" thickness per the mixing ratio.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796521-D	58505	4lb Prsto Patch Compound	1/0/6	4.333	4.79 EA



**Patching Plaster Wall Repair Patch** - Easy-to-mix patching powder for repairing large cracks and voids in plaster walls and ceilings. Sets fast without shrinking. 25 lb. bag.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783455-D	10304	25lb Plaster Wall Patch	0/0/1	27.000	12.99 BG



**Plaster of Paris** - Easy-to-mix fast setting patching compound that won't shrink. Ideal for hobby molds and casts. Should not be used for repairs that require a working time of over 30 minutes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783471-D	10308	4 lb. tub	1/0/6	4.900	3.99 EA
796477-C	10310	8 lb. tub	1/0/4	6.750	6.49 EA
783501-D	10312	25 lb. bag	1/0/96	27.000	12.99 BG



**Elastomeric Patch** - A high-performance, terpolymer patching compound ideal for patching and repairing recurring cracks and holes. This product remains permanently flexible and will not crack, crumble, or fall out as joints expand and contract over time. It is suitable for use in both interior and exterior applications. It is paintable, mildew-resistant and waterproof (above ground level). Available in smooth finish for patching drywall, plaster, wood, and smooth concrete or textured finish for patching stucco, concrete, masonry, brick, and textured walls and ceilings. Color of smooth is white. Color of textured is off-white.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792930-C	12276	Smooth, 10.1 oz. cartridge	1/0/12	1.225	3.99 EA
792949-C	12278	Smooth, quart	1/0/6	3.783	8.79 QT
796453-C	12280	Smooth, gallon	0/0/2	14.000	22.99 GAL
792921-C	12286	Textured, 10.1 oz. cartridge	1/0/12	1.125	3.79 EA
792912-C	12288	Textured, quart	1/0/6	3.400	7.99 QT
796460-C	12290	Textured, gallon	0/0/2	14.000	21.99 GAL



**Stucco Crack Repair** - A superior crack filler and sealer used to repair vertical and horizontal stucco surfaces. The sanded acrylic formula is designed to blend in with the texture of stucco surfaces. Product has excellent adhesion and remains flexible for durable repairs. May be painted with latex paint after 24 hours cure time. The convenient 5.5 oz. squeeze tube fills approximately 12 linear ft. at 1/4" bead.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774523-C	8650-05	5.5oz Tube Stucco Repair	1/0/12	.417	3.49 EA

Save time by letting us locate those hard-to-find items for you!



**Premixed Stucco Patch** - Applies easily with a stucco float or trowel to cover thin surface cracks or fill shallow holes in exterior or interior stucco surfaces. Product remains semi-flexible for permanent results. Dries to an off-white color in about 1 hour. Mildew and weather-resistant.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787140-D	PMSQT	Quart	1/0/6	3.833	5.79 QT
787159-C	PMS1	Gallon	1/0/2	15.750	14.99 GAL



**Stucco Patch** - A durable and permanent all-purpose stucco patch that may be used to repair large holes and cracks in interior and exterior stucco surfaces. The sand textured formula blends naturally with existing stucco for a professional finish. Mix ratio of 4 parts powder to 1 part cold water. Stir to a smooth consistency and let mixture set for 15 minutes then restir. Apply mixture with clean putty knife or trowel. Use a rubber float to blend patch with the existing stucco surface. Working time: 1 to 2 hours, setting time: 2 to 4 hours, final cure: 3 days. Color is white. Clean up tools with water immediately after use.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782112-D	10502	25lb Stucco Patch	1/0/90	.278	15.99 EA

**Sunnyside Corp.**

**Do it® And Sunnyside Paint Thinner** - The most economical general-purpose cleaning and thinning agent available. Conforms to all environmental and clean air requirements. Mild odor. Available in plastic or metal containers. The 2 gallon plastic jug is a low-profile jug that fits the same shelf height as the 1 gallon container.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785993-B	701G1H	Plastic Do it® mineral spirits/ thinner, gallon	6/0/162	7.344	5.79 GAL
797528-B	701G3	Plastic 2.5 gallon container	2/0/72	18.500	18.49 EA
775888-C	70416	Metal pint container	1/0/12	1.083	2.99 PT
789659-C	70432	Metal quart container	1/0/12	2.083	3.99 QT
789668-B	704G1	Metal gallon container	1/0/6	7.667	8.79 GAL
798452-A	704G5	Metal 5 gallon container	0/0/1	35.000	34.99 CAN

**Sunnyside Corp.**

**Odorless Paint Thinner** - Completely odorless and free of objectionable aromatic solvent content. Evaporates cleanly with no residual odor or residue. Used by professionals in hospitals, schools and restaurants where low odor levels are necessary. Also popular with hobbyists.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773204-D	70532	Quart	1/0/12	2.000	5.79 QT
773212-B	705G1	Gallon	1/0/6	7.167	14.99 GAL

**Sunnyside Corp.**

**Mineral Spirits** - An extremely high-grade solvent with virtually no impurities. Excellent for thinning paints and cleaning. Conforms to all air pollution regulations. No objectionable odor.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775897-D	80332	Quart	1/0/12	2.083	4.79 QT
775904-B	803G1	Gallon	1/0/6	7.500	11.99 GAL

**Sunnyside Corp.**

**Lacquer Thinner** - General-purpose medium dry solvent formulated to assure compatibility with high grade lacquers. Conforms to all air pollution regulations. An excellent parts cleaner and degreaser. Not acceptable for thinning automotive lacquers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787759-D	45716	Pint	0/0/12	1.167	3.79 PT
788053-D	45732	Quart	0/0/12	2.167	6.29 QT
788106-D	457G1	Gallon	0/0/6	8.000	13.49 GAL
798460-B	457G5	5 gallon	0/0/1	40.000	51.99 CAN

## CHEMICALS

### Sunnyside Corp.

**Pro Solutions™ Lacquer Thinner** - A professional strength thinner that has a medium-fast drying action. Use with wood lacquer finishes and epoxies. An excellent parts cleaner and degreaser. Not acceptable for thinning automobile lacquers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774150-C	456G1P	Gallon	0/0/6	7.000	11.29 GAL
774168-B	456G5P	5 gallon pail	0/0/1	35.000	42.99 CAN

### Sunnyside Corp.

**Denatured Alcohol** - Use for thinning shellac and cleaning tools after applying shellac. Use also as a cleaner and degreaser for glassware, windows, metal and fabrics. A clean burning fuel for chafing dishes, wick-type alcohol lamps and stoves.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775931-D	83416	Pint	1/0/12	1.417	3.29 PT
775940-C	83432	Quart	1/0/12	2.167	4.49 QT
775959-D	834G1S	Gallon	0/0/6	7.500	13.79 GAL
798479-B	834G5	5 gallon	0/0/1	39.000	48.99 CAN

### Sunnyside Corp.

**Naphtha** - Quality solvent often used in place of paint thinner for certain thinning and cleaning applications. Higher strength and faster evaporation rate than paint thinner.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785911-D	80032	Quart	1/0/6	2.167	5.29 QT
785920-C	800G1	Gallon	0/0/6	7.333	13.49 GAL

## PAINT

### Sunnyside Corp.

**XYLOL** - A powerful solvent for anti-rust paints, enamels, marine paints and other high-solids oil-base coatings. Blends quickly and thoroughly with resins that are hard to cut with more commonly used solvents. May be used as a solvent for oil-base putties, caulking compounds, and most adhesives.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778338-D	82232	Quart	0/0/12	2.000	5.79 QT
782084-C	822G1	Gallon	0/0/6	8.333	16.49 GAL

### Sunnyside Corp.

**Acetone** - The strongest and fastest evaporating solvent available. Good for thinning and cleaning fiberglass resins, epoxy and superglue before they harden. Heavy-duty degreaser. May soften or dissolve rubber, plastic, asphalt, tile, linoleum, or painted surfaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787205-C	84016	Pint	1/0/12	1.167	3.99 PT
785939-C	84032	Quart	1/0/12	2.083	6.79 QT
778311-C	840G1S	Gallon	0/0/6	7.500	16.79 GAL
798444-B	840G5	5 gallon	0/0/1	38.000	69.99 CAN

### Sunnyside Corp.

**Methyl Ethyl Ketone** - Very active solvent with similar characteristics to acetone, but is slower drying than acetone. Primarily used with specialty epoxies and resins.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793167-C	84732	Quart	1/0/6	2.167	7.29 QT
793175-C	847G1S	Gallon	0/0/6	7.500	21.49 GAL

PAINT

# PAINT

## Sunnyside Corp.

**Gum Spirits Turpentine** - Turpentine is the best quality paint solvent. Its strength is ideal for thinning most oil-base paints and stains to aid leveling and reduce drag.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775646-D	87016	Pint	1/0/12	1.167	4.29 PT
775655-C	87032	Quart	1/0/12	2.250	6.29 QT
775664-C	870G1	Gallon	1/0/6	8.333	19.49 GAL

## Sunnyside Corp.

**Turpentine Replacement** - A blended product with the same working properties as turpentine. Substitute for turpentine in general thinning, cleaning, and degreasing operations.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778251-D	77032	Quart	1/0/6	2.167	5.49 QT
778171-C	770G1	Gallon	1/0/2	4.000	15.99 GAL

## Sunnyside Corp.

**Boiled Linseed Oil** - Traditional wood finish and preservative, processed to dry faster than raw linseed oil. May be used as an additive for oil-base paints to increase gloss.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775771-C	87216	Pint	1/0/12	1.250	3.99 PT
775780-C	87232	Quart	1/0/12	2.333	5.99 QT
775799-C	872G1	Gallon	1/0/6	8.833	16.99 GAL
788511-C	872G5	5 gallon	0/0/1	38.000	72.99 CAN

# CHEMICALS

## Sunnyside Corp.

**Raw Linseed Oil** - 100% pure oil. Slow drying natural oil with multiple uses. Helps wood retain its natural moisture content, aids water repellency, retards cracking, checking, and shrinking.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775735-C	87332	Quart	1/0/6	2.333	5.79 QT
775744-C	873G1	Gallon	1/0/2	9.000	17.99 GAL

## Sunnyside Corp.

**Kerosene** - Refined to eliminate objectionable odor and soot. Mild strength and slow evaporation rate make it a safer fuel for camp stoves, space heaters and oil burning lamps. Clean burning K1 grade. Also available in plastic containers model No. 801G3 and 700G1.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792850-C	80132	Metal, quart	1/0/12	2.083	4.79 QT
792823-B	801G1	Metal, gallon	1/0/6	7.833	10.99 GAL
798487-B	801G5	Metal, 5 gallon	0/0/1	37.000	31.99 CAN

## Sunnyside Corp.

**Kerosene** - Refined to eliminate objectionable odor and soot. Mild strength and slow evaporation rate make it a safer fuel for camp stoves, space heaters and oil burning lamps. Clean burning K1 grade. Also available in metal containers refer to model No. 80132 thru 801G5.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797535-B	700G1	Plastic, 1 gallon jug	1/0/6	7.333	8.29 GAL
798355-B	801G3	Plastic, 2-1/2 gallon jug	0/0/2	18.500	17.99 EA

# CHEMICALS

## Sunnyside Corp.

**Muriatic Acid** - This is an 18° baume 28% concentration hydrochloric acid. Uses include balancing the PH level in swimming pools, cleaning brick and mortar, and etching concrete.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788507-D	71032	Quart	0/0/12	2.667	3.49 QT
789169-C	710G1	Gallon	4/0/144	10.250	4.99 GAL

## Valspar/Plasti Kote

**Liquid Sandpaper** - Surface preparation for easy repainting and refinishing. Helps eliminate sanding by reducing the gloss of enamels and developing a *holding tack* to bond the new finish to the old. Removes grease, grime, wax, dirt and polish with easy wiping to ensure good adhesion of fresh finish. May be used before finishing with aerosol, oil or latex paints, varnish, shellac, lacquer, epoxy or urethane finishes. Also cleans hardwood floors, stairs, inlaid and vinyl linoleums.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775263-C	4500	Pint	1/0/12	1.250	5.49 PT
782086-C	6500	Quart	1/0/6	2.150	7.29 QT

## MINWAX

**Wood Finish** - Provides a simple economical way to obtain full toned color effect for furniture, floors, paneling, trim, and all other unfinished interior wood surfaces. Penetrates, stains, and seals. 1/2 pint, pint, quart, and gallon. 1 quart will cover approximately 75 sq. ft. for complete 2 coat job.

**NOTE:** Color cards and literature are available through Minwax Customer Service Department 800/433-04630. To view form refer to SKU No. 000065.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779054-C	22090	Natural Wood Stain	1/0/6	.646	4.79 HPT
779107-A	42090	Natural Wood Stain	1/0/6	1.052	5.79 PT
797146-A	70000	Natural Wood Stain	1/0/4	2.167	6.79 QT
796972-B	71000	Natural Wood Stain	1/0/2	8.000	23.99 GAL
780523-C	22102	Golden Oak Wood Stain	1/0/6	.615	4.79 HPT
780596-A	42102	Golden Oak Wood Stain	1/0/6	1.063	5.79 PT
797154-A	70001	Golden Oak Wood Stain	1/0/4	2.167	6.79 QT
796980-B	71001	Golden Oak Wood Stain	1/0/2	8.000	23.99 GAL
777056-C	22110	Provincial Wood Stain	1/0/6	.620	4.79 HPT
777065-A	42110	Provincial Wood Stain	1/0/6	1.083	5.79 PT
797162-A	70002	Provincial Wood Stain	1/0/4	2.167	6.79 QT
796999-B	71002	Provincial Wood Stain	1/0/2	8.000	23.99 GAL
780747-C	22180	Puritan Pine Wood Stain	1/0/6	.599	4.79 HPT
780961-A	42180	Puritan Pine Wood Stain	1/0/6	1.063	5.79 PT
797170-A	70003	Puritan Pine Wood Stain	1/0/4	2.167	6.79 QT

Continued Next Column

Some products shown may need to be special ordered for your convenience!

# PAINT

Continued From Previous Column

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797006-B	71003	Puritan Pine Wood Stain	1/0/2	8.000	23.99 GAL
782282-C	22210	Ipswich Pine Wood Stain	1/0/6	.651	4.79 HPT
782442-A	42210	Ipswich Pine Wood Stain	1/0/6	1.063	5.79 PT
797189-A	70004	Ipswich Pine Wood Stain	1/0/4	2.167	6.79 QT
797014-B	71004	Ipswich Pine Wood Stain	1/0/2	8.000	23.99 GAL
773924-C	22230	Colnl Maple Wood Stain	1/0/6	.625	4.79 HPT
774362-A	42230	Colnl Maple Wood Stain	1/0/6	1.104	5.79 PT
797197-A	70005	Colnl Maple Wood Stain	1/0/4	2.167	6.79 QT
797022-B	71005	Colnl Maple Wood Stain	1/0/2	8.000	23.99 GAL
773014-C	22240	Spec Walnut Wood Stain	1/0/6	.625	4.79 HPT
773023-A	42240	Spec Walnut Wood Stain	1/0/6	1.115	5.79 PT
797200-A	70006	Spec Walnut Wood Stain	1/0/4	2.167	6.79 QT
797030-B	71006	Spec Walnut Wood Stain	1/0/2	8.000	23.99 GAL
781041-C	22250	Red Mahogany Wood Stain	1/0/6	.625	4.79 HPT
781158-A	42250	Red Mahogany Wood Stain	1/0/6	1.073	5.79 PT
797219-A	70007	Red Mahogany Wood Stain	1/0/4	2.167	6.79 QT
797049-B	71007	Red Mahogany Wood Stain	1/0/2	8.000	23.99 GAL
781988-C	22300	Early American Wood Stain	1/0/6	.625	4.79 HPT
782040-A	42300	Early American Wood Stain	1/0/6	1.125	5.79 PT
797227-A	70008	Early American Wood Stain	1/0/4	2.167	6.79 QT
797057-B	71008	Early American Wood Stain	1/0/2	8.000	23.99 GAL
770856-C	22350	Cherry Wood Stain	1/0/6	.625	4.79 HPT
771711-A	42350	Cherry Wood Stain	1/0/6	1.104	5.79 PT
797235-A	70009	Cherry Wood Stain	1/0/4	2.167	6.79 QT
797065-B	71009	Cherry Wood Stain	1/0/2	8.000	23.99 GAL

## MINWAX

**Polyurethane Varnish** - Creates a very hard and durable finish. Fast-drying alkyd formula. For interior use only.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786179-B	33060	Satin, aerosol spray	1/0/6	1.167	6.79 EA
776254-B	23010	Satin, 1/2 pint	1/0/6	.667	6.49 HPT
772890-C	43010	Satin, pint	1/0/6	1.177	8.49 PT
772989-B	63010	Satin, quart	1/0/4	2.271	10.49 QT
797332-B	71028	Satin, gallon	1/0/2	8.500	34.99 GAL
786381-B	33055	Semi-gloss, aerosol spray	1/0/6	1.167	6.79 EA
786373-B	23005	Semi-gloss, 1/2 pint	1/0/6	.667	6.49 HPT
786365-C	43005	Semi-gloss, pint	1/0/6	1.167	8.49 PT
786357-B	63005	Semi-gloss, quart	1/0/4	2.167	10.49 QT
797340-B	71029	Semi-gloss, gallon	1/0/2	8.500	34.99 GAL
786160-B	33050	Gloss, aerosol spray	1/0/6	1.167	6.79 EA
776270-B	23000	Gloss, 1/2 pint	1/0/6	.667	6.49 HPT
772578-C	43000	Gloss, pint	1/0/6	1.104	8.49 PT
772685-B	63000	Gloss, quart	1/0/4	2.188	10.49 QT
797359-B	71030	Gloss, gallon	1/0/2	8.500	34.99 GAL

PAINT

# PAINT

# WOOD FINISH

## MINWAX

**Spar Urethane** - Very tough clear wood finish. Resists cracking, checking, peeling, and yellowing. Protects wood from water, salt air, sun damage, and atmospheric pollution. Ideal for patio furniture, exterior doors, bar tops and wooden boat surfaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781851-C	33255	Satin, aerosol spray	1/0/6	1.167	7.79 EA
781853-C	43205	Satin, pint	1/0/6	1.167	9.49 PT
781933-C	63205	Satin, quart	1/0/4	2.167	15.99 QT
781942-C	13205	Satin, gallon	1/0/2	8.500	43.99 GAL
786438-C	33260	Semi-gloss, aerosol spray	1/0/6	1.167	7.79 EA
789052-C	43210	Semi-gloss, pint	1/0/6	1.167	9.49 PT
789043-C	63210	Semi-gloss, quart	1/0/4	2.167	15.99 QT
789025-C	13210	Semi-gloss, gallon	1/0/2	8.500	43.99 GAL
786403-C	33250	High-gloss, aerosol spray	1/0/6	1.167	7.79 EA
789007-C	43200	Gloss, pint	1/0/6	1.167	9.49 PT
788972-C	63200	Gloss, quart	1/0/4	2.167	15.99 QT
788927-C	13200	Gloss, gallon	1/0/2	8.500	43.99 GAL

## MINWAX

**Polycrylic® Protective Finish** - A durable, clear protective finish for interior woodwork, trim, doors, cabinets, and furniture. Nonyellowing. Water-based formula provides fast drying for quick recoating, low odor for ease of use, less irritation, and water clean up of tools and equipment.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783469-B	33333	Satin, spray	1/0/6	1.067	10.29 EA
795356-C	43333	Satin, pint	1/0/6	1.167	11.79 PT
795364-C	63333	Satin, quart	1/0/4	2.167	14.99 QT
795372-B	13333	Satin, gallon	1/0/2	8.500	45.99 GAL
783450-B	34444	Semi-gloss, spray	1/0/6	1.067	10.29 EA
795380-C	44444	Semi-gloss, pint	1/0/6	1.167	11.79 PT
795399-C	64444	Semi-gloss, quart	1/0/4	2.167	14.99 QT
795402-B	14444	Semi-gloss, gallon	1/0/2	8.500	45.99 GAL
783414-B	35555	Gloss, spray	1/0/6	1.067	10.29 EA
795410-C	45555	Gloss, pint	1/0/6	1.167	11.79 PT
795429-C	65555	Gloss, quart	1/0/4	2.167	14.99 QT
795437-B	15555	Gloss, gallon	1/0/2	8.500	45.99 GAL

## MINWAX

**Paste Finishing Wax** - Available in regular and special type (a dark wax) for general use and for initial waxing over wood finishes. Special type dark wax, for use over darker surfaces such as walnut and mahogany. 1 lb.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782843-D	78500	Regular type	1/0/12	1.323	8.29 EA
771098-D	78600	Special type	1/0/12	1.359	8.29 EA

## MINWAX

**Wood Conditioner** - A Pre-Stain conditioner for use on soft woods such as pine, fir and spruce to assure even stain penetration. Wood may be stained immediately after application of Wood Conditioner.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788902-C	13407	1/2 pint	1/0/6	.667	4.79 HPT
792351-C	41500	Pint	1/0/6	1.100	6.79 PT
792360-D	61500	Quart	1/0/4	2.150	10.49 QT
797650-C	11500	Gallon	1/0/2	8.000	27.49 GAL

## MINWAX

**Wood Filler** - A high performance wood filler designed to handle the entire range of wood filling needs. Use to fix split, damaged or rotted wood indoors and out. It is weather, water and rot resistant so it won't shrink, crack or fall out. Hardens in 15 minutes and can be planed, sanded, carved, drilled, screwed, nailed, stained, or painted within 30 minutes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776459-D	41600	6 oz.	1/0/6	.833	8.29 EA
776467-C	21600	12 oz.	1/0/6	1.333	11.99 EA

**Rust Oleum**

**Watco® Danish Oil Finish** - A penetrating oil finish for wood that won't crack, chip, or peel. Stains and protects in 1 easy step. Produces a natural hand rubbed appearance that is resistant to water and alcohol. May be topcoated, if desired, with Varathane® Liquid Plastic or Elite Diamond Finish® after 72 hours. Watco® Danish Oil Finish is the choice of many master craftsmen, but is easy-to-use and produces professional results for the DIY as well. Best applied with a soft cloth, but may also be applied with a brush or synthetic steel wool. Excellent for use on furniture, cabinets, doors, trim, and paneling. Covers 55 to 75 sq. ft. per quart. Finished surfaces are ready for use 8 to 10 hours after application. Clean up with paint thinner or mineral spirits. Not recommended for floors.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773666-C	65131	Golden oak, gallon	1/0/2	8.400	28.99 GAL
788892-C	65141	Golden oak, quart	1/0/6	2.167	10.49 QT
788883-C	65151	Golden oak, pint	1/0/6	1.167	7.29 PT
788874-C	65241	Cherry, quart	1/0/6	2.167	10.49 QT
788865-C	65251	Cherry, pint	1/0/6	1.167	7.29 PT
788813-C	65341	Black walnut, quart	1/0/6	2.167	10.49 QT
788794-C	65351	Black walnut, pint	1/0/6	1.167	7.29 PT
788918-C	65441	Fruitwood, quart	1/0/6	2.167	10.49 QT
788909-C	65451	Fruitwood, pint	1/0/6	1.167	7.29 PT
773675-C	65531	Light walnut, gallon	1/0/2	8.400	28.99 GAL
789034-C	65541	Light walnut, quart	1/0/6	2.167	10.49 QT
788963-C	65551	Light walnut, pint	1/0/6	1.167	7.29 PT
773693-C	65731	Natural, gallon	1/0/2	8.400	28.99 GAL
788730-C	65741	Natural, quart	1/0/6	2.167	10.49 QT
788712-C	65751	Natural, pint	1/0/6	1.167	7.29 PT
788783-C	65841	Dark walnut, quart	1/0/6	2.167	10.49 QT
788776-C	65851	Dark walnut, pint	1/0/6	1.167	7.29 PT
788758-C	65941	Medium walnut, quart	1/0/6	2.167	10.49 QT
788749-C	65951	Medium walnut, pint	1/0/6	1.167	7.29 PT

**Rust Oleum**

**Watco® Satin Finishing Wax** - Easy to use liquid wax that gives interior woods a soft, satin lustre. May be applied over Watco® Danish Oil Finish after 24 hours or over stained wood after 72 hours. Do not use over clear, polyurethane type finishes. Helps hide scratches and mars and is resistant to water. Additional applications applied periodically will maintain the lustre and protect the wood for years. Apply with a clean, soft rag in a light, even film over the surface. There is no disposal hazard for rags since there is no linseed oil present in the wax.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789123-C	67051	Pint	1/0/6	1.167	7.29 PT
789132-C	67041	Quart	1/0/6	2.167	10.49 QT

**Rust Oleum**

**Watco® Brand Rejuvenating Oil** - Watco® brand rejuvenating oil is a special maintenance oil that cleans, penetrates, and rejuvenates previously oil-finished interior woods. The 1 step lemon scented formula cleans and removes minor surface stains and scratches from interior oil-finished wood. Dissolves wax on the wood's surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791708-D	66051	Pint	1/0/6	1.133	6.99 PT
791726-C	66041	Quart	1/0/6	2.118	9.49 QT

**Rust Oleum**

**Watco® Teak Oil Finish** - Watco® teak oil finish is a deep penetrating oil specifically formulated for dense exotic woods such as teak. Teak oil can be used on interior surfaces such as furniture, trim, or paneling and on exterior marine surfaces such as outdoor furniture, boat trim rails, and doors. Apply with brush, roller, or spray to dry, finish free wood surfaces. Allow to dry overnight prior to use.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790781-C	67141	Quart	1/0/6	2.220	10.49 QT
790790-B	67131	Gallon	1/0/2	8.330	29.99 GAL

**Rust Oleum**

**Varathane® Interior Polyurethane** - Produces a tough protective coating on interior wood. Formulated as blends of alkyd and oil modified urethane resins. Has excellent flow properties during application and dries quickly. Use on floors, paneling, furniture, cabinets, trim, doors, bar tops, and much more.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784338-C	9081	Spray gloss	1/0/6	1.060	6.29 EA
784362-C	9041	Quart gloss	1/0/6	2.240	12.99 QT
784370-C	9031	Gallon gloss	1/0/2	8.410	35.99 GAL
775469-C	6081	Spray semi-gloss	1/0/6	1.067	6.29 EA
775548-C	6041	Quart semi-gloss	1/0/6	2.233	12.99 QT
775691-C	6031	Gallon semi-gloss	1/0/2	8.400	35.99 GAL
784389-C	9181	Spray satin	1/0/6	1.060	6.29 EA
784427-C	9141	Quart satin	1/0/6	2.240	12.99 QT
784435-C	9131	Gallon satin	1/0/2	8.410	35.99 GAL

# PAINT

## Rust Oleum

**Varathane® Exterior Spar Urethane** - Provides a tough, flexible, long lasting finish for maximum protection and durability on exterior and marine wood exposure. Has excellent flow and self-leveling properties. Contains an ultraviolet absorber to protect against the harmful rays of the sun. Use on siding, patio furniture, railings, exterior doors, wood boat decks, and trim above the waterline.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784443-C	9251	Pint, gloss	1/0/6	1.220	10.49 PT
784451-C	9241	Quart, gloss	1/0/6	2.240	14.79 QT
784478-C	9231	Gallon, gloss	1/0/2	8.410	39.99 GAL
784494-C	9351	Pint, satin	1/0/6	1.220	10.49 PT
784508-C	9341	Quart, satin	1/0/6	2.240	14.79 QT
784516-C	9331	Gallon, satin	1/0/2	8.410	39.99 GAL

## Rust Oleum

**Varathane® Interior Water-Based Polyurethane** - A transparent, nonyellowing finish with maximum scratch and stain resistance. Provides tough protection over interior stained, painted and or bare wood surfaces. Water-based formula makes this product safe to use and easy to apply. Very low odor. Dries quickly allowing multiple coats in 1 day. Clean up with warm water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795011-C	200061	Gloss, 1/2 pint	1/0/6	.670	8.49 HPT
795046-B	200041	Gloss, quart	1/0/6	2.560	15.99 QT
795054-B	200031	Gloss, gallon	1/0/2	9.710	41.99 GAL
787590-C	200161	Semi-gloss, 1/2 pint	1/0/6	.670	8.49 HPT
791245-B	200141	Semi-gloss, quart	1/0/6	2.560	15.99 QT
795445-B	200131	Semi-gloss, gallon	1/0/2	9.710	41.99 GAL
794961-C	200261	Satin, 1/2 pint	1/0/6	.670	8.49 HPT
794996-B	200241	Satin, quart	1/0/6	2.590	15.99 QT
795003-B	200231	Satin, gallon	1/0/2	9.820	41.99 GAL

## Rust Oleum

**Varathane® Water-Based Exterior/Spar Varnish** - An outdoor waterborne finish for use on exterior doors, furniture, and boats. Diamond Outdoor Finish® lasts twice as long as oil-based exterior finishes according to testing by Fleco. Covers approximately 400 sq. ft. per gallon over smooth surfaces. Dries fast, 1 hour to touch and 2 to 3 hours to recoat. Easy soap and water clean up.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791450-C	250041	Gloss, quart	1/0/6	2.533	17.99 QT

Continued Next Column

# WOOD FINISH

Continued From Previous Column

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791469-B	250031	Gloss, gallon	1/0/2	9.650	46.99 GAL
791619-C	250141	Semi-gloss, quart	1/0/6	2.533	17.99 QT
791664-B	250131	Semi-gloss, gallon	1/0/2	9.650	46.99 GAL
791682-C	250241	Satin, quart	1/0/6	2.533	17.99 QT
791691-B	250231	Satin, gallon	1/0/2	9.650	46.99 GAL

## Rust Oleum

**Varathane® Professional Clear Finish** - An extremely fast drying clear finish that gives the consumer the ability to finish a project in 1 day. 3 coats can be applied in 1 day. It is easy-to-apply and provides superior mar and abrasion resistance. Use on interior wood surfaces such as floors, trim, doors, cabinets, and furniture. Alkyd base. Refer to model No. 90041 for quart and gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784567-C	90081	Gloss, Spray	1/0/6	1.060	6.99 EA
784680-C	100081	Semi-gloss, spray	1/0/6	1.060	6.99 EA
784621-C	110081	Satin, spray	1/0/6	1.060	6.99 EA

## Rust Oleum

**Varathane® Professional Clear Finish** - An extremely fast drying clear finish that gives the consumer the ability to finish a project in 1 day. 3 coats can be applied in 1 day. It is easy-to-apply and provides superior mar and abrasion resistance. Use on interior wood surfaces such as floors, trim, doors, cabinets, and furniture. Alkyd base. Refer to model No. 90081 for sprays.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784605-C	90041	Gloss, quart	1/0/6	2.240	14.99 QT
784613-C	90031	Gloss, gallon	1/0/2	8.410	38.99 GAL
784710-C	100041	Semi-gloss, quart	1/0/6	2.240	14.99 QT
784729-C	100031	Semi-gloss, gallon	1/0/2	8.410	38.99 GAL
784664-C	110041	Satin, quart	1/0/6	2.240	14.99 QT
784672-C	110031	Satin, gallon	1/0/2	8.410	38.99 GAL



## WOOD FINISH

### Rust Oleum

**Varathane® Water-Based Diamond Floor Finish** - The perfect water-based finish for hardwood floors. Has superior durability, abrasion resistance and scuff and mar resistance. Resists stains and household chemicals and is nonyellowing. It flows easily and is easy-to-apply. Dries fast for same day recoating. Clean up with water. Covers up to 500 sq. ft. per gallon. Gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779599-B	230031	Gloss	1/0/2	9.700	49.99 GAL
779606-B	230131	Semi-gloss	1/0/2	9.750	49.99 GAL
779615-B	230231	Satin	1/0/2	9.800	49.99 GAL

### Rust Oleum

**Varathane® Premium Oil-Based Clear Floor Finish** - The oil-based choice for hardwood flooring. Has superior durability, abrasion resistance, and scuff and mar resistance. Resists stains and household chemicals. Has excellent flow and is self-leveling. Easy to apply. Dries fast for same day recoating. Clean up with paint thinner/mineral spirits. Covers up to 500 sq. ft. per gallon. Gallon



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779624-C	130031	Gloss	1/0/2	8.400	39.99 GAL
779633-C	130131	Semi-gloss	1/0/2	8.450	39.99 GAL
779642-C	130231	Satin	1/0/2	8.500	39.99 GAL

### Rust Oleum

**Floor Finish Brush** - Quality brushes ideally suited to apply the stains and finishes in the Flecto Varathane floor finishing system.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779704-C	989711	3" oil-base natural bristle brush	1/0/10	.400	13.79 EA
779731-C	989741	3" waterborne polyester brush	1/0/10	.400	10.49 EA

## PAINT

### Rust Oleum

**Floor Finish Applicator** - Quality applicators ideally suited to apply the stains and finishes included in the Flecto floor finishing system. Refer to model No. 989731 and 989761 for replacement applicators.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779722-D	989721	10" oil-base lambswool applicator	1/0/6	.833	8.49 EA
779740-C	989751	10" waterborne synthetic applicator	1/0/6	.833	9.49 EA

### Rust Oleum


**Applicator Replacement** - For model No. 989711 and 989751 applicators.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779713-D	989731	3" oil-base lambswool applicator replacement	1/0/10	.167	3.99 EA
779759-D	989761	3" waterborne synthetic applicator replacement	1/0/10	.167	5.29 EA

### US Lambswool

**Floor Finish Applicator** - Synthetic applicator for applying clear finishes on floors and other large areas. Deep 3/4" pile allows even application of finish for a professional quality job. Applicator is 6" wide and the wood block is threaded to accommodate the desired handle. Suitable for use with either solvent base or water-base finishes. Refer to model No. 70010 for replacement pad.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791753-C	70110	Finish Applicator	1/0/4	1.167	3.49 EA

### US Lambswool

**Replacement Pad** - For model No. 70110 floor finish applicator.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791735-D	70010	Finish Applicator Pad	1/0/6	.833	1.59 EA

**Wm Zinsser, William**

**Bulls Eye® Shellac** - Guaranteed 3 year shelf life. Unmatched color, clarity, and smoothness. Dries fast to hard, clear film. In ready-to-use 3 lb. cut. Wide mouth cans. Eliminates thinning, extra pails. Full use directions on label to prevent customer mistakes. All natural, nontoxic easy-to-use protective sealer is excellent for crafts and household projects. Does not darken or yellow with age. Clean up with alcohol or ammonia and water. Dries lightning fast in 45 minutes to recoat. Refer to pricing for cut type and package sizes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783897-C	0716	3lb Amber Shellac	1/0/6	.667	4.49 HPT
783904-C	0708	3lb Amber Shellac	1/0/6	1.162	6.79 PT
783913-C	0704	3lb Amber Shellac	1/0/6	2.208	10.29 QT
783879-C	0701	3lb Amber Shellac	0/0/2	8.000	30.99 GAL
783931-C	0316	3lb Clear Shellac	1/0/6	.667	4.49 HPT
783940-C	0308	3lb Clear Shellac	1/0/6	1.219	6.79 PT
783959-B	0304	3lb Clear Shellac	1/0/6	2.333	10.29 QT
783888-C	0301	3lb Clear Shellac	0/0/2	8.000	30.99 GAL
783977-C	0408	Clear Spray Shellac	1/0/6	1.083	5.99 EA

**Valspar**

**Quikrete® Epoxy Industrial Floor Coating** - This product is a solvent gased heavy-duty, 2-part system that is twice as strong as concrete for the toughest commercial floor. This epoxy is fortified with new heavy-duty resin technology to provide maximum protection on properly prepared interior and protected exterior concrete, warehouse, factory, and garage floors. It forms a long-lasting, semi-gloss finish that protects against damage from oil, gasoline, hot tires, and other chemicals.



*Do Not* apply over previously sealed surfaces. Allow 60 days minimum for new concrete surfaces to cure before painting. Clean and etch new or bare concrete with Bon-Lok cleaner. The 2 gallon kit covers approximately 500 sq. ft. Dries to the touch in 8 to 12 hours, wait 12 to 24 hours for light foot traffic, and 72 hours for automobile or forklift traffic. Cleans up with xylene.

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776205-B	002.0050010.023	Gray Industr Floor Epoxy	0/0/1	35.000	99.99 EA

**Sherwin Williams**

**Best Look™ Latex Garage Floor Enamel** - An extremely heavy duty latex floor enamel designed for use on garage floors and other heavy use traffic areas. Resistant to *hot tire pick-up* and common automotive chemicals including oil and grease. Must be applied to a clean, properly prepared surface. May be applied with brush, roller, or sprayer. Covers up to 400 sq. ft. per gallon. Clean up with soap and water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788703-B	W47A00711-16	Dark gray	1/0/4	12.000	24.99 GAL
788696-B	W47A00720-16	Light gray	1/0/4	12.000	24.99 GAL

**Valspar**

**Quikrete® Anti-Skid Textured Coating** - Add beauty and safety to stairs, ramps, and pool decks, with this durable, interior/exterior latex finish. Holds up to heavy foot traffic while adding traction to avoid slips and falls. This acrylic sealer is fortified with new heavy-duty resin technology to provide maximum adhesion and protection on concrete surfaces. *Do Not* use on garage floor, parking areas, or wood decks. Allow 60 days minimum for new concrete to cure before sealing. Clean and etch new or bare concrete with Bond-Lok cleaner. 1 gallon covers approximately 50 to 100 sq. ft. depending on surface texture. Wait 24 hours for light use, 48 hours for normal traffic.



Available in gray and 2 tint bases. Apply with a high-quality polyester brush or 1/4" or 3/8" nap roller. Clean up with warm, soapy water. Gallon size.

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776429-B	002.0051050.007	Gray	1/0/4	13.000	21.99 GAL
776437-C	002.0051052.007	Base 2	1/0/4	12.750	21.99 GAL
776445-C	002.0051054.007	Base 4	1/0/4	11.000	21.99 GAL

**Sherwin Williams**

**Oil Based Barn Paint** - An excellent quality oil gloss barn paint in white and red for fences, silos, doors, sheds and barns. May be used on properly prepared wood and aluminum surfaces. Covers approximately 300 sq. ft. per gallon. May be applied by brush, roller, or spray application. Dries to touch in 4 to 8 hours. Recoat in 24 to 48 hours if desired.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782033-B	W65W00731-16	Gls Wht Alkyd Barn Paint	1/0/4	11.000	22.99 GAL
782041-B	W65W00731-20	Gls Wht Alkyd Barn Paint	0/0/1	53.000	104.99 CAN
774898-B	W65R00730-16	Gls Red Alkyd Barn Paint	1/0/4	11.000	20.99 GAL
774987-B	W65R00730-20	Gls Red Alkyd Barn Paint	0/0/1	49.000	94.99 CAN

**Valspar**

**Metal Roof Finish** - A direct to metal paint specially formulated to restore old, weathered metal roofs to a beautiful appearance. This premium waterborne acrylic formula dries quickly to a long-lasting, durable, fade and chalk-resistant semi-gloss finish. Cleans up easily with soap and water. Ideal for sloped metal roofs on barns and pole buildings. Resist rust and corrosion on steel and galvanized raised ridges. Excellent adhesion on metal roofs, trim, doors, and structural steel. Covers approximately 300 sq. ft. per gallon. Thin only for spray application with up to 8 oz. of water per gallon. Dries to touch in 30 to 60 minutes, allow to dry overnight before recoating. Previously painted surfaces should be cleaned and primed as per label instructions. Use as-is for a *Direct to Metal* (DTM) product or use with Valspar® metal building primer model No. 27-4295 for additional protection and performance. Gallon size.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774531-B	027.0004260.007	Bright white	1/0/4	11.250	29.99 GAL
774556-B	027.0004261.007	Classic green	1/0/4	11.250	29.99 GAL
774564-B	027.0004262.007	Classic red	1/0/4	11.250	29.99 GAL
774572-B	027.0004263.007	Brown	1/0/4	11.250	29.99 GAL

**Valspar**

**Galva-White Metal Building And Roof Primer** - An ideal primer for new or weathered galvanized metal roofs and siding. Saves time, eliminates acid etching for new galvanized metal. Specially formulated for high hiding. Can be used as a 1 coat, low sheen finish or as a primer under other latex or oil coatings. Use on galvanized and ferrous metals, aluminum, or properly prepared painted surfaces. Apply with brush or roller. Do *Not* use in sprayer. Formulated specifically for use with Valspar® metal roof paint (refer to model No. 27-4260 series) and Valspar® metal building paints (refer to mode No. 27-4200 series). 1 gallon covers approximately 350 sq. ft. Dries to the touch in 4 to 6 hours. Allow to dry 24 hours before topcoating. Clean up with mineral spirits or paint thinner.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774580-B	027.0004295.007	Alkyd Galv Metal Primer	1/0/2	11.500	28.99 GAL

**Valspar**

**Zinc Dust Metal Building Primer** - An ideal first step to rejuvenate old, weathered galvanized metal roofs and siding. This heavy-bodied, high zinc content primer provides additional zinc metal to maximize corrosion and rust resistance. Formulated specifically for use under Valspar® metal roof finish (refer to model No. 27-4260 series) and Valspar® metal building finish (refer to model No. 27-4200 series). Use on weathered (minimum 1 year) galvanized and ferrous metal and properly prepared previously painted surfaces. 1 gallon covers approximately 450 sq. ft. Do *Not* thin. Apply with airless sprayer, roller, or brush. Clean up with paint thinner, mineral spirits, or xylene.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774606-B	027.0004296.007	Zinc Dust Metal Primer	1/0/2	11.500	99.99 GAL

**Sherwin Williams**

**Exterior Latex Redwood Stain** - Exterior latex redwood stain is a good quality stain designed to protect, renew, and beautify both new, weathered and previously stained exterior wood surfaces. Recommended for fences, planter boxes and railings. Dries to touch in 30 minutes, to recoat in 2 hours, and for use in 4 to 6 hours. Covers up to 300 sq. ft. per gallon over smooth nonporous surfaces. Clean up with soap and water. Available in gallon size.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782380-C	0Z2724236-16	Ext Latex Redwood Stain	1/0/4	12.000	7.99 GAL

**Sherwin Williams**

**Do it Best® Latex Exterior Primer** - Our finest exterior latex primer for use on bare or previously painted wood, plywood siding, galvanized and aluminum metal, vinyl siding, cement composition, stucco, masonry, and block surfaces. Helps prevent cracking and checking of exterior plywood. Its unique formulation allows application down to 35° F. An excellent first coat under latex exterior finishes. Glossy previously painted surfaces should be sanded dull. Primer should be topcoated within 14 days. Dries to recoat in 2 hours. 2 coats are required on severely stained wood such as cedar and redwood. Coverage is 350 to 400 sq. ft. per gallon. Can be applied with a good quality nylon or polyester brush or by airless spray. (May be thinned with up to 1 pint of water per gallon for spray application). Easy soap and water clean up. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775030-B	W35W00716	Gallon	1/0/4	11.000	22.99 GAL
774031-C	W35W00716	5 gallon	0/0/1	63.210	94.99 CAN

**Sherwin Williams**

**Do it Best® Exterior Oil-Based Wood Primer** - Our finest exterior oil-based primer for use on exterior wood, manufactured siding, rough-sawn siding and trim. It provides excellent adhesion, resistance to mildew, resistance to the staining of redwood and cedar, and good flexibility. Creates a smooth base for latex or alkyd topcoats. Dries to touch in 2 to 4 hours and to recoat in 24 hours. Color: White. Covers approximately 400 sq. ft. per gallon and can be applied with brush, roller, or spray. (May be thinned with up to 1 pint mineral spirits per gallon for spray application). Clean tools with paint thinner or mineral spirits. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786974-C	W45W00702	Quart	1/0/6	3.208	9.99 QT
786983-B	W45W00702	Gallon	1/0/4	12.250	24.99 GAL

PAINT

Some prices shown may vary due to market fluctuations, and are to be used as estimates.

**Sherwin Williams**

**Master Touch® Interior Latex Flat Paint** - Good quality interior flat latex paints for most interior surfaces. Designed for commercial and promotional sales. Dries fast, covers up to 350 sq. ft. per gallon and cleans up easily with soap and water. Available in 1 gallon and 5 gallon cans.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785008-B	Y46W00814-16	Int Flt Dover Wht Paint	1/0/4	12.250	11.99 GAL
785016-C	Y46W00814-20	Int Flt Dover Wht Paint	0/0/1	59.000	54.99 CAN
776565-B	Y46W00812-16	Int Flt Antq White Paint	1/0/4	12.250	11.99 GAL
776574-C	Y46W00812-20	Int Flt Antq White Paint	0/0/1	59.000	54.99 CAN
776823-B	Y46W00801-16	Int Flt Wht/pastel Paint	1/0/4	12.250	11.99 GAL
776538-C	Y46W00801-20	Int Flt Wht/pastel Paint	0/0/1	60.000	54.99 CAN

**Sherwin Williams**

**Do it Best® Interior Latex PVA Primer** - Quality primer that seals the surface on new drywall or previously painted porous walls. It provides good holdout for flat, eggshell, stain, and semi-gloss latex and oil-based paints. Use on new construction projects and drywall. Covers 350 to 400 sq. ft. per gallon. Dry to the touch in 1 hour, recoat in 4 hours.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797825-C	W36W00502	Gallon	1/0/4	11.900	11.99 GAL
797832-C	W36W00502	5 gallon	0/0/1	59.500	54.99 CAN

**Sherwin Williams**

**Master Touch® Interior Latex Semi-Gloss Enamel** - Good quality interior semi-gloss enamel for most interior surfaces. Economically priced for sale to commercial accounts or for use as a promotional consumer paint. Dries fast, covers up to 400 sq. ft. per gallon. Available in gallon and 5 gallon cans.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785024-B	Y48W00814	Dover white	1/0/4	10.750	15.99 GAL
785032-C	Y48W00812	Antique white	0/0/1	52.000	74.99 CAN
776654-B	Y48W00801	White/pastel	1/0/4	10.750	15.99 GAL
776335-C	Y48W00812-20	Int S/g Antq White Paint	0/0/1	52.000	74.99 CAN
776592-B	Y48W00801-16	Int S/g Wht/pastel Paint	1/0/4	12.500	15.99 GAL
776343-C	Y48W00801-20	Int S/g Wht/pastel Paint	0/0/1	51.000	74.99 CAN

**Sherwin Williams**

**Master Touch® Latex Flat House Paint** - Use on most exterior building surfaces including wood, masonry, stucco, and metal. This paint can be mixed to several custom colors. It is resistant to fading, peeling, and blistering, and covers with 1 coat when applied over properly prepared surfaces. Covers approximately 400 sq. ft. Do it Best® latex or alkyd exterior wood primer. Dries to the touch in 2 hours and to recoat in 4 to 6 hours. Apply with brush, paint pad, or sprayer. May be thinned slightly for spray application. Easy-to-clean up with soap and water. Available in white only in gallon and 5 gallon pails.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776663-C	Y45W00780-16	Ext Flat White Paint	1/0/4	11.500	13.99 GAL
776789-C	Y45W00780-20	Ext Flat White Paint	0/0/1	56.000	64.99 CAN

**Sherwin Williams**

**Master Touch® Latex Block Filler** - A high solids, pigmented latex product for use as either a block filler or a 1 coat drywall texture finish. Use block filler to fill, uniform and prime unpainted concrete and cinder block. Not recommended on concrete block construction where moisture or high humidity is a problem, such as showers or car washes. Approximate coverage: 75 to 125 sq. ft. per gallon for block. 150 to 200 sq. ft. per gallon for drywall. Can be tinted with up to 4 oz. of colorant per gallon. Available in 5 gallon pail only.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787523-C	Y53W00720-20	Latex Block Filler	0/0/1	77.000	44.99 CAN

**Sherwin Williams**


**Do it Best® Exterior Oil-Based Primer** - A good quality undercoat for sealing new or bare exterior wood or metal surfaces. Provides excellent adhesion, resistance to staining and hiding qualities to ensure a better looking topcoat and durable paint job. Recommended spreading rate is 350 to 400 sq. ft. per gallon. Dries to touch in 4 hours. May be applied with brush, roller, or spray. Clean tools with paint thinner or mineral spirits. Color: White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776378-B	W45W00502	Gallon	1/0/4	12.250	20.99 GAL
797944-C	W45W00502	5 gallon	0/0/1	50.000	99.99 CAN

**Sherwin Williams**


**Do it Best® Alkyd Industrial Aluminum Paint** - New and improved interior/exterior, direct to metal (DTM), alkyd (oil base) gloss paint. It is formulated with an aluminum pigment, petroleum resin that provides a chrome like uniform appearance. It provides excellent heat reflection for metal siding and fences. Discoloration and corrosion-resistant. Acceptable for use in federally inspected meat and poultry plants. Remove any loose rust, dirt, dust, and oil from the surface to ensure adequate adhesion. For better adhesion, prime bare steel or iron with Do it Best® alkyd industrial primer model No. W50W90 before applying alkyd aluminum topcoat. Prime aluminum or galvanized steel with Do it Best® waterborne industrial primer model No. W66W900 before applying alkyd aluminum topcoat. Masonry and block surfaces must be cured at least 28 days, clean surface thoroughly and prime with Do it Best® waterborne primer model No. W66W900 before applying alkyd aluminum topcoat. Wood must be clean, dry, and sound; prime with appropriate wood primer before applying alkyd aluminum topcoat. Apply with brush, roller, or airless sprayer. Clean up with mineral spirits. Dries to touch in 1 to 4 hours, to recoat in 24 hours. Covers approximately 350 to 450 sq. ft. per gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772319-C	W50S00815	Gallon	0/0/4	7.175	28.99 GAL
772356-B	W50S00815	5 gallon pail	0/0/1	35.900	109.99 CAN

**Sherwin Williams**

**Master Touch® Traffic Paint** - White and yellow traffic zone marking paint for use on concrete, asphalt, brick and stone. Ideal for marking parking lots, loading docks and streets. Thin slightly for spray application. Clean tools and equipment immediately after use with VM& P Naphtha reducer.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776903-C	Y43W00772-16	Wht Alkyd Traffic Paint	0/0/4	12.750	18.99 GAL
797626-B	Y43W00772-20	Wht Alkyd Traffic Paint	0/0/1	62.000	84.99 CAN
776912-C	Y43Y00771-16	Alkyd Yel Traffic Paint	0/0/4	12.750	20.99 GAL
797634-B	Y43Y00771-20	Alkyd Yel Traffic Paint	0/0/1	62.000	94.99 CAN

**Sherwin Williams**

**Traffic Paint** - A water-based acrylic paint. Formulated for traffic or zone lines on new or old concrete, asphalt streets, parking lots, garages, and playgrounds, etc. It complies with all current state regulations pertaining to Volatile Organic Compounds (VOC). Other benefits include: Fade-resistant, free of lead hazards, and a low odor level; thereby allowing interior usage in poorly ventilated areas. It is nonflammable allowing use near open flame. A nonskid additive is recommended for inclined foot traffic areas. Clean tools with soap and water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
799880-B	UC.007947-16	Yellow traffic 1 gallon	1/0/4	12.883	18.99 GAL
799862-B	UC.079475-16	Yellow traffic 5 gallon	0/0/1	60.560	84.99 CAN
799871-B	UC.007945-20	White traffic 1 gallon	1/0/4	13.458	18.99 GAL



**Sheetrock® First Coat Primer** - Specially formulated to provide a superior prime coat over interior gypsum board, wood, and concrete surfaces. Equalizes surface absorption and texture variations of the substrate to minimize decorating problems. Provides better hiding quality than other primers. Dries in less than 30 minutes and can be topcoated within 1 hour. Nonasbestos formulation is safe to handle and use. Dries white, but may be tinted. Apply with brush, roller, or spray. Covers 300 to 500 sq. ft. per gallon. Clean equipment with warm, soapy water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795232-C	544822	5gal First Coat Primer	1/6/48	50.000	53.99 EA



**Super Mildex** - Interior/exterior paint mildewcide additive protects the surface from harmful mildew. Mix one 1/2 oz. packet with 1 gallon of any paint or stain for lasting protection. Packed 24 per shipping case.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775525-E	011.0002124.041	.5oz Mildewicide Additive	1/0/24	.083	4.29 EA



**Floetrol® Latex Paint Conditioner** - Add to latex paints to improve flow and cover qualities. Floetrol® extends wet-edge time to avoid lapping and reduces brush drag when painting under hot and dry or cool and damp conditions. Floetrol® also helps in spraying latex paints by reducing wear and tear on tips, packings, seals, and other spray equipment parts and prevents tip clogging.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770817-C	00610	Quart	1/0/6	2.417	5.29 QT
770825-C	00615	Gallon	1/0/6	9.667	15.29 GAL

PAINT



**Penetrol Oil-Based Paint Conditioner** - Add Penetrol to oil-based (alkyd) paints or varnish to improve flow and maintain paint quality. When used by itself, Penetrol makes an ideal matte finish for interior rustic woods, provides protection against rust on metals and restores luster to faded fiberglass.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770809-C	00410	Quart	1/0/6	2.250	8.99 QT
770795-C	00415	Gallon	1/0/6	8.167	25.99 GAL



**Emulsa-Bond® Stir-In Bonding Primer** - Assures latex paint adhesion to chalky, dusty, or glossy surfaces on wood, masonry, weathered asbestos and aluminum siding. Mixes easily with latex paints reducing stirring time. Better bonding of paint to the surface maximizes hiding strength. Also adds flow and lubricates when using airless spray equipment. Reduces wear of equipment by up to 50% and allows lower pressure for spraying to give added life to pump. Normal ratio is 1 quart Emulsa-Bond® to 1 gallon of latex paint. Paint may be applied by brush, roller, or spray. Paint can be topcoated in 4 hours or less. Will not affect color of paint. Clean up with soap and water. Not recommended for use in gloss paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797685-C	04110	Quart	1/0/6	2.250	8.79 QT
797677-C	04115	Gallon	1/0/6	8.167	24.99 GAL



**Aggregate For Textured Or Sand Finish** - Add to any paint, oil or water-base, flat or gloss finish, will not settle. Apply to any paintable surface for a simulated plaster finish or texture which can be brushed, rolled, or sprayed. Camouflages patched areas, taped joints, etc. For a heavier texture add more Aggregate. Usually 6 oz. package added to 1 gallon of paint is sufficient. When adding to dark colored paint allow mixture to stand for an hour or more before applying.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778162-D	0240	5oz Sand Paint Additive	1/0/12	.552	5.29 EA

**Wm Zinsser, William**

**B-I-N® Primer Sealer** - A flat, white primer for every interior surface, even metal or glass. Closes the pores of most surfaces and prevents bleeding stains, sappy wood from ruining paint job. Covers crayon marks, grease stains, dark wallpaper designs, etc. Made with a base of pure shellac, and dries in 45 minutes. Covers 450 sq. ft. or more per gallon. May be applied with brush, roller, or spray.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770221-C	1008	13 oz. spray	1/0/6	1.167	5.99 EA
780765-C	0908	Pint	1/0/6	1.406	7.29 PT
780774-C	0904	Quart	1/0/6	2.833	10.79 QT
780783-B	0901	Gallon	0/0/4	11.000	24.99 GAL
783347-A	0900	5 gallon	0/0/1	51.000	114.99 CAN

**Wm Zinsser, William**

**Bulls Eye® 1-2-3 Latex Primer** - Prime and seal a wide variety of interior and exterior surfaces such as new drywall, wood, masonry, metal, glossy surfaces, and more. It is great for hard-to-stick surfaces like old glossy paints and clear finishes, metal, fiberglass, PVC, composites and even glass and tile. Resistant to the formation of mold and mildew on the underside and surface of the primer film, prolonging the life of your paint job. Inhibits rust formation when applied over clean ferrous metal such as iron and steel, eliminating the need for a separate, rust inhibitive primer. It dries to a smooth, tight film and resists flash rusting. Inhibits long-term rust from developing under the primer film when dry, making it ideal for priming interior and exterior metalwork such as iron railings, steel doors, and metal panels. The water-based formula is a great all-purpose stain killer with low odor and easy soap and water cleanup. May be tinted with many universal colorants. Dries in 1 hour. 1 gallon covers approximately 450 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770191-B	02004	Quart	1/0/6	3.000	8.99 QT
770205-A	02001	Gallon	1/0/4	11.750	18.99 GAL
780157-B	02025	2.5 gallon	0/0/1	28.000	37.99 EA
783330-A	02000	5 gallon	0/0/1	58.000	89.99 CAN

**Wm Zinsser, William**

**Bulls Eye® Odorless Primer** - Use for priming and sealing new or previously painted interior drywall, plaster, paneling, wood, stucco, and metal. Seals porous surfaces so less topcoat paint is needed. Its high-adhesion formula allows painting on glossy surfaces as well as textured or acoustic tile ceilings. Dries quickly in 2 hours and sands easily, making it a great enamel undercoater for doors, cabinets, trim, and paneling. Effective stainkiller blocks water stains, nicotine, crayon, marker, tannin, and graffiti. Bright white, nonyellowing, can be left unpainted. Covers 450 sq. ft. per gallon on nonporous surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786690-C	3904	Quart	1/0/6	3.333	9.79 QT

Continued Next Column

## PRIMERS/SEALERS

Continued From Previous Column

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786706-B	3901	Gallon	1/0/4	13.250	21.99 GAL
793858-C	03958	Spray	1/0/12	1.167	5.49 EA

### Wm Zinsser, William

**Cover Stain® Primer-Sealer** - An all-purpose alkyd (oil-base) primer-sealer that seals porous surfaces, adheres to glossy surfaces and covers most stains. Dries to touch in 1 hour to a flat white that can be top coated in 2 hours. Helps prevent cedar and redwood bleed through. Can be tinted. Clean up with mineral spirits/paint thinner. Available in handy spray for small jobs, spot priming on hard-to-reach areas.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776033-C	3608	13 oz. spray	1/0/6	1.167	4.99 EA
776041-C	3504	Quart	1/0/6	2.833	8.29 QT
776068-B	3501	Gallon	0/0/4	10.500	15.99 GAL
778648-A	3500	5 gallon	0/0/1	52.000	74.99 CAN

### Wm Zinsser, William

**Bulls Eye® Water-Based Sealer** - A unique water-based interior primer-sealer provides excellent stain killer coverage. Dries super fast and has virtually no odor. It's smooth easy-flow properties offer great leveling and dry to a dead-flat finish for excellent enamel holdout. Formulated for painters with high hide, high adhesion and compatibility with all topcoats. Can be tinted with 2 oz. colorant per gallon. Sands easily after just 1 hour. Easy soap and water clean up. Gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
798389-A	02241	Int Latex Stnblk Primer	1/0/4	13.250	17.99 GAL

### Wm Zinsser, William

**Perma-White® Mildew-Proof Exterior Paint** - Perma-White® is a high-performance water-based satin finish exterior house paint that resists mildew. Perma-White® resists fading, cracking, and peeling. Perma-White® comes in a brilliant white that can be tinted with up to 2 oz. of universal colorant. Recommended for exterior siding, fascia, soffits, trim, doors, and foundations. Not recommended for floors. Surfaces to be painted must be clean, dry, and in sound condition. Mildew must be removed (killed) before painting. Perma-White® covers up to 400 sq. ft. per gallon. Rough or porous surfaces will require more.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787868-B	3101	Ext Sat Wht Mildew Paint	1/0/4	11.500	27.99 GAL

## PAINT



**Kilz® Primer And Sealer** - Kilz® is an interior oil-based primer sealer for drywall, plaster, masonry surfaces, stained areas, woodwork, and painted metal. Kilz® blocks out most stains including water, smoke, redwood, ink, pencil, and grease stains. Coverage will vary with porosity. Approximate coverage will be 300 sq. ft. per gallon over porous masonry surfaces and 400 sq. ft. per gallon over smooth nonporous surfaces. Kilz® dries in 30 minutes and can be recoated in 1 hour. Clean up tools and equipment with paint thinner or mineral spirits.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773263-C	10004	Kilz Int Spray Primer	1/0/12	1.167	4.79 EA
773298-B	10002	Kilz Int Oil Primer	0/0/6	2.833	6.79 QT
773301-A	10006	Kilz Int Oil Primer	0/0/2	10.500	12.99 GAL
793515-A	10000	Kilz Int Oil Primer	0/0/1	65.000	62.99 CAN



**Kilz® Exterior Sealer And Primer Stainblocker** - A fast-drying sealer and primer stainblocker that was developed to block bleeding stains on exterior surfaces. Its powerful stainblocking formula seals in graffiti, tannin (on redwood and cedar) and water stains. It creates an excellent base coat for latex or oil-base paint. Use on exterior surfaces such as fences, siding, plaster, glossy surfaces, aged masonry, brick, and painted metal. Mildew-resistant and resists cracking and peeling. Great for cooler temperature application.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787246-A	10061	Gallon	1/0/4	11.390	18.99 GAL
787253-A	10060	5 gallon	0/0/1	55.750	84.99 CAN



**Kilz® Odorless Aerosol** - A premium interior odorless primer, sealer, and stain blocker. Ideal for use in areas where higher odor levels are prohibitive. Effectively blocks out water, smoke, tannin, ink, pencil, crayon, graffiti, and grease stains. Dries to touch in 30 minutes and may be topcoated after 1 hour with any oil-base or latex paint. Use on drywall, plaster, wood, masonry, brick, painted metal, and glossy surfaces. Bright white color is nonyellowing. Oil-base product. 13 oz. can covers approximately 25 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795487-C	10444	Odorless Spray Primer	1/0/12	1.114	5.49 EA

PAINT

Call us if you need an item that you don't find in this catalog...  
We stock many items that are not listed!

# PAINT



**Kilz® Up Shot® Overhead Stain Sealer** - Original formula Kilz® primer/sealer for sealing, blocking, and covering stains. Uniquely packaged with a vertical spray tip designed primarily for use on acoustical ceilings. May be used on any overhead surface, but tinted to match most aged and acoustical ceilings.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785813-C	10007	Kilz Up-sht Spray Primer	1/0/12	.917	4.99 EA



**Kilz® Odorless Primer And Sealer** - A premium interior primer, sealer, and stain blocker with a very low odor. Ideal for use in areas where higher odor levels are prohibitive. Effectively blocks out water, smoke, tannin, ink, pencil, crayon, graffiti, and grease stains. Dries to touch in 30 minutes and may be topcoated after 1 hour with any oil-base or latex paint. Recommended for interior use on drywall, plaster, wood, masonry, brick, painted metal, and glossy surfaces. May be tinted with up to 2 oz. of universal colorant. Covers 300 to 400 sq. ft. per gallon depending on the texture and porosity of the surface. Apply with brush, roller, or sprayer. *Do not thin this product.* Clean up with mineral spirits or paint thinner.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776610-B	10042	Quart	1/0/6	3.398	8.99 QT
776887-A	10046	Gallon	1/0/2	13.138	19.99 GAL
777136-A	10040	5 gallon	0/0/1	64.600	94.99 CAN



**Kilz2® Primer And Sealer** - An interior and exterior water-base white pigmented primer for use on drywall, plaster, masonry, aluminum, painted metal, steel siding wood and glossy surfaces. Blocks out most stains including asphalt, water, rust, cedar, pine, ink, pencil, felt marker and light smoke stains. Some stains may require 2 coats and extremely water sensitive stains should be coated with original Kilz®. For maximum stain blocking results allow Kilz2® to cure 4 hours before topcoating. Easy soap and water clean up.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780758-C	20002	Quart	1/0/6	2.667	7.79 QT
780731-A	20001	Gallon	1/0/2	11.000	13.99 GAL
799416-A	20000	5 gallon	0/0/1	57.000	67.99 CAN

# PRIMERS/SEALERS



**General-Purpose Interior Primer** - A water-base primer/sealer formulated to minimize decorating problems caused by surface texture and porosity differences. Can be used on drywall, sheetrock, plastic (cured at least 90 days), stucco, and wood. Prevents joint and seam flashing. Not to be used as a stain blocking primer. Covers approximately 300 sq. ft. per gallon on unpainted, porous surfaces. Has low odor and is ready for topcoating in 1 hour with latex or oil paint. Can be tinted with up to 2 oz. of universal colorants per gallon. Apply by brush, roller, or sprayer. Easy-to-clean up with soap and water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792486-A	57006	Gallon	1/0/2	11.730	10.99 GAL
792489-C	57000	5 gallon	0/0/1	56.250	52.99 CAN

## United Gilsonite Lab

**Drylok® Masonry Waterproof** - Containing synthetic rubber and Portland cement. Drylok® ready-to-use sealer is formulated to waterproof interior/exterior, above/below masonry walls. No premixing or prewetting necessary. Guaranteed to stop water up to 10 P.S.I. according to test. That's greater than a column of water 22' high. Oil base Drylok® is backed by a 10 year manufacturer warranty. This alkali and mildew-resistant coating may also be used on uncured concrete and damp surfaces below ground. Coverage: For best results on rough, porous masonry, apply 75 sq. ft. per gallon; on hard, smooth surface, apply 125 sq. ft. per gallon. Recommended cure time 10 to 30 days. Do not use on floors.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770268-A	20713	White	1/0/2	13.750	18.49 GAL
779989-A	20813	Gray	1/0/2	14.500	18.49 GAL
779822-A	27013	Blue	1/0/2	14.500	18.49 GAL
781428-A	21013	Beige	1/0/2	14.500	18.49 GAL

## United Gilsonite Lab

**Drylok® Latex Masonry Waterproof** - Formulated for waterproofing all interior, exterior, above or below grade masonry walls, cinder and concrete blocks, stucco, brick, retaining walls, basements, swimming pools, and foundations. Stops water under pressure up to 10 P.S.I. per sq. in. That's greater than a column of water 22' high. No premixing or prewetting necessary. Alkali-resistant and may be applied on slightly damp surfaces below ground, but best results are obtained on dry surfaces. Low odor formulation is VOC/VOS compliant and cleans up with soap and water. Applies easily with brush or roller. Covers approximately 75 to 125 sq. ft. per gallon. Recommended cure time 10 to 30 days. Available only in white which is tintable to pastel shades. Latex based Drylok® is backed by a 10 year manufacturer warranty.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791954-C	27512	Quart	1/0/4	3.500	9.79 QT
772961-A	27513	Gallon	1/0/2	13.000	20.99 GAL



## MASONRY SEALERS

### United Gilsonite Lab

**Drylok® Concrete Protector** - Seals concrete from dusting, staining and retards surface cracking and pockmarking. Provides protection from deterioration caused by oil, gasoline, acids, alkali, salt and weathering. Can be used as primer for latex, alkyd or polyurethane floor paints, and when applied to freshly poured concrete, Drylok® Concrete Protector acts as a hardening agent. Formerly known as Drylok® Clear Masonry Sealer.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788035-B	21113	Gallon	1/0/2	7.750	20.99 GAL

### Valspar

**Quikrete® Multi-Surface Concrete Sealer** - Increase the value of your home by protecting driveways, sidewalks, patios, and other concrete exterior surfaces. Makes old concrete look new with a low gloss, solid color finish. Protects surface from gas, oil, and other household chemicals. *Do Not* apply this product over asphalt, damp or wet concrete, or surfaces that have been treated with water repellent sealers. Allow 60 days minimum for new concrete to cure before sealing. The sealer is fortified with new heavy-duty resin technology to provide maximum adhesion and protection on concrete surfaces. 1 gallon covers approximately 200 to 500 sq. ft. depending on surface texture. Dries to the touch in 2 hours, wait 24 hours for light use, 72 hours for automobile traffic. Clean up with xylene. Available in gray and 2 bases.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776247-B	002.0051020.007	Gray, gallon	0/0/4	11.000	24.99 GAL
776296-B	002.0051020.008	Gray, 5 gallon	0/0/1	54.000	114.99 CAN
776304-C	002.0051022.007	Base 2, gallon	0/0/4	10.000	24.99 GAL
776312-C	002.0051024.007	Base 4, gallon	0/0/4	9.750	24.99 GAL

## PAINT

### United Gilsonite Lab

**Drylok® Latex Clear Acrylic Masonry Treatment** - A waterborne acrylic product that protects interior and exterior masonry surfaces from corrosive liquids and weathering. As a sealer, it penetrates deep to seal and protect masonry against acids, alkalis, household cleaners, gasoline, oil, and salt. It also seals against dusting and retards spalling, surface cracking, and pockmarking. As a primer, it is an ideal undercoat for latex paints. It primes chalking masonry paint, porous asbestos siding, sandblasted masonry, and powdering mortar. Follow surface preparation as per label instructions. Prevents moisture damage when applied to brick, terrazzo, slate, concrete, and other masonry surfaces. Use on driveways, garage floors, basement walls and floors, sidewalks, and above ground foundations. Allow 6 hours drying time before subjecting to light foot traffic and 24 hours for heavy traffic. Covers approximately 400 sq. ft. per gallon. Clean tools with soap and water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795224-B	22113	Clear Masonry Treatment	1/0/2	7.500	15.49 GAL

### Valspar

**Valspar® Premium Farm And Ranch Latex Linseed Oil Paint** - Our best. Unique in its combination of latex with linseed oil. It has the ease of application and flexibility of a latex with soap and water clean up. The linseed oil modification enables it to penetrate like an oil. These features make this product perfect for weathered surfaces around the farm and home. Self-priming in a 2 coat operation. Dries to a flat finish. Fume-resistant. Nontoxic. Covers up to 350 sq. ft. per gallon. Dries to touch in 1 hour. Allow overnight drying before topcoating. Product uses: Exterior wood, bare or previously painted, barns, outbuildings, fences, or siding.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773348-C	018.5221-10.007	Flat red, gallon	1/0/4	11.938	17.99 GAL
785990-B	018.5221-14.007	Brilliant red, gallon	1/0/4	11.938	20.99 GAL
786003-C	018.5225-14.008	Brilliant red, 5 gallon	0/0/1	57.800	99.99 CAN
773362-C	018.5221-70.007	Flat white, gallon	1/0/4	11.938	17.99 GAL
773386-C	018.5225-70.008	Flat white, 5 gallon	0/0/1	57.800	84.99 CAN

PAINT

# PAINT

# SPECIALTY PAINTS

## Valspar

**Valspar® Farm And Ranch Latex Paint** - It has the ease of application and flexibility of a latex with soap and water clean up. Self-priming in a 2 coat application. Dries to a flat finish. Fume-resistant. Nontoxic. Covers up to 350 sq. ft. per gallon. Dries to touch in 1 hour, allow overnight drying before topcoating. Product uses: Exterior wood - bare or previously painted, barns, outbuildings, fences, or siding.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773300-C	018.3121-10.007	Red, gallon	1/0/4	11.938	14.99 GAL
773317-D	018.3125-10.008	Red, 5 gallon	0/0/1	57.800	69.99 CAN
773324-C	018.3121-70.007	White, gallon	1/0/4	11.938	14.99 GAL
773331-D	018.3125-70.008	White, 5 gallon	0/0/1	57.800	69.99 CAN

## Valspar

**Professional Field Marking Paint** - Designated to mark athletic fields of natural grass, synthetic turf, clay, or concrete. May be reduced up to 1 to 1 with water. May be tinted with up to 2 oz. to 3 oz. of colorant. Water clean up. Use brush, roller, airless sprayer, or marking machine for application. Covers up to 800 sq. ft. per gallon when reduced. Dries tack-free in 30 minutes. Recoat in 2 to 4 hours.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795836-B	044.0000655.008	Ltx Field Marking Paint	0/0/1	57.080	42.99 CAN

## Valspar

**Traffic-Gard Traffic Zone Paint** - A tough, solid covering, flat alkyd resin enamel that may be applied with brush, roller, sprayer, or traffic marking machine. 15 gallon will cover a 4" strip for 1 mile. Dries tack-free in 5 to 15 minutes depending on conditions, ready-to-use in 45 minutes. Product uses: Cement, wood, metal, asphalt, curb marking, and highway traffic lane identification. *Not fluorescent.* Can not be tinted.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
799675-C	024.0000142.007	Alkyd Wht Traffic Paint	0/0/2	11.500	23.99 GAL
799684-B	024.0000140.007	Alkyd Yel Traffic Paint	0/0/2	11.500	23.99 GAL

## Valspar

**Latex Traffic Marking Paint** - A high-quality latex traffic marking paint that passes Federal Government Specification TT-P-1952 B. May be used on new or old concrete or asphalt including streets, parking lots, warehouse floors, and playgrounds, etc. Each gallon when applied at 15 mils wet will produce a 4" wide stripe 300' long, 5" wide stripe 240' long, or 6" wide strip 200' long. Lead-free.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795152-B	024.0000135.007	Ltx White Traffic Paint	1/0/4	11.500	21.99 GAL
795161-B	024.0000136.007	Ltx Yellow Traffic Paint	1/0/4	11.500	21.99 GAL
795170-B	024.0000137.007	Ltx Blue Traffic Paint	1/0/2	11.500	21.99 GAL

## Valspar

**Guardian Interior Latex flat Wall Paint** - Formulated for professional painter use in residential, commercial, institutional, and industrial applications. Fast-drying interior latex flat wall paint flows on smoothly and evenly. This durable finish dries flat to hide minor surface irregularities. Use on properly prepared interior wall and ceiling surfaces including previously painted and primed plaster, wood, brick, drywall, cement, and metal. Covers approximately 350 to 450 sq. ft. per gallon on smooth surfaces or 250 to 350 sq. ft. per gallon rough surface. 12 year warranty.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795358-B	044.0000200.007	White, gallon	1/0/4	11.500	15.99 GAL
795349-C	044.0000200.008	White, 5 gallon	0/0/1	57.080	74.99 CAN
797603-B	044.0000201.007	Off-white, gallon	1/0/4	11.950	15.99 GAL
795367-C	044.0000201.008	Off white, 5 gallon	0/0/1	57.080	74.99 CAN
795385-B	044.0000211.007	Pastel, gallon	1/0/4	11.500	15.99 GAL
795376-C	044.0000211.008	Pastel, 5 gallon	0/0/1	57.080	74.99 CAN
795401-B	044.0000212.007	Tint base, gallon	1/0/4	11.500	15.99 GAL
795394-C	044.0000212.008	Tint base, 5 gallon	0/0/1	57.080	74.99 CAN
795447-C	044.0000214.007	Clear base, gallon	1/0/4	11.500	15.99 GAL
795438-C	044.0000214.008	Clear base, 5 gallon	0/0/1	57.080	74.99 CAN

## Valspar

**Guardian Latex PVA Primer** - Fast-drying primer seals interior surfaces and provides an ideal surface for all topcoats. Formulated for professional painter use in residential, commercial, institutional, and industrial applications. Free from lead and mercury hazards. Use on properly prepared interior surfaces including bare or previously painted wallboard, plaster, wood, brick, cement, and masonry. 1 gallon covers 350 to 450 sq. ft. per gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784115-B	044.0000288.007	Int Latex Wht Pva Primer	1/0/4	11.938	13.99 GAL
784108-B	044.0000288.008	Int Latex Wht Pva Primer	0/0/1	57.800	64.99 CAN



**Guardian Interior Latex New Construction Primer** - For use over properly prepared wallboard, drywall, and taped joints. Also suitable for spot priming patched areas of previously painted walls under latex or oil-base paint. A must for new drywall. Equalizes surface texture. Dries quickly. Ideal for airless sprayers. Available in gallon and 5 gallon sizes. Covers approximately 350 to 450 sq. ft. per gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796632-B	044.0000287.008	Int Construction Primer	0/0/1	57.800	54.99 CAN
796641-B	044.0000287.007	Int Construction Primer	1/0/4	13.000	11.99 GAL

**Progress Paint**

**Swimming Pool Paint** - A tough chlorinated rubber based paint designed for maximum wear underwater. It is resistant to algae, mildew, alkalis, and pool chemicals. Formulated with a lower odor than like products. It provides a lasting finish on concrete and plaster pools, both inside and outdoors. Use only when surface is totally dry and air temperature is between 50° F. and 90° F., and the surface temperature is at least 5° above the dew point (surface cannot be damp). May use on new concrete or plaster when cured a minimum of 30 days. Allow to dry 7 days of good weather before filling the pool. Also may use on previously painted concrete, plaster, and fiberglass pools. Do not use on *unpainted* fiberglass pools. Covers approximately 400 sq. ft. per gallon on most surfaces. For best results, 2 thin layers are better than 1 thick layer. This product requires no thinning. If thinning is desired, use no more than 1 pint of xylene per gallon. Follow surface cleaning preparation and application instructions on the label. Apply with brush or roller. Clean tools immediately with xylene. Gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
799319-C	9260	White	0/0/2	10.500	39.99 GAL
799297-C	9261	Blue	0/0/2	10.500	39.99 GAL

**Macco Adhesives**

**Tub and Surround Finishing Kit** - A 2-part water-based epoxy for bath tubs, wash basins, laundry tubs, porcelain, and fiberglass. Adheres to practically any clean surface. Some surfaces may require etching and/or sanding (do not use steel wool). Surface must be completely dry before application. Use a high-quality synthetic bristle brush, foam brush, or sprayer to apply. Rollers and pad painters are not recommended. Best performance is achieved with 2 thin coats. A third coat may be applied if necessary or desired. Allow at least 6 hours drying time between coats. Cool temperatures and high humidity will lengthen drying time. Sanding is not recommended between coats. Newly applied epoxy should dry and cure for 3 to 5 days before object is used. This product is not heat proof and should not be used on stove tops, hot tubs, or swimming pools. Clean up tools with warm, soapy water. Kit contains 32 oz. part A and 16 oz. part B. Product is to be mixed in a 2-to-1 ratio. Mix only what product will be used for immediate application. The total 48 oz. kit (1-1/2 quart) will cover 100 to 150 sq. ft. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790200-C	9500	Wht Tub Refinishing Kit	1/0/2	1.120	32.99 KT

**Rust Oleum**

**Chalkboard finish** - Create a chalkboard on virtually any surface. Formulated with extremely hard pigments to outperform the competition-won't leave scratch marks where the chalk was used. Converts wood, metal, plastic, glass, paperboard, and hardboard into a usable chalkboard. Great for kids projects, functional uses-even resurfacing ping-pong tables. Erasable finish inspires creativity. Dries to touch in just 30 minutes. 11 oz. aerosol covers approximately 20 sq. ft. Quart covers approximately 100 to 125 sq. ft. Allow 3 days before writing on the new finish. Apply when temperature is between 50° F. and 90° F. Child-safe, nontoxic when dry. Quart is packaged in an attractive, informative box with interesting creative ideas.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796101-D	1913-830	Black, aerosol	1/0/6	1.050	5.29 EA
778457-C	206540	Black, quart	1/0/4	3.250	13.99 QT
796118-D	1914-830	Green, aerosol	1/0/6	1.050	5.29 EA
778753-C	206438	Green, quart	1/0/4	3.250	13.99 QT

PAINT

**Sherwin Williams**

**H & C™ Silicone Acrylic Concrete Sealer** - A silicone acrylic sealer designed to penetrate concrete surfaces to provide a long-lasting decorative finish. It is resistant to salt spray, acids, alkali, water, UV rays, and wet or dry abrasion, and has a very high resistance to traffic. Will not fade prematurely, peel, crack, or chip. Use to protect and beautify driveways, walkways, patios, garage floors, basements, porches, steps, brick, and masonry walls. Concrete must have cured at least 45 days and all old paint, oil, and grease must be removed prior to application. Most concrete must be etched prior to application. Use 1 part muriatic acid to 2 parts water unless acid is weak or concrete is extremely hard or polished.




Rinse thoroughly with plenty of water and allow to dry for at least 24 hours before sealing. H & C™ concrete sealer is designed as a 2 coat application, but a third may be required to achieve uniformity. Coarse, textured surfaces normally require more material. All colors should be reduced at least 1 quart per gallon for the first coat. Sealer may be applied by brush, roller, or spray. Clean up equipment immediately with xylol or D-100 solvent. Covers 75 to 100 sq. ft. per gallon on fluted block and up to 200 to 250 sq. ft. per gallon on concrete floors.

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784079-C	10.000034-16	Autumn brown	0/0/4	9.250	28.99 GAL
784087-C	10.000054-16	Bombay	0/0/4	9.250	28.99 GAL
784095-C	10.000064-16	Brick red	0/0/4	9.250	28.99 GAL
784109-C	10.000074-16	Charcoal	0/0/4	9.250	28.99 GAL
784117-C	10.000084-16	Gull gray	0/0/4	9.250	28.99 GAL
784125-C	10.000114-16	Pearl gray	0/0/4	9.250	28.99 GAL
784133-C	10.000124-16	Sandstone	0/0/4	9.250	28.99 GAL
784141-C	10.000144-16	Silver gray	0/0/4	9.250	28.99 GAL
784168-C	10.000154-16	Terra cotta	0/0/4	9.250	28.99 GAL
784176-C	10.000164-16	Tile red	0/0/4	9.250	28.99 GAL
794325-B	10.104014-16	Extra white	1/0/4	10.575	28.99 GAL
794376-B	10.106014-16	Deep base	1/0/4	10.250	28.99 GAL



**Clear Wood Finish** - CWF is designed for use on quality exterior wood siding such as redwood, cedar, mahogany and cypress as well as quality deck lumber, cedar shakes and shingles. CWF penetrates the wood to protect against moisture absorption and UV attack. New rough-sawn and planed wood should be allowed to weather 6 months or until it begins to turn a uniform light gray color before applying CWF. The original wood color will be restored after a period of exposure to sunlight and moisture. Badly weathered wood that is dark gray or black in color should be cleaned with Dekswood® (available in 7700 Department) prior to applying CWF. All old finishes and stains must be removed before applying CWF to achieve uniform results. Protect masonry, metal or painted surfaces, shrubs and plants before applying CWF. Covers up to 100 sq. ft. per gallon on rough-sawn wood or up to 200 sq. ft. per gallon on smooth wood.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777846-A	00115	Gallon	1/0/4	9.000	20.99 GAL
777838-B	00120	5 gallon	0/0/1	40.000	99.99 CAN



**UV-Resistant Clear Wood Finish** - A penetrating finish that protects exterior wood from moisture and UV damage while enhancing its natural beauty. Use on shakes and shingles, fences, outdoor furniture, decks, and roofs. Meets environmental requirements and cleans up with soap and water. Appears milky when first applied, but penetrates and dries to a clear matte finish. New wood should receive 2 wet-on-wet coats. Dries in 24 to 48 hours depending on temperature and humidity. Covers 150 to 250 sq. ft. per gallon. May be applied by brush, roller, or spray.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785393-C	04210	Clear, quart	1/0/6	2.333	9.49 QT
792527-A	04215	Clear, gallon	1/0/4	9.000	19.99 GAL
775118-B	04220	Clear, 5 gallon	0/0/1	45.000	94.99 CAN
792500-A	02015	Cedar tone, gallon	1/0/4	9.000	19.99 GAL
776869-B	02020	Cedar tone, 5 gallon	0/0/1	43.000	94.99 CAN
792519-A	02115	Redwood, gallon	1/0/4	9.000	19.99 GAL
776878-B	02120	Redwood, 5 gallon	0/0/1	43.000	94.99 CAN
780872-A	02615	Honey gold, gallon	1/0/4	8.750	19.99 GAL
781762-B	02620	Honey gold, 5 gallon	0/0/1	43.000	94.99 CAN



**Quikrete® Natural Look Waterproofer** - Waterproof masonry, brick, patio, pavers, and flagstone surfaces with this penetrating silicone finish. The clear water-based formula dries to a matte finish in 1 hour. This product is fortified with new heavy-duty resin technology to protect against the sun's rays, water, gasoline, and deicing salts. Tough finish but allows the natural look of the surface to come through. *Do Not* use below grade. Allow 60 days minimum for new concrete to cure before sealing. Clean surface with an all-purpose cleaner, dry and free of all loose, peeling paint or contaminants. Clean up with warm, soapy water. Apply with roller or low-pressure garden type sprayer. 1 gallon covers approximately 75 to 150 sq. ft. depending on porosity.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770019-B	002.0051092.007	Clear, gallon	1/0/4	8.750	19.99 GAL
770027-C	002.0051092.008	Clear, 5 gallon	0/0/1	44.000	94.99 CAN

**Thompsons**

**Water Seal® Waterproofer** - An excellent clear waterproofing sealer when applied directly from can, for concrete. Eliminates chipping and spalling. Contains no silicones, consists of several organic and inorganic solids that are carried beneath the surface by an aromatic solvent. Solids expand and literally *cork-up* pores of material being treated.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782763-C	10100	Aerosol spray	1/0/6	1.080	6.49 EA
782790-A	10104	Quart	1/0/6	2.117	6.49 QT
783441-A	10101	Gallon	0/0/4	7.750	10.99 GAL
771908-A	10105	5 gallon	0/0/1	38.500	49.99 EA

## SPRAYERS

## PAINT

### Wm Zinsser, William

**Do it Best® Waterproofing Sealer** - An excellent quality clear water-based sealer that protects wood, concrete, brick, and canvas from moisture damage. Penetrates the surface of the substrate to seal and protect from the inside out. 1 gallon will protect from 100 to 300 sq. ft. depending on type and porosity of material.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770779-D	77047	Gallon	1/4/240	8.000	14.99 GAL
770701-C	77048	5 gallon	1/0/32	40.000	69.99 CAN

### Thompsons

**Advanced Waterproofing** - Advanced water damage protection for all types of exterior wood in beautiful, sheer colors provides exceptional, long-lasting beading and waterproofing. Adds color without hiding natural wood grain. Coating resists mildew growth and UV damage. Clean and treat in 1 day. Soap and water clean up. Covers 100 to 250 sq. ft. per gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796262-B	11701	Clear, gallon	1/0/4	8.850	21.99 GAL
796293-B	11711	Natural, gallon	1/0/4	9.100	23.99 GAL
796316-B	11721	Honey, gallon	1/0/4	9.100	23.99 GAL
796330-B	11731	Nutmeg brown, gallon	1/0/4	9.100	23.99 GAL
796392-B	11761	Natural cedar, gallon	1/0/4	9.100	23.99 GAL

### Wagner Spray Tech.

**Paint Sprayer Kit** - 45W of power. Light-duty sprayer model No. 170 designed for application of oil and latex stains, oil-base paints, and other thin-bodied materials like water sealers and wood preservatives. Piston is made from hardened steel and cylinder from tungsten carbide. Maximum flow rate is 1 gallon per 17 minutes. Not to be used with a suction tube from larger container. Kit includes power sprayer, oil-base stain spray tip, atomizer valve, filter, 1 quart container and owner's manual.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
798614-A	0285017NF	#170 Kit Paint Sprayer	1/0/6	3.800	64.99 EA

### Wagner Spray Tech.

**Airless Paint Sprayer Kit** - 90W of power. General-purpose paint sprayer for house painting, fences, decks, patio furniture, and much more. Use to spray either oil-base or latex coatings, finishes, and sealers. Sprays 1 gallon in approximately 15 minutes. Easy to set up for use and clean up after use. Kit contains a model 242 Power Painter with a wide angle spray tip, a 0.8 mm spray tip for round pattern, a 6' paint suction hose, 2 extra atomizer valves, a viscosity tester, a cleaning brush, and a sample of cleaner/lubricant. Provides 1600 P.S.I. at 10.75 oz. per minute. Refer to model No. 0272900, 272902, 0272903, and 0272912 for spray tip replacements.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785074-A	0272062	242 Airless Sprayer Kit	1/0/5	4.000	79.99 KT

### Wagner Spray Tech.

**Airless Paint Sprayer 9140S** - This starter rig is an excellent choice for the serious DIY, handyman, property manager, and part-time painting contractor. The model No. 9140S leads the competition in this class of sprayer. 1/2 HP with Twin Stroke™ piston pumps provides .23 GPM. Features included are: Replaceable/reversible 413 spray tip (.013" to .015"), model No. GX-06 spray gun, full-size in-line spray gun filter, die-cast aluminum housing and 25' hose. Suction set ranges for 1 and 5 gallon containers. Maximum 2800 P.S.I. Operates on 110V. Refer to model No. 0501411, 0501413, or 0501415 for replacement tips.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773345-A	0512004	1/2hp Airless Sprayer	0/0/1	26.000	339.99 EA

### Wagner Spray Tech.

**Airless Paint Sprayer 9150** - Performance and portability make the 9150 an attractive choice for entry-level painting contractors, maintenance departments, and property managers. The 9150 features a rugged cart for big-job mobility with removable handle for convenient transport and storage. 5/8 HP Twin Stroke™ piston pumps provide .25 GPM. Features include: Replaceable and reversible model No. 413 spray tip (.013" to .015"), full-size in-line spray gun filter, spray gun model No. GX-07, die-cast aluminum housing 5 gallon pail bracket, 25' hose, suction set for 1 and 5 gallon containers. Operates on 110V. Maximum 2800 P.S.I. Refer to model No. 0501411, 0501413, or 0501415 for replacement tips.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773372-A	0512005	5/8hp Airless Sprayer	0/0/1	32.000	439.99 EA

PAINT

**Wagner Spray Tech.**

**GX07 Spray Gun** - Replacement gun for the model No. 9150S airless paint sprayer. Will also fit model No. 9140S and Paint Mate sprayers. 2 finger operational gun has trigger lock and in-handle, full size in-line filter. G-threaded 7/8" hose attachment end. Gun withstands 3000 P.S.I. maximum fluid pressure.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789062-B	0501004	Replacement Spray Gun	0/0/1	1.500	104.99 EA

**Wagner Spray Tech.**


**Spray Nozzle** - Accessory spray nozzles for Wagner cup guns model No. 0280010 (120) (not model No. 370 electronic gun).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785010-D	0280030	Light-bodied materials	1/0/5	.088	10.99 EA
784994-D	0280031	Medium-bodied materials and lacquers	1/0/5	.088	10.99 EA
784976-D	0280033	Latex paints, heavy-bodied materials	1/0/5	.088	10.99 EA

**Wagner Spray Tech.**


**Stain Spray Tip** - Designed for improved performance when spraying oil-base or latex stains. Can be used on any model of Wagner sprayer.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789623-D	0280037	Stain Spray Tip	1/0/5	.055	13.49 EA

**Wagner Spray Tech.**

**Suction Tube** - 5'. Makes it possible to spray directly from the paint container. No need to refill the cup on big jobs. For use with any Wagner sprayers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785038-D	0272910	5' Suction Tube	1/0/5	.450	17.99 EA

**Wagner Spray Tech.**


**Flexible Extension** - Spray nozzle not included. Extension can be bent at any angle making it easier to paint horizontal surfaces such as floors, ceilings and underside of deck or fence boards. For use with model No. 0280010 (120) sprayer.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785047-D	0153108	Flexible Spray Extension	1/0/5	.281	13.79 EA

**Wagner Spray Tech.**

**Atomizer Valve** - Replacement atomizer valve for Wagner Power Painter® model No. 0280010 (120). Each package contains 2 valves. 1 is designed for use with latex paints and the other for use with oil-base paints or enamels.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784832-D	0280035	2pk Atomizer Valves	1/0/5	.025	4.79 CD

**Wagner Spray Tech.**

**Cleaner And Lubricant** - Recommended for clean up of all airless spray equipment when using water-base materials. Helps protect and lubricate the piston and cylinder. Each card contains 4 each, 1 fl. oz. packets and there are 12 cards (48 packets) per case.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789658-D	0154570	4pk Lubricant Packs	1/0/12	.667	4.99 CD

**Wagner Spray Tech.**

**Wide Shot Power Painter 320** - A powerful airless paint sprayer that sprays most latex and oil-based materials without thinning. Select from 4 spray patterns with just a finger touch. Wide angle spray tip adjusts to either a horizontal or vertical 12" to 14" spray pattern. Sprayer kit includes the 110W gun that produces a flow rate up to 1 gallon in 13 minutes. 2400 P.S.I. Includes a 1 quart cup and a 5'. Suction hose for drawing paint from a bucket. Cylinder and piston are made of tungsten carbide for durability. Also included in the kit are a wide angle adjustable spray tip, an adjustable stain spray tip, a round spray tip, a viscosity stir stick, a cleaning brush, and a cleaner/lubricant sample pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783637-A	0272048	320 Wide Airless Sprayer	1/0/5	7.000	159.99 EA

**Wagner Spray Tech.**

**Marbleize Dual Roller Cover** - Replacement dual cover for the Wall Magic faux finishing kit model No. 0510161A. These dual 4" roller covers create the effect of stone marble pattern of 2 colors.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789100-C	0510094C	2pk Marble Roller Covers	1/0/3	.333	6.99 EA

**Wagner Spray Tech.**


**The Trade Tip™** - Wagner's Contractor Tough™ airless tips have a swiss-made tungsten carbide core with grey trade tip handle. Fits the newer model No. 9150 and 9140S paint sprayers. Will also fit PaintMate™ and Paint Crew® sprayers. Use tip sizes .011" to .013" when spraying lacquer or varnish. Use tip sizes .013" to .015" when spraying oils, paints and stains, exterior oil primers, or latex and oil enamels. Use tip sizes .015" to .017" when spraying interior and exterior latex paints, 100% acrylic paints or solid latex stains. Tip wear has a big impact on the amount of paint used for a job. A worn tip reveals itself by producing a reduced fan width while the flow rate increases which results in more paint used to cover less area. The 411, 413, and 415 tips provide an 8" fan width. Tips will fit gun model No. GX-06 and GX-07.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776681-C	0501411	411 tip size .011" to .013"	1/0/5	.078	32.49 EA
776742-C	0501413	413 tip size .013" to .015"	1/0/5	.078	32.49 EA
776841-C	0501415	415 tip size .015" to .017"	1/0/5	.078	32.49 EA

**Wagner Spray Tech.**


**Ceramic Spray Tips** - All-purpose spray tips with a lifetime guarantee. Designed for use with Wagner sprayer model No. 0272062 (242) and 0272048 (320).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789593-D	0272900	Light-bodied materials (.6mm)	1/0/5	.055	12.99 EA
789607-D	0272902	Medium-bodied materials (.8mm)	1/0/5	.055	13.49 EA
789615-D	0272903	Heavy-bodied materials (1.0mm)	1/0/5	.055	12.99 EA

**Wagner Spray Tech.**

**Wide Angle Spray Tip** - All-purpose tungsten carbide spray tip that produces an extra wide spray pattern for big jobs. Recommended for use with latex paints. Designed for use on Wagner sprayer model No. 0272062 (242) and 0272048 (320).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789631-D	0272912	Wide Angle Spray Nozzle	1/0/5	.055	18.49 EA

**Wagner Spray Tech.**

**Atomizer Valve** - Replacement atomizer valve for Wagner Power Painter® model No. 0272048 (320), 0285047BE (304), 0272062 (242). Each package contains 2 valves. 1 is designed for use with latex paints and the other for use with oil-base paints or enamels.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782548-D	0272904	2pk Atomizer Valves	1/0/5	.002	6.49 CD

**Wagner Spray Tech.**

**Back pack Liners** - Replacement plastic liners to be used in the Wagner backpack. 5 liners per package.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787582-D	0272130	5pk Backpack Liners	1/0/5	.017	3.99 PKG

**Wagner Spray Tech.**

**Glass Mask™** - Liquid solution packaged in an applicator container that is ideal for masking window panes. After painting just use the carbon steel scraping blade contained in the cap to remove the paint and dried solution. Applicator pad is 1-1/8" wide. 1 Glass Mask™ covers up to 700 linear ft. (20 average windows).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773646-C	0284001	Glass Mask	1/0/12	.375	7.49 EA

**Wagner Spray Tech.**


**High-Pressure Hose** - 1/4" I.D. x 25' hose with swivel couplings for use with Wagner model No. 9140S or 9150S spray painting system. Provides additional reach and mobility. Maximum 3300 P.S.I.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790424-C	0270192	1/4"x25' High-press Hose	0/0/1	2.296	52.99 EA

**Wagner Spray Tech.**

**Hose Connector** - Male threaded coupling designed to fasten 2 lengths of high-pressure spray hose together.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790433-D	093896X	Hose Connector	1/0/12	.005	3.79 EA

**PAINT**

**Wagner Spray Tech.**

**Power Roller® One Touch™ 980** - The easy way to beautify your home. Feeds directly from a 1 gallon paint can. One Touch™ user-friendly paint flow controls. Clean mode for simplified clean up. Provides 12 oz. per minute paint flow speed. Kit includes: 120V electric roller, ergonomic quick-disconnect handle, fingertip paint flow control, 12' hose for 24' work area, 14" extension for added reach, spatter shield to prevent drips, 9" x 3/8" nap roller cover, and can lid.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797092-A	0514000	1 Touch 980 Power Roller	1/0/4	5.650	84.99 EA

**Wagner Spray Tech.**

**Roll'N Go Cordless Power Roller** - Save time and achieve professional-quality coverage by feeding paint straight from the can to the wall, eliminating the need to dip the roller into the paint tray. Roll'N Go is ready-to-use in 3 easy steps: Snap on the lid, attach the hose, and start painting. A fingertip paint flow control allows users to adjust the amount of paint needed to match their speed. Paint flow allows coverage of up to 18 sq. ft. per minute. With its battery-powered base, it is highly portable and ideal for indoor, outdoor, and remote site use. Any typical paint can will fit, so choices in color or brands are virtually endless. A quick release button allows the roller cover to drop from the roller so hands stay clean. A 12' hose allow painting in an extended work area without moving the paint can.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783664-B	0514010	Cordless Power Roller	1/0/4	.925	39.99 EA

**Wagner Spray Tech.**

**Power Roller® Pro™ 990** - A complete kit for trim, corners, and large jobs. Hose adapter feeds directly from a 5 gallon bucket. Container holds 1 gallon of latex paint. Apply 1 gallon of paint in 10 minutes. Kit includes: 120V electric roller, ergonomic quick-disconnect handle, 16' hose for 30' work area, 18" extension for added reach, trim and corner pads to minimize masking, dual function fingertip paint flow control, 6-1/16 oz. per minute variable paint flow, spatter shield to prevent drips, 9" x 3/8" nap roller cover, and can lid.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797108-A	0514001	Pro 990 Power Roller	1/0/4	11.000	134.99 EA

**Wagner Spray Tech.**


**Wall Magic Dual Roller Kit** - Faux finishing is made easier with the step-by-step instructions for preparing your room, selecting paint colors and perfecting your technique. Kit consists of dual roller frame, split 2 color tray, instructional CD, and instructional sheet. Roller covers are sold separately. 4" dual roller covers available in stock are: Wool, marbleize, ragging, sponging, texturized, star, and braid. All individual roller covers may be viewed by referring to Wall Magic in catalog search description in Info Plus catalog.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789097-C	0510161A	Dual Roller Kit	1/0/3	1.000	15.29 EA

**Wagner Spray Tech.**

**Texturize Dual Roller Cover** - Replacement roller cover for the Wall Magic dual roller frame kit model No. 0510161A. These dual 4" covers will create sandstone effects in 2 colors on the surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789232-C	0510173A	2pk Textur Roller Covers	1/0/3	.333	6.99 EA

**Wagner Spray Tech.**

**Wool Dual Roller Cover** - Replacement roller cover for the Wall Magic dual roller frame kit model No. 0510161A. These dual 4" covers will create the soft blended pattern of 2 colors on the surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789098-C	0510092C	2pk Wool Roller Covers	1/0/3	.333	8.29 EA

**Wagner Spray Tech.**

**Roller Cover** - 9" roller cover for use with model No. 929, 980, and 990 power rollers. Use 3/8" nap for smooth surfaces (plaster, drywall, etc.) and 3/4" nap for medium rough surfaces (acoustical ceilings, textured plaster, brick, dense block, and stucco).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770965-D	0155206	9" x 3/8"	1/0/12	.119	6.29 EA
770949-D	0155208	9" x 3/4"	1/0/9	.072	7.49 EA



## SPRAYERS

### Wagner Spray Tech.

**Ragging Dual Roller Cover** - Replacement roller cover for the Wall Magic dual roller frame kit model No. 0510161A. These dual 4" covers will create the romantic effect of crushed velvet or suede in 2 color pattern on the surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789150-C	0510171A	2pk Rag Roller Covers	1/0/3	.333	6.99 EA

### Campbell-Hausfeld


**Spray Gun Filter** - Strains paint to remove impurities and lumps. Helps provide a smooth, professional finish. Replacement filter. 3 filters per pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789283-D	AL1263	3pk Spray Gun Filter	1/0/4	.080	10.49 PK

### Campbell-Hausfeld

**Suction Tube Filter** - Replacement filter for suction tube of model No. AL2305 sprayer. Strains paint to remove impurities and lumps. Helps provide a smooth, professional finish. Also helps prevent spray tip clogging. 2 filters per pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789305-D	MP2153	2pk Suction Tube Filter	1/0/4	.080	4.79 PK

## PAINT

### Campbell-Hausfeld

**Pump Protector** - A liquid protective agent to be run through pump after clean up of equipment. Actually penetrates metal to lubricate and protect valves and diaphragm from wear. Also recommended when pump will be in storage for a period of time. Packaged in 32 oz. (quart) bottle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793604-E	AL2061	32oz Pump Protector	1/0/12	2.000	8.49 EA

### Chapin Mfg.

**MultiPurpose Spray Applicator** - A commercial duty, 2 gallon capacity spray applicator engineered for applying wood preservatives, sealants, and stains to decks, furniture, and fences. Lined steel tank gives protection against rust, corrosion, and leaking. Pump, handle grip, shut-off, extension, and nozzle are constructed from tough polypropylene to resist chemical corrosion. Reinforced, braided hose resists cracking, crimping, and leaking. Extension rotates 360° for spraying hard-to-reach areas. Exclusive fan tip nozzle gives flat fan spray for evenly controlled application and helping prevent over-spray and runs. Wide funnel top provides easy filling.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783986-B	3060	2gal Steel Deck Sprayer	0/0/1	6.400	39.99 EA

### Chapin Mfg.

**Sprayer Nozzle Kit** - Poly nozzle kit for Chapin model No. 2000, 2500, and 3614. Kit contains: 3 nozzles - (.241 GPM, .375 GPM, and .56 GPM), poly filter, and nozzle holder.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
766969-C	6-4824	Poly Fan Nozzle Kit	1/0/6	.050	6.49 EA

PAINT

**Chapin Mfg.**

**Sprayer Repair Kit** - Sprayer repair kit for Chapin sprayer model No. 2000, 2600, 2700, 3614, and all deck sprayers. Kit includes the following: Plunger cup, cup disc, bottom valve, diaphragm, O-rings, and pump gaskets.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
766889-D	6-1925	Sprayer Repair Kit	1/0/6	.033	10.99 EA

**Chapin Mfg.**

**Extension Assembly** - Poly extension assembly for Chapin model No. 2000, 2001, 2002, 2003, 2751, 2752, 2753, 2235, 2236, 2608, 2609, and 2610.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
766978-D	6-7749	18" Poly Extension	1/0/6	.050	7.49 EA

**Chapin Mfg.**

**Clean 'n Easy Deck Sprayer** - A 2 gallon capacity poly sprayer. A much faster method of application than brushes, rollers, or pads. Features a wide funnel top for easy filling and a thumb activated lock-on feature for continuous spraying. New translucent bottle provides ease in checking fluid level. Has a reinforced nylon braided hose for durability and special seals and gaskets that resist chemical attack. Also comes with 1/4, 1/2, and 1/3 GPM fan nozzles for spraying, stains, cleaners, and garden chemicals. Refer to model No. 6-4824 for replacement nozzle kit (in the 7000 Department).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784495-C	25020	2gal Poly Deck Sprayer	0/0/1	3.500	24.99 EA

**Wagner Spray Tech.**

**11-Piece Heat Gun Kit** - Dual temperature control allows 750° F. or 1000° F. settings. Use low heat for removing flooring, adhesives, or for bending or molding plastics. Use high heat for paint removal, to loosen rusted nuts and bolts or for thawing pipes. Includes 5 scraper blades, scraper handle, 3 concentrator nozzles, and a carrying case. Manufacturer's warranty is 2 years for home use.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773513-B	HT1100	11pc Heat Gun Kit	1/0/6	3.333	46.99 KT

**Wagner Spray Tech.**

**Digital Heat Gun** - Digital circuitry provides multiple benefits for the new model No. HT3500. It provides 12 distinct temperature settings from 250° to 1350° F. Utilizing touch-pads with LED indicators, the consumer can now select the right temperature for any application. Additionally, the digital circuitry provides a platform for incorporating *logic* in the heat gun. When the *cool* setting is selected, the fan will cool the gun to a set temperature and the gun will automatically turn itself off. Stylized gun body has ergonomic handle and hanging eyelet. Use to remove stickers, linoleum and paint, and speed drying time for paint or plaster. Ideal for heating window shrink covering, electrical shrink tube, frozen locks, frozen water pipes, loosening rusted nuts and bolts. Additional uses on molding/bending plastics, waxing skis, defrosting freezers. Manufacturer's warranty is 2 years.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773559-B	HT3500	Digital Variabl Heat Gun	1/0/3	1.625	59.99 EA

**Wagner Spray Tech.**

**Industrial Heat Gun** - A multipurpose heat gun for the professional to strip paint, lift old floor tiles, or soften caulk and adhesives prior to removal. Also use it to remove ice from roof gutters, downspouts, thaw frozen pipes, or locks. Temperature settings of 750° F. to 1500° F.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773684-A	775	Industrial Heat Gun	1/0/2	2.195	65.99 EA

## SPRAY PAINTS

## PAINT

### Valspar/Plasti Kote

**Epoxy Spray** - Tough durable epoxy spray enamel. Dries fast to a tile-hard porcelain-like finish that will not crack, chip or peel and is not affected by moisture. 12-3/4 oz. net weight.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774460-C	191	Appliance white	1/0/6	1.160	5.99 EA
781176-C	192	Almond	1/0/6	1.167	5.99 EA
781167-C	193	Black	1/0/6	1.167	5.99 EA

### Valspar/Plasti Kote

**Fluorescent Spray** - Bright vivid colors. Excellent for identification and safety applications. Effective on paper, cloth, wood, and metal. 12-1/2 oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781130-C	FL-6	Red	1/0/6	1.167	6.99 EA
791415-C	FL-7	Green	1/0/6	1.167	6.99 EA
791423-C	FL-8	Pink	1/0/6	1.167	6.99 EA
781103-C	FL-9	Orange	1/0/6	1.167	6.99 EA
781096-C	FL-10	Yellow	1/0/6	1.167	6.99 EA

### Valspar

**Tractor And Implement Spray Enamel** - BPS® Agri Systems heavy-duty high-gloss premium quality enamel is designed to withstand tough wear and weathering on exterior metal or wood. This industrial maintenance finish has some colors that are formulated to match manufacturer's colors of farm equipment. Slight variations may be experienced due to weathering of the original coating or occasional change in manufacturer's standard. Product resists rust and abrasion and is resistant to gas and oil. Lead-free and nontoxic when dry. Use on farm equipment and machinery, lawn furniture, wood and metal trim, pipes, railings, and storage tanks. Covers approximately 75 sq. ft. per 12 oz. spray can. Dries to touch in 4 to 6 hours. Allow to dry 24 hours between coats.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790028-B	018.5339-01.076	International Harvester red	1/0/6	1.167	3.99 EA
784856-B	018.5339-02.076	Massey Ferguson red	1/0/6	1.132	3.99 EA
775108-B	018.5339-22.076	Massey Ferguson gray	1/0/6	1.083	3.99 EA
789984-B	018.5339-03.076	Allis Chalmers orange	1/0/6	1.167	3.99 EA
775017-B	018.5339-05.076	New Holland red	1/0/6	1.083	3.99 EA
775025-B	018.5339-09.076	New Holland yellow	1/0/6	1.083	3.99 EA
789941-B	018.5339-06.076	John Deere yellow	1/0/6	1.167	3.99 EA
789992-B	018.5339-08.076	New Caterpillar yellow	1/0/6	1.167	3.99 EA
790036-B	018.5339-10.076	John Deere green	1/0/6	1.167	3.99 EA
775033-B	018.5339-11.076	Oliver green	1/0/6	1.083	3.99 EA
790044-B	018.5339-12.076	Ford blue	1/0/6	1.167	3.99 EA
789968-B	018.5339-13.076	Ford gray	1/0/6	1.167	3.99 EA
775082-B	018.5339-20.076	Ford red	1/0/6	1.083	3.99 EA

Continued Next Column

Continued From Previous Column

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784863-B	018.5339-15.076	International Harvester white	1/0/6	1.132	3.99 EA
775041-B	018.5339-14.076	Gloss white	1/0/6	1.083	3.99 EA
775066-B	018.5339-16.076	Gloss black	1/0/6	1.083	3.99 EA
775074-B	018.5339-19.076	Low gloss black	1/0/6	1.083	3.99 EA
775124-B	018.5339-24.076	Kubota orange	1/0/6	1.083	3.99 EA

### Valspar/Plasti Kote

**Sandable Spray Primer** - A fast dry, sandable primer for use under lacquers or enamels. For best results sand before top coating using model No. 400 sandpaper. Allow 30 minutes dry time before sanding. Spray at room temperature. 12-1/2 oz. net weight.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781684-C	T234	Red	1/0/12	1.167	5.29 EA
781675-C	T235	Gray	1/0/12	1.167	5.29 EA

### Valspar/Plasti Kote

**Spray Engine Enamels** - A coating that is highly resistant to gasoline and oil. Dries fast. When properly applied will not crack, peel or flake off. Resists heat up to 500 ° F. An excellent coating for a wide variety of applications in addition to engines. Gloss sheen. 11 oz. net weight.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781906-C	200	Chevrolet orange	1/0/6	1.167	5.49 EA
781899-C	203	Universal black	1/0/6	1.167	5.49 EA
780030-C	206	Ford red	1/0/6	1.167	5.49 EA
781862-C	207	Aluminum	1/0/6	1.167	5.49 EA
781835-C	224	Ford blue	1/0/6	1.167	5.49 EA
781700-C	230	Flat black	1/0/6	1.167	5.49 EA

### Valspar/Plasti Kote

**Bumper Chrome Spray Paint** - A chrome-like spray finish. Spray at room temperature (70° F.). For interior or exterior use. 12-1/2 oz. net weight.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780934-C	615	Bmpr Chrome Spray Paint	1/0/6	1.167	5.49 EA

Some products shown may need to be special ordered for your convenience!

**Valspar/Plasti Kote**

**Brilliant Chrome Spray** - Applies the most brilliant chrome like finish you can get without the expense of plating. Metallic alkyd enamel made from the finest aluminum powders.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782814-C	613	Brnt Chrome Spray Paint	1/0/6	1.167	5.49 EA

**Valspar/Plasti Kote**

**Brilliant Gold Spray** - When nothing short of 24 karat gold will do.

This fast dry acrylic enamel has a real gold *anodized* look that's perfect for hundreds of decorating, craft, and household applications.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782821-C	617	Brnt Gold Spray Paint	1/0/6	1.167	5.49 EA

**Valspar/Plasti Kote**

**Hot Paint** - Fast dry spray paints that resist heat up to 1200° F. Hot paints will air dry in 15 to 30 minutes, but must be cured to obtain durable finish. Curing may be accomplished by baking for 30 to 60 minutes at 600° F. or by the inherent heat of operation of engine manifolds or exhausts. Flat sheen. 11 oz. net weight.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781087-C	HP11	Black	1/0/6	1.167	6.99 EA
779189-C	HP12	White	1/0/6	1.167	6.99 EA
779214-C	HP14	Aluminum	1/0/6	1.167	6.99 EA

**Rutland Prod.**

**High Temperature Stove Paint** - High-quality, flat black paint which resists temperatures up to 1200° F., without discoloration, peeling or blistering. It renews the finish on steel or cast-iron stoves, stovepipes, barbecue grills, or any surface where paint must resist intense heat. 13 fl. oz. aerosol.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
435933-D	80	13oz Stove Paint	1/0/12	1.008	10.49 EA

**Rust Oleum**

**Do it Best® Inverted Marking Spray Paint** - Industrial quality marking sprays adhere to gravel, soil, and concrete. Spray-through cap allows easy applications. Available in 6 high visibility colors. 17 oz. fill. Surface coverage: Varies by application. Can be used with Rust-Oleum® marking wand model No. 2392-000.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793988-D	4000	Red/orange	1/0/6	1.467	4.79 EA
793995-D	4001	Orange	1/0/6	1.467	4.79 EA
794008-D	4002	White	1/0/6	1.467	4.79 EA
794022-D	4003	Hi-visibility yellow	1/0/6	1.467	4.79 EA
794039-D	4004	Caution blue	1/0/6	1.467	4.79 EA
794053-D	4005	Caution yellow	1/0/6	1.467	4.79 EA

**Rust Oleum**

**Do it Best® Inverted Striping Aerosol** - Industrial quality striping sprays adhere to gravel, soil, and concrete. Spray-through cap allows for easy applications. 18 oz. fill. Surface coverage: 200', 4" wide stripe. Can be used with Rust-Oleum® striping machine model No. 2395-000.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794060-D	4006	White	1/0/6	1.467	4.99 EA
794077-D	4007	Yellow	1/0/6	1.467	4.99 EA
794084-D	4008	Blue	1/0/6	1.467	4.99 EA

**Rust Oleum**

**Rust-Oleum® Camouflage** - These nature inspired colors make it easy to achieve a perfect blend with nature on: Wood, metal, and more. Provides a durable, nonreflective, flat coating that conceals nature blinds, hunting equipment, vehicles, boats, and more. These natural colors can be combined in a variety of patterns to blend with any terrain. Quick dry formula. 12 oz. can covers approximately 25 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781022-C	1916-830	Black	1/0/6	1.108	4.29 EA
781039-C	1917-830	Khaki	1/0/6	1.108	4.29 EA
781046-C	1918-830	Earth brown	1/0/6	1.108	4.29 EA
781060-C	1919-830	Deep forest green	1/0/6	1.108	4.29 EA
781077-C	1920-830	Army green	1/0/6	1.108	4.29 EA

## SPRAY PAINTS

## PAINT

### Krylon/Consumer Div

**Striping Paint** - A highly pigmented paint that produces sharp, durable stripes in one pass. Cans spray in an upside-down position and are available in both water-based and solvent-based formulas. From athletic fields to parking lots, wherever bright, crisp lines are required, this paint will do a professional-looking job quickly and easily. Covers approximately 25 sq. ft per 15 oz. can. Dries fast. May be used with Rust-Oleum® model No. 2395-000 striping machine.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774665-D	7344	Field stripping white, water-based	1/0/6	1.417	5.49 EA
774335-D	7341	Highway yellow-solvent based	1/0/6	1.417	5.49 EA
774326-D	7342	Handicap blue-solvent based	1/0/6	1.417	5.49 EA

### Krylon/Consumer Div

**Inverted Marking Paint** - A higher-quality finish than most brands with higher solids for better 1-coat coverage and more vibrant color. The professional tip makes application easy. Use on concrete, pavement, gravel, grass, brick, asphalt, athletic fields, utility poles and construction marking. Available in solvent-based and water-based clog-resistant formulas. Dries fast. Covers approximately 25 sq. ft. per 15 oz. can. May be used with Rust-Oleum® model No. 2393-000 marking wand and model No. 210188 marking pistol.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774380-D	7300	A.P.W.A. white-solvent base	1/0/6	1.417	4.99 EA
774353-D	7302	A.P.W.A. red-solvent base	1/0/6	1.417	4.99 EA
774807-D	7303	A.P.W.A. blue-solvent base	1/0/6	1.417	4.99 EA
774317-D	7304	A.P.W.A. green-solvent base	1/0/6	1.417	4.99 EA
774816-D	7305	A.P.W.A. hi-vis yellow solvent base	1/0/6	1.417	4.99 EA
774399-D	7307	Fluorescent orange-solvent base	1/0/6	1.417	4.99 EA
774371-D	7321	Fluorescent red/orange-water base	1/0/6	1.417	4.99 EA

### Krylon/Consumer Div

**Farm And Implement Colors Spray Paint** - These colors meet manufacturer's specifications for farm, lawn, and garden equipment. The paint is durable, weather-resistant, and long lasting. Fast-dry formula dries tack-free in 30 minutes. Can be used on wood, plastic, metal, and tools. Net weight 12 oz. Coverage: 20 to 25 sq. ft. on solid surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777314-C	1805	New Caterpillar yellow	1/0/6	1.167	5.49 EA
771695-C	1809	School bus yellow	1/0/6	1.042	5.49 EA

Continued Next Column

Continued From Previous Column

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774073-C	1816	John Deere yellow	1/0/6	1.042	5.49 EA
772674-C	1817	John Deere green	1/0/6	1.042	5.49 EA
774162-C	1818	International Harvester red	1/0/6	1.042	5.49 EA
774932-C	1820	Allis Chalmers orange	1/0/6	1.083	5.49 EA
775174-C	1927	Ford blue	1/0/6	1.083	5.49 EA

### Krylon/Consumer Div

**Safety And OSHA Spray Paints** - Colors provide a full line of quality aerosols with color standards approved by the Occupational Safety and Health Act Governing Board. These paints offer protection from adverse conditions of weather, moisture, and industrial fumes. OSHA colors can be sprayed on metal, plastic, wood, and masonry. High visibility colors allow you to mark physical hazards and designate cautions. Avoids runs and drips. Net weight 12 oz. Coverage: 20 to 25 sq. ft. on solid surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772534-C	1813	Safety yellow, (OSHA)	1/0/6	.104	5.49 EA
784990-C	1929	Plum, (OSHA purple)	1/0/6	1.042	5.49 EA
771757-C	2012	Safety green, (OSHA)	1/0/6	1.042	5.49 EA
771917-C	2116	Safety red, (OSHA)	1/0/6	1.042	5.49 EA
771766-C	2410	Safety orange, (OSHA)	1/0/6	1.042	5.49 EA
777886-C	2416	Safety blue, (OSHA)	1/0/6	1.167	5.49 EA

PAINT

**WHAT You  
NEED  
WHEN You  
NEED it!**

For your convenience, if an item is no longer available, we will gladly substitute a similar product!

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**High Performance V2100 System Enamel Aerosols**



These large 15 oz. industrial aerosols feature excellent corrosion protection indoors and out. Heavy-duty formula resists chipping, cracking, and peeling and provides excellent color and gloss retention. Use High Performance primer before topcoating for additional corrosion

protection. (6 cans per case)

- Excellent gloss and color retention in exterior environments
- Large size can with high solids for greater coverage

**FINISHES:** Choose from high gloss, semi-gloss, flat, metallic, fluorescent, hammered and farm equipment finishes. Most colors match Rust-Oleum® Industrial Enamels for convenient touch-up. Not for use on galvanized steel.

**USES:** Protecting or touching-up on handrails, piping, tanks, machinery, racks, equipment, metal doors, conveyors

**APPLICATION METHOD:** Aerosol spray

**SURFACES:** Metal, steel

**EXPOSURE CONDITIONS:** Rust-preventative coating for moderate exposure

**COVERAGE:** Approximately 14 practical sq. ft. per can



**TACK FREE:** 10-20 minutes

**DRY TIME:** 1-2 hours

**High Performance Rust Reformer®**

Industrial Rust Reformer® instantly converts rust into a non-rusting barrier in one easy step. Stops

existing and future rust.

**Spray Grip**

No more messy hands or tired fingers. Fits most aerosol cans for easy spraying and comfortable control. Use with Rust-Oleum® aerosols or other standard aerosol products such as cleaners and lubricants. (6 per case)



Description	Recoat Time (hrs)	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Primers</b>					
Red Primer	Anytime	8.4	V2169838	—	\$5.69
Gray Primer	Anytime	8.4	V2182838	—	\$5.69
White Clean Metal Primer	Anytime	8.4	209566	—	\$5.69
Rust Reformer	Anytime	8.4	215634	—	\$6.74
<b>Finishes</b>					
Anodized Bronze	Anytime	8.4	209565	—	\$5.69
Clear	Anytime	8.4	V2102838	—	\$5.69
Gloss White	Within 1 or After 48	8.4	V2192838	—	\$5.69
Flat White	Within 1 or After 48	8.4	V2190838	—	\$5.69
Fleet White	Within 1 or After 48	8.4	V2196838	—	\$5.69
Safety Yellow	Within 1 or After 48	8.4	V2143838	—	\$5.69
Industrial Yellow	Within 1 or After 48	8.4	V2147838	—	\$5.69
Equipment Yellow	Within 1 or After 48	8.4	V2148838	—	\$5.69
Safety Orange	Within 1 or After 48	8.4	V2155838	—	\$5.69
Equipment Orange	Within 1 or After 48	8.4	V2156838	—	\$5.69
Safety Red	Within 1 or After 48	8.4	V2163838	—	\$5.69
Bright Red	Within 1 or After 48	8.4	V2164838	—	\$5.69
Safety Blue	Within 1 or After 48	8.4	V2124838	—	\$5.69
Light Blue	Within 1 or After 48	8.4	V2123838	—	\$5.69
Deep Blue	Within 1 or After 48	8.4	V2125838	—	\$5.69
Safety Purple	Within 1 or After 48	8.4	V2167838	—	\$5.69
Safety Green	Within 1 or After 48	8.4	V2133838	—	\$5.69
Bright Green	Within 1 or After 48	8.4	V2134838	—	\$5.69
Dark Green	Within 1 or After 48	8.4	V2137838	—	\$5.69
Hunter Green	Within 1 or After 48	8.4	V2138838	—	\$5.69
Almond	Within 1 or After 48	8.4	V2170838	—	\$5.69
Tan	Within 1 or After 48	8.4	V2171838	—	\$5.69
Chestnut Brown	Within 1 or After 48	8.4	V2175838	—	\$5.69
Light Machine Gray	Within 1 or After 48	8.4	V2183838	—	\$5.69
Dark Machine Gray	Within 1 or After 48	8.4	V2187838	—	\$5.69
Dove Gray	Within 1 or After 48	8.4	V2184838	—	\$5.69
Smoke Gray	Within 1 or After 48	8.4	V2188838	—	\$5.69
Silver Aluminum (14 oz.)	Anytime	8.4	V2115838	—	\$5.69
Stainless Steel	Within 1 or After 48	8.4	V2119838	—	\$5.69
High Gloss Black	Within 1 or After 48	8.4	V2179838	—	\$5.69
Flat Black	Within 1 or After 48	8.4	V2178838	—	\$5.69
Semi-Gloss Black	Within 1 or After 48	8.4	V2177838	—	\$5.69
Semi-Gloss White	Within 1 or After 48	8.4	209567	—	\$5.69
Fluorescent Pink (14 oz.)	Within 1 or After 48	6.5	209568	—	\$6.74
Fluorescent Yellow (14 oz.)	Within 1 or After 48	6.5	2242838	—	\$6.74
Fluorescent Orange (14 oz.)	Within 1 or After 48	6.5	2255838	—	\$6.74
Fluorescent Red (14 oz.)	Within 1 or After 48	6.5	2264838	—	\$6.74
Fluorescent Green (14 oz.)	Within 1 or After 48	6.5	2233838	—	\$6.74
<b>Zinc-Rich Coatings (20 oz.)</b>					
Bright Galvanizing Compound	Within 1 or After 48	8.4	V2117838	—	\$11.70
Cold Galvanizing Compound	Within 1 or After 48	10.0	V2185838	—	\$7.90
<b>High Heat Coatings (15 oz.)</b>					
High Heat Black	Within 1 or After 48	8.4	V2176838	—	\$5.69
High Heat Aluminum	Within 1 or After 48	8.4	V2116838	—	\$5.69
<b>Hammered Metal Coatings (14 oz.)</b>					
Metal Black	Within 1 or After 48	7.0	209590	—	\$7.20
Metal Silver	Within 1 or After 48	7.0	209562	—	\$7.20
Metal Gold	Within 1 or After 48	7.0	209563	—	\$7.20
Metal Bronze	Within 1 or After 48	7.0	209564	—	\$7.20
<b>Farm Equipment Coatings (14 oz.)</b>					
John Deere Green	Within 1 or After 48	7.0	209713	—	\$5.69
John Deere Yellow	Within 1 or After 48	7.0	209714	—	\$5.69
Caterpillar Yellow (new)	Within 1 or After 48	7.0	209715	—	\$5.69
Allis Chalmers Orange	Within 1 or After 48	7.0	209716	—	\$5.69
International Red	Within 1 or After 48	7.0	209717	—	\$5.69
Ford Blue	Within 1 or After 48	7.0	209718	—	\$5.69
<b>Accessories</b>					
Spray Grip	—	—	7889003	—	\$2.46

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

# RUST-OLEUM®

INDUSTRIAL BRANDS

## Industrial Choice® M1600M1800 System Precision-Line Inverted Marking Paint Aerosols

Provides fast-drying, precision-line markings for excellent visibility. Available in water and solvent-based formulas. Apply with Rust-Oleum® Marking Wand, sold separately. (12 cans per case)

- Precision line spray tip
- Apply in temperatures down to 25°F
- No mess spray tip



**USES:** Perfect for excavation, construction, and surveyor's marking.

**APPLICATION METHOD:** Inverted aerosol or marking wand

**SURFACES:** Asphalt, concrete, gravel, athletic fields, parking lots, and dirt

**EXPOSURE CONDITIONS:** Mild and moderate

**DRY TO TOUCH:** 5 minutes

**COVERAGE:** Approximately 590-765 linear feet per can

### MARKING WAND (1 per case)

Comfortable-to-use design reduces fatigue and allows more accurate spraying. For use with Industrial Choice Marking Paint and High Performance® Marking Paint.



### MARKING PISTOL (1 per case)

Easy, accurate marking and light touch spray control.

## Industrial Choice® MC1800 System Precision-Line Inverted Marking Chalk Aerosols



For temporary markings that can be easily removed with soap and water or a wire brush. Virtually no overspray for precise, easy-to-read markings. (12 cans per case)

- Easy-to-use spray through cap guaranteed not to clog
- Fast dry formula

**USES:** Locating Utilities, surveying, construction sites, excavation sites, golf courses, athletic fields, landscape marking.

**APPLICATION METHOD:** Inverted spray or marking wand

wand

**SURFACES:** Concrete, grass, pavement, gravel and more!

**EXPOSURE CONDITIONS:** Mild to moderate

**TACK FREE:** Approx. 10 minutes

**COVERAGE:** 500-530 linear feet at 1.25 inches wide

Description	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Solvent-Based (17 oz.)</b>				
Caution Blue	17.4	203022	77906-C	\$4.03
Fluorescent Green	17.4	203023		\$4.03
Caution Yellow	17.4	203024	779902-C	\$4.03
High Visibility Yellow	17.4	203025	779946-C	\$4.03
Alert Orange	17.4	203026		\$4.03
Fluorescent Orange	17.4	203027	779949-C	\$4.03
Fluorescent Red-Orange	17.4	203028	780001-C	\$4.03
Safety Red	17.4	203029	779951-C	\$4.03
White	17.4	203030	779968-C	\$4.03
Clear (16 oz.)	17.4	1601838	782586-C	\$4.03
Safety Green	17.4	1634838		\$4.03
Fluorescent Pink	17.4	1661838		\$4.03
Fluorescent Red	17.4	1662838		\$4.03
Safety Purple	17.4	1668838		\$4.03
Fluorescent Purple	17.4	1669838		\$4.03
APWA Orange	17.4	201516		\$4.03
Black	17.4	1675838		\$4.03
<b>Water-Based (17 oz.)</b>				
Caution Blue	17.4	203031		\$4.03
Fluorescent Green	17.4	203032		\$4.03
Caution Yellow	17.4	203033		\$4.03
High Visibility Yellow	17.4	203034		\$4.03
Alert Orange	17.4	203035		\$4.03
Fluorescent Orange	17.4	203036		\$4.03
Fluorescent Red-Orange	17.4	203037		\$4.03
Safety Red	17.4	203038		\$4.03
White	17.4	203039		\$4.03
Clear (16 oz.)	17.4	1801838		\$4.03
Safety Green	17.4	1834838		\$4.03
Fluorescent Pink	17.4	1861838		\$4.03
Fluorescent Red	17.4	1862838		\$4.03
Safety Purple	17.4	1868838		\$4.03
Fluorescent Purple	17.4	1869838		\$4.03
Fluorescent Blue	17.4	205176		\$4.03
Black	17.4	1875838		\$4.03
<b>Accessories</b>				
Marking Wand	3.5	2939300	280636-C	\$26.88
Marking Pistol	3.5	210188		\$14.62

### APWA UNIFORM COLOR CODE

<b>YELLOW</b>	Gas, oil, steam, petroleum, gaseous materials
<b>RED</b>	Electric Power lines, cables, conduit, lighting cables
<b>PURPLE</b>	Reclaimed water, irrigation, slurry lines
<b>ORANGE</b>	Communication, alarm/signal lines, cables, conduit
<b>GREEN</b>	Sewers and drain lines
<b>WHITE</b>	Proposed survey markings
<b>PINK</b>	Temporary survey markings
<b>BLUE</b>	Potable water

Description	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Finishes</b>				
APWA Blue	8.4	205236		\$4.91
APWA Green	8.4	205238		\$4.91
APWA Yellow	8.4	205234		\$4.91
APWA Orange	8.4	205233		\$4.91
APWA Red	8.4	205235		\$4.91
APWA White	8.4	205237		\$4.91

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**Industrial Choice® 1600 System  
Enamel Aerosols**



Dries to the touch in 12 minutes or less —perfect for everyday maintenance applications. Specifically designed for mild to moderate industrial environments. High solids content provides greater coverage and resists chipping, fading, and peeling. (6 cans per case)

**USES:** Great for tools, ducts, vents, ladders, cabinets, lockers, furniture, stenciling, and more.

**APPLICATION METHOD:** Aerosol spray

**SURFACES:** Masonry, metal, wood (not for use on galvanized steel), concrete

**EXPOSURE CONDITIONS:** Multi-purpose for mild and moderate environments

**COVERAGE:** Approximately 8-10 practical sq. ft. per can

**TACK FREE:** 12 minutes

**DRY TIME:** 1 hour

**FINISHES:** Choose from high gloss, semi-flat, ultra-flat, flat, OSHA safety, and fluorescent finishes. Available in a large selection of popular colors used in everyday paint projects.

**Wet/Dry Sandable Primers**

Increase the adhesion and durability of the finish coat. Can be used as a sandable base coat indoors or out.

**Cold Galvanizing Compound**

Contains up to 86% pure zinc in dry film, providing maximum corrosion resistance through galvanic protection. Ideal for touch-up on bare sheet metal, production welds, galvanized ducts, fences, gutters and more.

**Industrial Choice® AS2100 System  
Anti-Slip Aerosols**



Create an anti-slip surface in minutes. Durable finish resists cracking and peeling. More cost-effective than anti-slip tapes. (6 cans per case)

**USES:** Ideal for use on stairs, pool decks, ramps, and walkways.

**APPLICATION METHOD:** Aerosol spray

**SURFACES:** Metal, wood, concrete, ceramic (not for galvanized steel)

**EXPOSURE CONDITIONS:** Mild and moderate

**TACK FREE:** 10-15 minutes

**DRY TIME:** 24-48 hours

**COVERAGE:** Approximately 14-19 practical sq. ft. per can

Description	Recoat Time (hrs)	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Primers</b>					
Red Primer	Within 1 of After 24	7.0	1667830		\$4.03
Gray Primer	Within 1 of After 24	7.0	1680830		\$4.03
White Primer	Within 1 of After 24	7.0	1681830		\$4.03
White Clean Metal Primer	Within 1 of After 24	7.0	—		\$4.03
<b>Finishes</b>					
Crystal Clear	Within 1 of After 24	7.0	1610830		\$4.03
Dull Aluminum	Within 1 of After 24	7.0	1614830		\$4.03
Regal Blue	Within 1 of After 24	7.0	1622830		\$4.03
Safety Blue	Within 1 of After 24	7.0	1624830		\$4.03
True Blue	Within 1 of After 24	7.0	1626830		\$4.03
Safety Green	Within 1 of After 24	7.0	1633830		\$4.03
Hunter Green	Within 1 of After 24	7.0	1638830		\$4.03
School Bus Yellow	Within 1 of After 24	7.0	1643830		\$4.03
Safety Yellow	Within 1 of After 24	7.0	1644830		\$4.03
Safety Orange	Within 1 of After 24	7.0	1653830		\$4.03
Safety Red	Within 1 of After 24	7.0	1660830		\$4.03
Cherry Red	Within 1 of After 24	7.0	1664830		\$4.03
Banner Red	Within 1 of After 24	7.0	1666830		\$4.03
Safety Purple	Within 1 of After 24	7.0	1670830		\$4.03
Beige	Within 1 of After 24	7.0	1671830		\$4.03
Almond	Within 1 of After 24	7.0	1672830		\$4.03
Leather Brown	Within 1 of After 24	7.0	1674830		\$4.03
Ultra-Flat Black	Within 1 of After 24	7.0	1676830		\$4.03
Semi-Flat Black	Within 1 of After 24	7.0	1678830		\$4.03
Glossy Black	Within 1 of After 24	7.0	1679830		\$4.03
Dove Gray	Within 1 of After 24	7.0	1684830		\$4.03
Universal Gray	Within 1 of After 24	7.0	1686830		\$4.03
Smoke Gray	Within 1 of After 24	7.0	1688830		\$4.03
Fiat White	Within 1 of After 24	7.0	1690830		\$4.03
Glossy White	Within 1 of After 24	7.0	1692830		\$4.03
Antique White	Within 1 of After 24	7.0	1696830		\$4.03
Sun Yellow	Within 1 of After 24	7.0	202212		\$4.03
Dusty Pink	Within 1 of After 24	7.0	202216		\$4.03
Machine Green	Within 1 of After 24	7.0	202211		\$4.03
Machinery Gray	Within 1 of After 24	7.0	202214		\$4.03
Electric Green	Within 1 of After 24	7.0	214644		\$4.03
ANSI 61 Light Gray	Within 1 of After 24	7.0	214645		\$4.03
ANSI 49 Medium Lt. Gray	Within 1 of After 24	7.0	214646		\$4.03
ANSI 70 Light Gray	Within 1 of After 24	7.0	214647		\$4.03
Fluorescent Green	Within 1 of After 24	7.0	1632830		\$4.37
Fluorescent Yellow	Within 1 of After 24	7.0	1642830		\$4.37
Fluorescent Orange	Within 1 of After 24	7.0	1654830		\$4.37
Fluorescent Red-Orange	Within 1 of After 24	7.0	1655830		\$4.37
Fluorescent Pink	Within 1 of After 24	7.0	1659830		\$4.37
<b>Zinc-Rich Coatings (20 oz.)</b>					
Cold Galvanizing Cmp.	Within 1 of After 24	7.0	1685380		\$4.37

Description	Recoat Time (hrs)	Dry Time Traffic (hrs)	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Finishes</b>						
Black	1-2	24	8.4	AS2178838		\$9.20
Safety Yellow	1-2	24	8.4	AS2144838		\$9.20
Clear	1-2	24	8.4	AS2102838		\$9.20
Gray	1-2	24	8.4	AS2185838		\$9.20
White	1-2	24	8.4	AS2192838		\$9.20

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions





**High Performance 2300 System Inverted Striping Paint Aerosols**

The premium choice for striping paint (6 cans per case);

- For fast, easy, striping and zone marking
- Dries to a long-lasting flat finish

**USES:** Aisles, identifying restricted areas, lift truck routes, pallet positions

**APPLICATION METHOD:** Striping machine

**SURFACES:** Pavement, concrete, grass, gravel and dirt

**EXPOSURE CONDITIONS:** Mild and moderate

**COVERAGE:** Approximately 300 linear feet at 2" wide

Description	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Traffic Time (hrs)	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Striping Paint</b>								
Blue	30 min.	1	1-24	24	8.7	2326838		\$7.26
Yellow	30 min.	1	1-24	24	8.7	2348838		\$7.26
Red	30 min.	1	1-24	24	8.7	2364838		\$7.26
Black	30 min.	1	1-24	24	8.7	2378838		\$7.26
White	30 min.	1	1-24	24	8.7	2391838		\$7.26
<b>Accessories</b>								
Striping Machine					21	2395000	280643-B	\$104.98



**High Performance V2300 System Inverted Marking Paint Aerosols**

High Performance Inverted Marking Paints feature a high-output spray tip for easy-to-see, bright, vivid markings. Fast-dry, APWA, general purpose and fluorescent colors are available for all your marking paint needs.

(6 cans per case)

- High Visibility marks
- Broad lines for easy identification

**USES:** Utility locating, surveying, construction sites, excavation sites, landscape markings and athletic field marking

**APPLICATION METHOD:** Inverted aerosol or marking wand

**SURFACES:** Pavement, concrete, gravel, grass, dirt and metal

**EXPOSURE CONDITIONS:** Mild and moderate

**TACK-FREE:** 10-12 minutes

**COVERAGE:** 300-350 linear feet per can

Description	Wt. per Case	RO#	DIB#	Unit Cost
<b>Marking Paint</b>				
Caution Blue	8.7	V2324838		\$5.31
Caution Yellow	8.7	V2345838		\$5.31
High Visibility Yellow	8.7	V2344838		\$5.31
Alert Orange	8.7	V2354838		\$5.31
Fluorescent Orange	8.7	V2355838		\$5.31
Fluorescent Green	8.7	V2333838		\$5.31
Fluorescent Red-Orange	8.7	V2358838		\$5.31
Safety Red	8.7	V2363838		\$5.31
White	8.7	V2392838		\$5.31
Clear	8.7	V2301838		\$5.31



Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**Industrial Choice® 6400 System 450  
VOC Alkyd Enamel Gallons**



A general purpose, modified alkyd enamel that withstands mild chemical fumes and spills. This multi-purpose indoor/outdoor coating provides good hiding and smooth coverage. USDA acceptable. (2 gallons per case)

- Hard finish resists chipping, cracking and peeling
- Good gloss retention

**USES:** Machinery, handrails, doors, tools, trim, drums, piping, cabinets.

**SURFACES:** Masonry, metal, wood and more!

**APPLICATION METHOD:** Brush, roller, spray gun

**EXPOSURE CONDITIONS:** Multi-purpose for mild to moderate environments

**TACK FREE:** 2-4 hours

**COVERAGE:** 285-585 sq. ft./gal



**Shop Coat Primers**

A low-cost, fast drying modified alkyd primer. Brush for touch-up applications only. Excellent adhesion on structural steel and fabricated metal. VOC<340 \* Also available in 5 gallon pails

**Industrial Choice® 5200 System  
DTM Acrylic**



Excellent for industrial applications, including wood, where solvent fumes can not be tolerated. Resists chalking and fading in outdoor weathering and has better gloss retention than industrial alkyd enamels. (2 gallons per case)

- USDA acceptable for incidental dry food contact in food processing plants
- Excellent adhesion to galvanized metal
- Great for use on surfaces exposed to mild chemical fumes and spills
- Easy soap and water cleanup

**USES:** Food plants, hospitals, schools, offices, restaurants

**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Concrete, galvanized steel, masonry, metal, wood

**EXPOSURE CONDITIONS:** Mild and moderate

**TACK FREE:** 1-2 hours

**DRY TIME:** 2-4 hours

**Finishes (VOC<250 g/l)**

Available in high-gloss, semi-gloss, flat, aluminum, and safety colors.

**Primers (VOC<250 g/l)**

Use one coat on bare and galvanized steel and aluminum. Use two coats on tightly adhered, lightly rusted or abrasive blasted steel.

Description	VOC (g/l)	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Primers</b>					
Gray	<340	17.4	206282		\$21.28
<b>Shop Coat Primer (6100)</b>					
Red	<340	17.4	206329		\$16.08
Gray	<340	17.4	206288		\$24.69
<b>Finishes</b>					
Banner Red	<450	17.4	206287		\$24.69
Machine Green	<450	17.4	206288		\$24.69
Universal Gray	<450	17.4	206300		\$24.69
Aluminum	<450	17.4	206302		\$24.69
Glossy Black	<450	17.4	206283		\$24.69
Glossy White	<450	17.4	206285		\$24.69
Safety Blue	<450	17.4	206301		\$31.51
Safety Yellow	<450	17.4	206303		\$31.51
Safety Red	<450	17.4	206304		\$31.51
Dove Gray	<450	17.4	207834		\$39.25
Hunter Green	<450	17.4	207835		\$39.25
True Blue	<450	17.4	207837		\$39.25
Ultra-Flat Black	<450	17.4	207838		\$39.25
Beige	<450	17.4	207839		\$39.25
John Deere Green	<450	17.4	207840		\$39.25
Safety Orange	<450	17.4	207836		\$31.51
New Caterpillar Yellow	<450	17.4	207841		\$31.51
Silver Gray	<450	17.4	208118		\$31.51
Forest Green	<450	17.4	208120		\$31.51

Description	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Primers</b>						
Gray	1-3	250-350	22.3	5281402		\$29.35
Red	1-3	250-350	22.4	5269402		\$29.35
<b>Finishes</b>						
Marlin Blue	1-3	185-350	21.2	5222402		\$33.38
Safety Blue	1-3	185-350	19.9	5225402		\$33.38
National Blue	1-3	185-350	19.7	5227402		\$33.38
Safety Green	1-3	185-350	20.1	5233402		\$36.43
John Deere Green	1-3	185-350	20.0	5234402		\$33.38
Forest Green	1-3	185-350	20.0	5237402		\$33.38
Vista Green	1-3	185-350	20.0	5235402		\$33.38
Safety Yellow	1-3	185-350	20.0	5244402		\$36.43
Safety Orange	1-3	185-350	19.2	5255402		\$36.43
International Orange	1-3	185-350	19.5	5256402		\$33.38
Tower Orange	1-3	185-350	19.8	5268402		\$33.38
Safety Red	1-3	185-350	19.9	5264402		\$36.43
Fire Hydrant Red	1-3	185-350	19.8	5265402		\$33.38
Dunes Tan	1-3	185-350	20.8	5271402		\$33.38
Bronzetone	1-3	185-350	20.0	5275402		\$33.38
Chestnut Brown	1-3	185-350	20.1	5277402		\$33.38
Flat Black	1-3	185-350	22.3	5278402		\$33.38
Gloss Black	1-3	185-350	19.5	5279402		\$33.38
Semi-Gloss Black	1-3	185-350	20.2	5274402		\$33.38
Silver Gray	1-3	185-350	20.3	5282402		\$33.38
Navy Gray	1-3	185-350	20.0	5286402		\$33.38
Machine Tool Gray	1-3	185-350	20.0	5288402		\$33.38
Flat White	1-3	185-350	24.1	5290402		\$33.38
Gloss White	1-3	185-350	22.2	5292402		\$33.38
Semi-Gloss White	1-3	185-350	20.0	5293402		\$33.38
Tower White	1-3	185-350	20.0	5291402		\$33.38

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtuolutions

# RUST-OLEUM®

INDUSTRIAL BRANDS



### Industrial Choice® 3600 System Multi-Purpose Epoxy

Two-Component System: Must use base and activator; sold separately. A general-purpose high solids epoxy coating that can be applied direct to metal or to tightly adhered rusted metal. (2 gallons per case)

- Excellent long-term solvent, chemical and abrasion resistance
- Excellent corrosion protection
- Multi-purpose indoor/outdoor

**USES:** Steel beams, machinery, equipment

**APPLICATION METHOD:** Spray, brush, roll

**SURFACES:** Concrete, metal, masonry

**EXPOSURE CONDITIONS:** Mild and moderate


**TACK FREE:** 5-7 hours

**HANDLE:** 7-12 hours

**COVERAGE:** 170-540 practical sq. ft.

**RECOAT:** 16-24 hours

### Industrial Choice® 3300 System Acrylic Aliphatic Urethane



Two-Component System: Must use base and activator; sold separately. A general-purpose, acrylic polyurethane coating. (2 gallons per case)

- Good resistance against chemical fumes and spills
- Excellent corrosion protection
- Hard finish resists chipping, cracking and peeling

**USES:** Outdoor equipment, water tanks, structural steel, cinderblock walls

**APPLICATION METHOD:** Spray, brush, roll

**SURFACES:** Concrete, metal, galvanized

**EXPOSURE CONDITIONS:** Moderate

**TACK FREE:** 2.5-3.5 hours

**HANDLE:** 7-9 hours

**RECOAT:** 16 hours

**COVERAGE:** 335-685 practical sq. ft.

### Overall® Fast-Drying Economical Spray Paint



General purpose spray paint for use in mild environments with limited exposure to solvents, chemicals and fumes. Good color and gloss retention. (6 cans per case)

**USES:** Steel marking, stenciling, color coding

**APPLICATION METHOD:** Aerosol spray

**SURFACES:** Metal, steel, wood, masonry

**EXPOSURE CONDITIONS:** Mild industrial environments

**COVERAGE:** Approximately 10 - 12 sq. ft. per can

**TACK FREE:** 30 minutes

**DRY TIME:** 2 hours

Description	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Activators</b>			
Epoxy Activator	206976		\$35.76
<b>Primer Activators</b>			
Primer Activator	206977		\$32.52
<b>Primers</b>			
Rust Inhibitive Gray	206975		\$35.76
<b>Finishes</b>			
Safety Yellow	206968		\$60.79
Dove Gray	206970		\$35.76
Universal Gray	206967		\$35.76
Glossy Black	206969		\$35.76
Glossy White	206971		\$35.76

Description	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Activators</b>			
Urethane Activator (pint)	206879		\$16.08
<b>Finishes</b>			
Safety Blue	207957		\$66.92
Safety Yellow	207956		\$66.92
Dove Gray	207958		\$66.92
Universal Gray	206915		\$55.79
Glossy Black	206915		\$55.79
Glossy White	206916		\$55.79

Description	Recoat Time (hrs)	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Primers</b>					
Gray	within 2 or after 48	6.5	V2401830		\$2.22
Red	within 2 or after 48	6.5	215405		\$2.22
<b>Finishes</b>					
Gloss Black	within 2 or after 48	6.5	V2402830		\$2.22
Gloss White	within 2 or after 48	6.5	V2403830		\$2.22
Flat Black	within 2 or after 48	6.5	V2404830		\$2.22
Flat White	within 2 or after 48	6.5	V2405830		\$2.22
Gloss Red	within 2 or after 48	6.5	V2407830		\$2.22
Gloss Blue	within 2 or after 48	6.5	V2408830		\$2.22
Gloss Yellow	within 2 or after 48	6.5	V2409830		\$2.22
Gloss Green	within 2 or after 48	6.5	V2410830		\$2.22
Gloss Brown	within 2 or after 48	6.5	V2411830		\$2.22
Aluminum	within 2 or after 48	6.5	V2412830		\$2.22
Gloss Machine Gray	within 2 or after 48	6.5	V2413830		\$2.22
Gloss Orange	within 2 or after 48	6.5	V2414830		\$2.22
Medium Blue	within 2 or after 48	6.5	215406		\$2.22
Sky Blue	within 2 or after 48	6.5	215407		\$2.22
Beige	within 2 or after 48	6.5	215404		\$2.22
Pink	within 2 or after 48	6.5	215408		\$2.22
Light Gray	within 2 or after 48	6.5	215409		\$2.22

PAINT

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**Concrete Saver® 6500 System**  
**100% Solids Epoxy**



Two-Component System: Must use base and activator. Must be mechanically agitated with mixer blade. Offers heavy-duty protection to floors exposed to heavy

foot traffic and rubber-tire vehicle traffic, intermittent chemical spills, and power washings. Designed for new, uncoated, or previously coated concrete floors. For the best adhesion, clean and etch concrete floors prior to applying floor coating. (2 gallons per case - base/ 2 gallons per case - activator)

- Excellent abrasion, impact, and chemical resistance
- Extremely high gloss
- USDA acceptable for incidental dry food contact in food processing plants

**USES:** Food processing plants, hospitals, and warehouses

**APPLICATION METHOD:** Squeegee, roller

**SURFACES:** Concrete, steel\* (\*when primed w/9100 System DTM Epoxy Mastic)

**EXPOSURE CONDITIONS:** Moderate and severe

**Finishes (VOC<115 g/l)**

Available in high gloss colors and clear.

**Primers**

A two-component, virtually 100% solids epoxy primer improves the adhesion and coverage rate of the 6500 System floor coating. Primer also helps reduce outgassing which can cause blisters, bubbles, and pinholes in the topcoat.

Description	VOC g/l	Dry Time (hrs)	Recoat Time (hrs)	Traffic Time (hrs)	Practical Sq. Ft.	Weight/Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Primer Base	<172	—	10-24	72	100	16.5	S6511413		\$54.39
<b>Primer Activators</b>									
Primer Activator	—	—	—	—	—	8.05	S6502410		\$54.39
<b>Activators</b>									
Activator	<115	—	—	—	—	8.0	S6501410		\$55.31
<b>Finishes</b>									
Clear	<115	10	10-24	72	100	11.9	S6510413		\$55.31
Tile Red	<115	10	10-24	72	100	16.4	S6568413		\$55.31
Dunes Tan	<115	10	10-24	72	100	16.4	S6571413		\$55.31
Silver Gray	<115	10	10-24	72	100	16.4	S6582413		\$55.31
Navy Gray	<115	10	10-24	72	100	16.4	S6586413		\$55.31
White	<115	10	10-24	72	100	16.4	S6592413		\$55.31
<b>Accessories</b>									
3/4" Jiffier Mixer (case)	—	—	—	—	—	1-4	6695023		\$22.67

**Concrete Saver® 6000 System**  
**Water-Based Epoxy**



Two-Component System: Must use base and activator. Combines the performance of a solvent-based epoxy with the convenience of a water-based coating. For use on floors exposed to heavy foot traffic and occasional rubber-tire vehicle traffic. Can be

applied to previously coated floors without lifting the existing coating. (2 gallons per case - base / 4 pints per case - activator)

- Good abrasion and chemical resistance
- Low odor
- Soap and water clean-up
- USDA acceptable for incidental dry food contact in food processing plants

**USES:** Food and beverage plants, hospitals, schools, clean rooms, processing areas

**APPLICATION METHOD:** Roller

**SURFACES:** Concrete, steel\* (\*when primed w/5381402 Gray Primer)

**EXPOSURE CONDITIONS:** Mild and moderate

**Finishes (VOC<340 g/l)**

Available in high gloss colors and clear.

Description	Dry Time (hrs)	Recoat Time (hrs)	Traffic Time (hrs)	Practical Sq. Ft.	Weight/Case (lbs)	RO#	DIB#	Unit Cost
<b>Activators</b>								
Activator (pint: 4/case)	16	1-2	16-72	200-350	4.8	6001604		\$17.41
<b>Finishes</b>								
Clear	16	1-2	16-72	200-350	17.0	6010408		\$53.59
Tile Red	16	1-2	16-72	200-350	17.5	6068408		\$53.59
Dunes Tan	16	1-2	16-72	200-350	17.5	6071408		\$53.59
Silver Gray	16	1-2	16-72	200-350	21.2	6082408		\$53.59
Navy Gray	16	1-2	16-72	200-350	19.0	6086408		\$53.59
White	16	1-2	16-72	200-350	23.3	6092408		\$53.59

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

# RUST-OLEUM®

INDUSTRIAL BRANDS

## Concrete Saver® 6711 System Clear Water-Based Polyurethane

Fast-dry formula is specially designed for interior and exterior concrete and wood floors. Gloss finish stands up to traffic, weather, mild corrosion, and staining. For use on wood floors where a natural finish is desired. Can also be used as a concrete sealer or to enhance the gloss of Rust-Oleum® Anti-Slip floor coatings.

Performance is comparable to solvent-borne urethanes, but with substantially lower VOC level and low odor. (2 gallons per case)

**USES:** Gymnasiums, warehouses, and other concrete and wood surfaces

**APPLICATION METHOD:** Roller

**SURFACES:** Concrete, wood

**EXPOSURE CONDITIONS:** Mild and moderate

Description	VOC (g/l)	Tack Free (hrs)	Recoat Time (hrs)	Traffic Time (hrs)	Practical Sq. Ft.	Weight/Case (lbs)	RO#	DIB#	Unit Cost
Finishes Clear	<250	15 min	1-2	24	400-800	18.9	6711402		\$52.65

## Concrete Saver® AS5400 System Anti-Slip One Step Epoxy



Simple, single-component application results in a ridged safety finish for excellent slip resistance. Designed for frequent foot or occasional light weight vehicle traffic, intermittent spills of mild chemicals, and occasional steam and chemical cleaning. Can also be used on primed metal such as stairs or other metal surfaces where safety is a concern. Apply with 9" Phenolic "No Nap" roller (6697005).

concern. Apply with 9" Phenolic "No Nap" roller (6697005).

**USES:** Ramps, entryways, step bumpers, treads, wood floors (any area where slips and falls are a concern)

**APPLICATION METHOD:** No nap phenolic roller #6697005

**SURFACES:** Concrete, steel (when primed with 9100 System), wood

**EXPOSURE CONDITIONS:** Moderate and severe

Description	VOC (g/l)	Traffic Time (hrs)	Practical Sq. Ft.	Weight/Case (lbs)	RO#	DIB#	Unit Cost
Finishes							
Safety Yellow	<340	12-24	50	30.2	AS5444402		\$77.80
Tile Red	<340	12-24	50	30.2	AS5468402		\$77.80
Dunes Tan	<340	12-24	50	30.2	AS5471402		\$77.80
Black	<340	12-24	50	30.2	AS5479402		\$77.80
Silver Gray	<340	12-24	50	30.2	AS5482402		\$77.80
Navy Gray	<340	12-24	50	30.2	AS5486402		\$77.80
Accessories							
9" Phenolic Roller	—	—	—	1.5	6697005		\$2.85

## Concrete Saver® AS9100 System Anti-Slip High Performance Epoxy



Two-Component System: Must use base and activator.

Heavy-duty formula withstands heavy vehicle, equipment, and pedestrian traffic; intermittent chemical spills; frequent power cleaning; and wet conditions. No priming needed on properly cured and prepared concrete. High-peaked profile

for maximum durability and slip resistance. Excellent chemical and abrasion resistance. Apply with 9" Phenolic "No Nap" roller (6697005).

(2 gallons per case, base and activator in one carton)

**USES:** Indoor/outdoor vehicle routes, forklift traffic areas, loading docks, stadium ramps and walkways

**APPLICATION METHOD:** No nap phenolic roller

**SURFACES:** Concrete, steel (when primed with 9100 System)

**EXPOSURE CONDITIONS:** Moderate and severe

Description	VOC (g/l)	Traffic Time (hrs)	Practical Sq. Ft.	Weight/Case (lbs)	RO#	DIB#	Unit Cost
Finishes							
Safety Yellow	<340	12	40-60	24	AS9144425		\$110.67
Tile Red	<340	12	40-60	24	AS9168425		\$110.67
Dunes Tan	<340	12	40-60	24	AS9171425		\$110.67
Silver Gray	<340	12	40-60	24	AS9182425		\$110.67
Navy Gray	<340	12	40-60	24	AS9186425		\$110.67
Accessories							
9" Phenolic Roller	—	—	—	1.5	6697005		\$2.85

PAINT

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**Rust-Oleum® Grind 'N Go Machine**

The quick and easy way to prepare any concrete surface and achieve optimal results

- Carbide scarifiers remove mastics, adhesives and old coatings
- Diamond- head attachments mechanically prepare new or old concrete for coating
- Kit includes, carbide scarifier, diamond attachments, vacuum and weight.



Description	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Machine</b>			
Grind 'N Go Machine	207434		\$3,377.80
<b>Accessories</b>			
Diamond Replacement Disc	205318		\$624.97
Carbide Replacement Disc	205319		\$624.97
20 lb. weight	206432		\$98.19
Vacuum	207435		\$630.92

**Rust-Oleum® Decorative Vinyl Chips**

For a decorative slip resistant finish. Excellent for lunch rooms, hallways, labs, and locker rooms. Broadcast into 6500 and 6000 Systems. Available in 1 lb. bags. (4 bags per case)



Description	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Chip Colors</b>				
Black/White	4	205220		\$12.19
Black/White/Blue	4	203126		\$12.19
Blue/White	4	205178		\$12.19
Black/Gray	4	205179		\$12.19

**Specialty Floor Products**

**108 Cleaning & Etching Solution**

Properly prepares concrete floors to optimize coating application. Cleaning, etching, and neutralizing agent cleans concrete floors, while simultaneously etching a sandpaper-like profile on the surface to promote maximum coating adhesion.

- Dissolves grease and oil
- Use on concrete, cement, and masonry

Description	VOC (g/l)	Tack Free (hrs)	Recoat Time (hrs)	Traffic Time (hrs)	Practical Sq. Ft.	Weight/ Case (lbs)	RO#	DIB#	Unit Cost
<b>Products</b>									
Clean & Etching	—	—	—	—	400	20.7	108402		\$23.04
Anti-Skid Additive	—	—	—	—	—	5.2	200504		\$2.87
Concrete Patch Comp	<250	1-2	4	24	120.25	32.2	5499499		\$110.67

**200 Anti-Skid Floor Coating Additive**

Specially refined aggregate provides a skid-resistant profile on floors to help prevent slips. Can be added directly to final coat of 6000 System, 9100 System, or broadcast immediately after finish has been applied.



**5499 Concrete Patching Compound**

Two-Component System: Must use base and activator.

100% solids epoxy compound repairs thin cracks and small holes in concrete warehouse floors, ramps, and garages.

**TurboKrete® Concrete Patching Compound**

The ultimate high performance epoxy patch kit for repairing damaged concrete and filling deep holes. The virtually 100% solids epoxy formulation protects against abrasion, impacts and most chemicals and allows for application during business hours.

**USES:** Indoor or out to repair damaged concrete, curbs and repair severely spalled floors.

**SURFACES:** Concrete

**EXPOSURE CONDITIONS:** Mild to Moderate

Description	Fill Wt. (lbs)	Floor Traffic (hrs)	Dry Time (hrs)	Practical Sq. Ft.	Weight/ Case (lbs)	RO#	DIB#	Unit Cost
<b>Products</b>								
TurboKrete Gray	3.5	2.5-4.0	6-8	15	30.3	5494323		\$94.76



Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtuolutions

Some products shown may need to be special ordered for your convenience!

# RUST-OLEUM®

INDUSTRIAL BRANDS

## High Performance 3575 System Rust Reformer

Chemically transforms rust on metal surfaces into a tough barrier against further corrosion in one step. Ideal for situations where extensive surface preparation would be difficult or costly. For additional color and protection, topcoat with High Performance Aerosols or High Performance Industrial Enamels, 3400, or 1500 Systems.

- Dries tack-free within 40 min. to hard, flat black finish
- May be sanded after three hours for smoother finish
- Easy soap and water cleanup

**USES:** Converting rust in mild industrial environments, difficult to reach rusted areas such as seams, and complex shapes. Use on rusted surfaces only.

**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Rusted metal

**EXPOSURE CONDITIONS:** Mild

Description Products	VOC (g/l)	Tack Free (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Weight/Case (lbs)	RO#	DIB#	Unit Cost
Rust Reformer	<50	20-40 m	1	3	590-1,175	23.3	3575402		\$69.56



## Pure Strength® Cleaner & Degreaser

A heavy-duty non-caustic, non-acidic, non-abrasive cleaner/degreaser that handles the toughest cleaning jobs. Safer to use than solvent-bases or caustic cleaners, minimizing need for protective equipment.

- Removes grease and dirt
- Prepares surface prior to painting

**USES:** Walls, floors, machinery, dip tanks and equipment

Description Products	Wt. per Case (lbs)	Rust-Oleum Stock #	DIB Stock #	Unit Cost
Cleaner/Degreaser	10	3599402		\$43.21



## High Performance 4200/4300 System High Heat Coatings

Provide maximum, long-term corrosion protection on metal exposed to extremely high temperatures. Resist heat from 300°F up to 1200°F. Excellent resistance to thermal shock. Requires heat cure. (2 gallons per case)

**USES:** Boilers, incinerators, and kilns

**APPLICATION METHOD:** Brush, roller, spray gun

**EXPOSURE CONDITIONS:** High temperature

**Finishes:**

4200 System: (VOC<500 g/l). Modified silicone, aluminum, and colored finishes for surfaces exposed to temperatures from 300°F up to 800°F

4285 Gray Zinc-Sele®: (VOC<340 g/l). Fights corrosion through cathodic sacrificial action. Protects against temperatures from 300°F up to 800°F. Must be applied to steel surface that is abrasive blasted to a minimum commercial grade (SSPC-SP-6, NACE 3). 81% zinc in dry film. Requires two coats.

4315 Pure Silicone Aluminum: (VOC<500 g/l). Self-priming, two-coat system for surfaces subjected to temperatures from 500°F up to 1200°F. Apply directly on steel abrasive blasted to a minimum near white grade (SSPC-SP-10, NACE 2).

**Primers: (VOC<500 g/l)**

For application at temperatures above 32°F. Use 4200 System topcoat.

Description	VOC (g/l)	Tack Free (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Temp. Range	Weight/Case (lbs)	RO#	DIB#	Unit Cost
<b>Thinners</b>										
Thinner	—	—	—	—	—	—	16.3	140402		\$21.39
<b>Primers</b>										
Red	<500	30-60	8-12	8-24	225-550	300-800°F	32.6	4268402		\$55.31
<b>Finishes</b>										
Gray	<500	30-60	1-2	8-24	225-550	300-800°F	24.4	4286402		\$51.88
Aluminum (2 gal)	<500	30-60	1-2	8-24	450-1,100	300-800°F	44.9	4215303		\$103.73
Green	<500	30-60	1-2	8-24	225-550	300-800°F	25.1	4233402		\$51.88
Black	<500	30-60	1-2	8-24	225-550	300-800°F	22.0	4279402		\$51.88
Gray (Zinc-Sele)	<420	30-60	1-2	8-24	225-550	300-800°F	49.6	4285402		\$103.73
Aluminum	<600	30-60	1-2	8-24	225-550	500-1,200°F	19.8	4315402		\$103.73

PAINT

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions



**Sierra Beyond™ Multi-Purpose Acrylic Enamel**

A zero VOC, zero HAP, no-odor acrylic urethane enamel.

- Designed for application on a wide variety of painted or primed surfaces and equipment
- Can be applied to interior or exterior surfaces over sound existing coatings
- Contains flash rush inhibitors
- Worker and environmentally safe

**USES:** Institutional locations where odor and clean-up are issues such as hospitals, clinics, schools. Great for doors, cabinets, trim, furniture, equipment, tanks, etc.

**APPLICATION METHOD:** Spray, brush, roll

**SURFACES:** Concrete, Metal, Masonry, Wood, Dry wall, Tile

**EXPOSURE CONDITIONS:** Mild to moderate

**TACK FREE:** 30 minutes

**RECOAT:** 2-4 hours

**COVERAGE:** 165 - 520 practical sq. ft.

Description	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Finishes (Satin)</b>			
Black	208048		\$42.89
Clear	210479		\$42.89
<b>Finishes (Gloss)</b>			
Black	208058		\$47.22
Clear	210491		\$47.22
Safety Red	210493		\$50.35
Safety Yellow	210495		\$50.35



**Sierra MetalMax™ DTM Acrylic Urethane**

Zero VOC, odorless, high performance, water-based, one-coat, direct-to-metal, protective coating that does not require a primer.

- Outstanding corrosion and humidity resistance
- Formulated for excellent color and gloss retention
- Worker and environmentally safe

**USES:** Structural steel, metal roofs, HVAC duct work, etc.

**APPLICATION METHOD:** Spray, brush, roll

**SURFACES:** Metal, Aluminum, Galvanized

**TACK FREE:** 30 minutes

**RECOAT:** 2-4 hours

**COVERAGE:** 180-545 practical sq. ft.

**SURFACES:** Concrete, Metal, Masonry, Wood, Dry wall, Tile

**EXPOSURE CONDITIONS:** Mild to moderate

**TACK FREE:** 30 minutes

**RECOAT:** 2-4 hours

**COVERAGE:** 165 - 520 practical sq. ft.

Description	Rust-Oleum Stock #	DIB Stock #	Unit Cost
<b>Finishes (Satin)</b>			
Black	208039		\$50.89
Safety Red	210475		\$55.80
Safety Yellow	210477		\$55.80



Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
[www.rustoleum.com/virtualsolutions](http://www.rustoleum.com/virtualsolutions)





**High Performance 7400 System  
450 VOC Alkyd Enamel**

Specially formulated to protect metal surfaces from rust and corrosion. Resists chipping, peeling, and impacts while retaining excellent color and gloss. Also available in low VOC formulas to meet local regulations. (2 gallons per case)

- Excellent resistance to weathering, humidity, and light abrasion
- Higher solids for greater coverage

**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Metal, steel (not for galvanized steel), wood

**EXPOSURE CONDITIONS:** Mild and moderate

**FINISHES (VOC<450 g/l):** Available in high gloss colors including OEM, safety, semi-gloss, and flat.


**PRIMERS (VOC<450 g/l):** Original 769® Damp-Proof Red Primer drives out moisture and air to stop rust. Use on tightly adhered, rusted metal with minimal surface preparation. Can be exposed up to one year without topcoating.

**Red & Gray Heavy-Duty Rust Inhibitive Primers**

For severe, corrosive environments. Use in industrial environments where a higher film build (up to 3 mils per coat) is needed.

**Red & Gray Fast-Dry Primers**

For general maintenance. Tack-free in 30-60 minutes. Can be exposed up to 6 months without topcoating.



Description	VOC g/l	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Weight/Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Heavy-Duty Red	<340	3-5	6-8	24	325-725	29.9	1069402		\$40.86
Heavy-Duty Yellow	<340	3-5	5-10	24	265-395	29.6	1060402		\$40.86
Damp Proof Red	<420	3-5	6-8	24	325-725	24.4	769402		\$36.08
Quick-Dry Red	<450	½-1	1-2	24	300-600	24.6	678402		\$40.86
Quick-Dry Gray	<450	½-1	1-2	24	300-600	23.8	7086402		\$36.08
Red Shop Coat	—	—	—	—	—	23.8	7069402		\$36.08
Rust-Inhibitive Red	—	—	—	—	—	29.9	X60402		\$40.86
Rust-Inhibitive Yellow	—	—	—	—	—	23.6	960402		\$36.08
<b>Thinners</b>									
Thinner (Spray)	—	—	—	—	285-575	16.7	641402		\$24.68
Thinner (Brush)	—	—	—	—	285-575	17.1	633402		\$24.68
<b>Finishes</b>									
Clear	<450	2-4	4-7	24	285-575	20.7	717402		\$42.74
Dunes Tan	<450	2-4	4-7	24	285-575	16.9	865402		\$42.74
International Orange	<450	2-4	4-7	24	285-575	19.0	559402		\$42.74
Fire Hydrant Red	<450	2-4	4-7	24	285-575	20.3	1210402		\$49.38
Tile Red	<450	2-4	4-7	24	285-575	17.4	745402		\$42.74
Yellow	<450	2-4	4-7	24	285-575	18.1	7446402		\$49.38
Old Caterpillar Yellow	<450	2-4	4-7	24	285-575	19.5	7448402		\$49.38
New Caterpillar Yellow	<450	2-4	4-7	24	285-575	18.8	7447402		\$49.38
Chestnut Brown	<450	2-4	4-7	24	285-575	17.8	977402		\$42.74
John Deere Green	<450	2-4	4-7	24	285-575	17.9	7434402		\$49.38
Pleasant Green	<450	2-4	4-7	24	285-575	20.7	7232402		\$42.74
Vista Green	<450	2-4	4-7	24	285-575	17.9	935402		\$42.74
Forest Green	<450	2-4	4-7	24	285-575	19.0	1282402		\$42.74
Marlin Blue	<450	2-4	4-7	24	285-575	19.3	866402		\$42.74
National Blue	<450	2-4	4-7	24	285-575	17.4	721402		\$42.74
Light Neutral Gray	<450	2-4	4-7	24	285-575	22.2	7280402		\$42.74
Silver Gray	<450	2-4	4-7	24	285-575	18.3	906402		\$42.74
Navy Gray	<450	2-4	4-7	24	285-575	17.7	975402		\$42.74
Machine Tool Gray	<450	2-4	4-7	24	285-575	17.7	904402		\$42.74
Flat Black	<450	2-4	4-7	24	285-575	24.4	412402		\$42.74
High Gloss Black	<450	2-4	4-7	24	285-575	17.1	634402		\$42.74
Flat White	<450	2-4	4-7	24	285-575	24.4	2764402		\$42.74
Semi-Gloss White	<450	2-4	4-7	24	285-575	22.3	7290402		\$42.74
High-Gloss White	<450	2-4	4-7	24	285-575	20.1	2766402		\$42.74
Aluminum	<450	2-4	4-7	24	285-575	26.0	470402		\$42.74
Heavy-Duty Aluminum	<450	2-4	4-7	24	285-575	18.7	473402		\$49.37
Blue Aluminum	<450	2-4	4-7	24	285-575	17.7	1020402		\$42.74
Green Aluminum	<450	2-4	4-7	24	285-575	17.7	1030402		\$42.74
Safety Blue	<450	2-4	4-7	24	285-575	17.9	925402		\$49.38
Safety Green	<450	2-4	4-7	24	285-575	17.9	933402		\$49.38
Safety Yellow	<450	2-4	4-7	24	285-575	21.3	944402		\$55.09
Safety Orange	<450	2-4	4-7	24	285-575	19.8	956402		\$55.09
Safety Red	<450	2-4	4-7	24	285-575	17.6	964402		\$55.09
<b>High Solid, Quick-Dry, Low VOC Primers</b>									
Light Gray	<340	½-1	1	1	325-550	27.9	2082402		\$49.38
Red	<340	½-1	1	1	325-550	26.6	2068402		\$49.38

PAINT

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

Your representative can give you details on product availability and shipping requirements!

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**High Performance 8400 System Food & Beverage Alkyd Enamel**

Provide all the benefits of Industrial Enamels plus a fungicide that provides continuous resistance to mold and mildew throughout the life of the coating. USDA acceptable for incidental dry food contact in food processing plants. Stands up to repeated washings with detergents, disinfectants, and cleaning compounds.



Description	VOC (g/l)	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Red	<420	2-4	4-7	24	300-625	24.7	8469402		\$55.09
White	<420	2-4	4-7	24	300-625	25.1	8492402		\$55.09
<b>Finishes</b>									
Dairy White	<420	2-4	4-7	24	270-550	19.9	8494402		\$49.38

**High Performance 3400 System VOC Alkyd Enamel**

Provide all the benefits of standard Industrial Enamels, but with a VOC of <340 g/l to meet local regulations. (2 gallons per Case)



**FINISHES:** Available in high gloss, flat, safety, aluminum, and custom tinted colors.

**PRIMERS:** Rust inhibiting primers for clean steel and sound rusted metal surfaces.

**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Metal, wood (not for galvanized steel)

**EXPOSURE CONDITIONS:** Mild and moderate

Description	VOC (g/l)	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Red	<340	3-5	5-10	24	325-550	20.0	3469402		\$43.89
White	<340	3-5	5-10	24	325-550	20.0	3481402		\$43.89
<b>Thinners</b>									
Thinner (All)	<340	—	—	—	—	22.2	333402		\$24.68
<b>Finishes</b>									
Almond	<340	3-5	8-12	24	450-875	19.6	3470402		\$48.88
Aluminum	<340	3-5	8-12	24	450-875	20.0	3415402		\$48.88
Marlin Blue	<340	3-5	8-12	24	400-830	20.0	3423402		\$48.88
Safety Blue	<340	3-5	8-12	24	400-830	18.6	3425402		\$48.88
National Blue	<340	3-5	8-12	24	400-830	18.4	3427402		\$48.88
Safety Green	<340	3-5	8-12	24	400-830	19.2	3433402		\$48.88
Forest Green	<340	3-5	8-12	24	400-830	18.9	3438402		\$48.88
Yellow	<340	3-5	8-12	24	400-830	20.0	3446402		\$48.88
Safety Yellow	<340	3-5	8-12	24	400-830	19.3	3444402		\$61.83
Equipment Yellow	<340	3-5	8-12	24	400-830	19.2	3445402		\$61.83
Safety Orange	<340	3-5	8-12	24	400-830	20.0	3455402		\$61.83
Equipment Orange	<340	3-5	8-12	24	400-830	20.0	3456402		\$61.83
Safety Red	<340	3-5	8-12	24	400-830	18.4	3464402		\$61.83
Dunes Tan	<340	3-5	8-12	24	400-830	19.7	3471402		\$48.88
Chestnut Brown	<340	3-5	8-12	24	400-830	19.0	3477402		\$48.88
Flat Black	<340	3-5	8-12	24	400-830	20.0	3478402		\$48.88
Gloss Black	<340	3-5	8-12	24	400-830	18.1	3479402		\$48.88
Silver Gray	<340	3-5	8-12	24	400-830	19.3	3482402		\$48.88
Navy Gray	<340	3-5	8-12	24	400-830	18.8	3486402		\$48.88
Gloss White	<340	3-5	8-12	24	400-830	21.0	3492402		\$48.88
Regal Red	<340	3-5	8-12	24	400-830	20.0	3465402		\$48.88

**High Performance 1500 System Speedy-Dry Alkyd Enamel**

Prime, topcoat, and return vehicles to service within four hours. High gloss, modified alkyd quickly provides a tough, fast-drying, fade-resistant and rust preventative finish that minimizes downtime. (2 gallons per case)



**APPLICATION METHOD:** Spray gun

**SURFACES:** Metal, wood (not for galvanized steel)

**EXPOSURE CONDITIONS:** Mild and moderate

**FINISHES:** (VOC<600 g/l)\*

Available in high gloss and custom tinted colors.

**PRIMERS:** (VOC<550 g/l)\*

1573402 rust inhibitive and HS1573402 high solids rust inhibitive primers can be recoated in 1/2 to 1 hour

(\* ) VOC INFORMATION: Not for sale in regulated California districts and for heavy-duty truck recoating in Maricopa County, AZ.

Description	VOC (g/l)	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Yellow (High Solids)	<420	15-30 min	4-5	30-60 min	275-475	28.9	HS1573402		\$40.51
Gray	<500	15-30 min	4-5	30-60 min	275-475	28.9	2083402		\$42.80
Yellow	<510	20-30 min	4-5	30-60 min	275-475	23.9	1573402		\$40.51
<b>Thinners</b>									
Thinner	—	—	—	—	—	16.9	150402		\$21.39
<b>Finishes</b>									
New Cat. Yellow	<600	1-2	2-4	—	225-500	19.8	1547402		\$48.56
International Red	<600	1-2	2-4	—	225-500	18.2	1565402		\$48.56
Silver Gray	<600	1-2	2-4	—	225-500	19.6	1584402		\$42.80
Navy Gray	<600	1-2	2-4	—	225-500	19.0	1586402		\$42.80
Jet Black	<600	1-2	2-4	—	225-500	18.2	1579402		\$48.56
White	<600	1-2	2-4	—	225-500	21.4	1590402		\$48.56
Safety Yellow	<600	1-2	2-4	—	225-500	22.4	1545402		\$48.56
Chrome	<600	1-2	2-4	—	225-500	22.7	1510402		\$42.80

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtuallsolutions

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**High Performance 3100 System  
Speedy-Dry DTM Acrylic Enamel**



A direct-to-metal, water-based, fast-dry formula for applications where minimal downtime is critical. (2 gallons per case)

- Can be applied to most finishes without lifting
- Resists fading better than alkyd enamels in outdoor weathering

**USES:** Line equipment and machinery fork lifts, conveyors, light poles, miscellaneous metal parts

**APPLICATION METHOD:** Spray gun (brush and roller for touch-ups)

**SURFACES:** Metal, galvanized steel, concrete, masonry

**EXPOSURE CONDITIONS:** Mild and moderate

**High Performance 2500 System  
250 VOC Alkyd Enamel**

Provides all the benefits of the standard alkyd enamel but with a VOC of <250 g/l. Compliant in all areas of the U.S. (2 gallons per case)



**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Metal, wood (not for galvanized steel)

**EXPOSURE CONDITIONS:**

Mild and moderate

**FINISHES:** (VOC<250 g/l) Available in gloss, safety and custom tinted.

**PRIMERS:** (VOC<250 g/l) Rust-Inhibitive primers for clean steel or sound rusted metal

\*Compliant Nationwide (metallic, <500 g/l)

Description	VOC (g/l)	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Red	<250	15-60 min	1-1.5	1.5-2	325-375	24.1	3169402		\$32.45
Gray	<250	15-60 min	1-1.5	1.5-2	225-375	25.0	3181402		\$32.45
<b>Finishes</b>									
Alumi-Non®	<250	15-60 min	1-1.5	1.5-2	200-350	20.3	3115402		\$39.48
Safety Blue	<250	15-60 min	1-1.5	1.5-2	200-350	23.5	3125402		\$39.48
Safety Yellow	<250	15-60 min	1-1.5	1.5-2	200-350	21.1	3144402		\$39.48
Safety Green	<250	15-60 min	1-1.5	1.5-2	200-350	22.1	3133402		\$39.48
Red	<250	15-60 min	1-1.5	1.5-2	200-350	20.5	3165402		\$39.48
Dunes Tan	<250	15-60 min	1-1.5	1.5-2	200-350	21.0	3171402		\$35.95
Black	<250	15-60 min	1-1.5	1.5-2	200-350	20.3	3179402		\$35.95
Navy Gray	<250	15-60 min	1-1.5	1.5-2	200-350	20.8	3186402		\$35.95
White	<250	15-60 min	1-1.5	1.5-2	200-350	23.1	3192402		\$35.95
New Cat. Yellow	<250	15-60 min	1-1.5	1.5-2	200-350	21.5	3147402		\$35.95
<b>Accessories</b>									
Acrylic Hardener	—	—	—	—	—	—	206201		\$34.07

Description	VOC (g/l)	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Gray	<250	3-5	5-10	24-48	420-840	24.2	215959		\$48.14
Rusted Metal	<250	3-5	5-10	24-48	420-840	24.2	215958		\$48.14
Aluminum*	<250	3-5	5-10	24-48	420-840	24.2	3415402		\$48.88
<b>Finishes</b>									
White	<250	5-7	8-12	24	420-870	18.1	215758		\$51.08
Black	<250	5-7	8-12	24	420-870	18.1	215759		\$51.08
Safety Yellow	<250	5-7	8-12	24	420-870	18.1	215950		\$56.20
Safety Red	<250	5-7	8-12	24	420-870	18.1	215951		\$56.20
Navy Gray	<250	5-7	8-12	24	420-870	18.1	215952		\$51.08
Forest Green	<250	5-7	8-12	24	420-870	18.1	215954		\$51.08
Dunes Tan	<250	5-7	8-12	24	420-870	18.1	215955		\$51.08
Safety Orange	<250	5-7	8-12	24	420-870	18.1	215956		\$56.20
Safety Blue	<250	5-7	8-12	24	420-870	18.1	215957		\$51.08

PAINT

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

We will gladly special order any items you require, and we can ship most non-stocked items next day!



**High Performance 9100 System DTM Epoxy Mastic**



Two-Component System: Must use base and activator; sold separately

High solids, solvent-based epoxy mastic coating system provides ultimate corrosion protection on sound rusted or galvanized metal. Most colors are USDA acceptable

for incidental dry food contact in food processing plants. ( 2 gallons per case, base and 2 gallons per case, activator)

- Self-priming
- Provides the wear and abrasion resistance of multi-coat epoxy coatings in a single application

**USES:** Structural steel, equipment, handrails, conveyors, process water storage tanks, sewage treatment basins, swimming pools, and non-potable water storage facilities. Can be used on concrete floors to protect and beautify your facility.

**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Concrete, metal, masonry

**EXPOSURE CONDITIONS:** Moderate and severe

**FINISHES:** (VOC<340 g/l) Available in gloss, safety equipment, aluminum, and custom tinted colors.

**Standard Activator**

For use with base components when air and surface temperatures are 50°F to 100°F

**Immersion Activator**

For fresh or salt water immersion applications on steel, concrete, and masonry where water temperatures do not exceed 125°F. Not for use in potable water tanks or with custom-tinted colors.

**Low Temperature Activator**

For non-immersion service with base component when air and surface temperatures are 40°F to 60°F. Do not use when air and surface temperatures are above 60°F

**Fast Cure Activator**

For use when downtime needs to be minimized. Air and surface temps between 50°F to 100°F. Allows recoat within 4 hours.

Description	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Activators</b>								
Standard	6-8	6-12	16-72	125-225	26.5	9101402		\$69.31
Immersion	6-8	6-12	16-72	125-225	26.3	9102402		\$69.31
Low Temperature	6-8	6-12	16-72	125-225	24.3	9103402		\$69.31
Fast Cure	4	5	4	125-190	26.8	9104402		\$69.31
<b>Low VOC Activators</b>								
Standard	—	—	—	—	—	205015		\$60.05
Immersion	—	—	—	—	—	214430		\$60.05
Fast Cure	—	—	—	—	—	214432		\$60.05
<b>Thinners</b>								
Thinner	—	—	—	—	17.2	160402		\$24.69
Immersion Thinner	—	—	—	—	16.2	165402		\$24.69
<b>Finishes</b>								
Aluminum	6-8	6-12	16-72	125-225	23.3	9115402		\$68.75
Marlin Blue	6-8	6-12	16-72	125-225	26.2	9122402		\$68.75
Safety Blue	6-8	6-12	16-72	125-225	25.1	9125402		\$68.75
Safety Yellow	6-8	6-12	16-72	125-225	28.2	9144402		\$68.75
Equipment Yellow	6-8	6-12	16-72	125-225	24.8	9145402		\$68.75
Regal Red	6-8	6-12	16-72	125-225	24.7	9165402		\$68.75
Tile Red	6-8	6-12	16-72	125-225	24.7	9168402		\$68.75
Dunes Tan	6-8	6-12	16-72	125-225	26.6	9171402		\$68.75
Black	6-8	6-12	16-72	125-225	23.4	9179402		\$68.75
Silver Gray	6-8	6-12	16-72	125-225	25.2	9182402		\$68.75
Navy Gray	6-8	6-12	16-72	125-225	25.3	9186402		\$68.75
White	6-8	6-12	16-72	125-225	28.0	9192402		\$68.75
Safety Green	6-8	6-12	16-72	125-225	24.2	9133402		\$68.75

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**High Performance 5300 System Water-Based Epoxy**



Two-Component System: Must use base and activator; sold separately

Offers the performance of solvent-based epoxies in a convenient water-based epoxy primer and finish coat system. Forms a tough, protective coating with minimal

odor. Great for indoor application, too. Can be applied to damp surfaces to minimize downtime. USDA acceptable for incidental dry food contact in food processing plants. (2 gallons per case - base / 4 pints per case - activator)

- Provides excellent chemical, corrosion, and abrasion resistance
- Fast-dry time
- Soap and water clean-up

**USES:** Food and beverage plants, clean rooms, hospitals, schools, washdown bays, abrasive environments, and highly populated or enclosed areas where minimal odor is essential

**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Aluminum, concrete, galvanized steel, masonry, metal

**EXPOSURE CONDITIONS:** Moderate and severe

**FINISHES:** (VOC<340 g/l) Available in gloss, safety, and custom tinted colors.

**PRIMERS:** (VOC<340 g/l) Corrosion-inhibiting primers. Two coats required on abrasive blasted steel.

Description	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primer Activator</b>								
Primer Activator	30-60 min	2-5	1-2	200-350	14.2	5303502		\$13.81
<b>Primers</b>								
Red	30-60 min	2-5	1-2	200-350	20.6	5369405		\$51.88
Gray	30-60 min	2-5	1-2	200-350	17.5	5381405		\$51.88
<b>Activators</b>								
Activator	30-60 min	2-5	1-2	200-350	5.2	5301604		\$15.56
<b>Finishes</b>								
Marlin Blue	1-2	3-6	1-2	200-350	18.8	5323408		\$60.05
Yellow	1-2	3-6	1-2	200-350	19.7	5343408		\$60.05
Safety Yellow	1-2	3-6	1-2	200-350	19.7	5344408		\$60.05
Tile Red	1-2	3-6	1-2	200-350	19.7	5368408		\$60.05
Dunes Tan	1-2	3-6	1-2	200-350	20.6	5371408		\$60.05
Black	1-2	3-6	1-2	200-350	20.2	5379408		\$60.05
Silver Gray	1-2	3-6	1-2	200-350	20.4	5382408		\$60.05
White	1-2	3-6	1-2	200-350	19.6	5383408		\$60.05

**High Performance 9800 System DTM Urethane Mastic**



Two-Component System: Must use base and activator; sold separately

Specifically formulated for use on minimally prepared, tightly adhered rusted steel without

a primer. Use it direct to metal, over a previous coating, or with a Rust-Oleum® corrosion fighting primer for tough, long lasting results. (2 gallons per case; base and 4 quarts per case; activator)

- Excellent chemical and abrasion resistance
- Low temperature cure down to 40°F
- Excellent color and gloss retention

**USES:** Tanks, towers, metal buildings, equipment, other rusted surfaces, and concrete

**APPLICATION METHOD:** Brush, roller, spray gun

**SURFACES:** Concrete, galvanized steel, metal

**EXPOSURE CONDITIONS:** Moderate and severe

**FINISHES:** (VOC<340 g/l) Available in gloss, safety, and custom tinted colors.

Description	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>								
Red	30-60 min	1-2	After 1	325-550	30.0	2068402		\$42.80
Gray	30-60 min	1-2	After 1	325-550	28.6	2082402		\$42.80
<b>Activators</b>								
Activator (quart)	—	—	—	—	8.8	9801501		\$34.56
<b>Thinners</b>								
Thinner	—	—	—	—	15.6	190402		\$29.63
<b>Finishes</b>								
Safety Blue	6-9	9-12	8-72	164-274	20.0	9825419		\$77.80
Safety Yellow	6-9	9-12	8-72	164-274	20.0	9844419		\$103.75
Dunes Tan	6-9	9-12	8-72	164-274	20.0	9871419		\$77.80
Black	6-9	9-12	8-72	164-274	20.0	9879419		\$77.80
Silver Gray	6-9	9-12	8-72	164-274	20.0	9882419		\$77.80
Navy Gray	6-9	9-12	8-72	164-274	19.6	9886419		\$77.80
White	6-9	9-12	8-72	164-274	19.8	9892419		\$77.80
Equipment Yellow	6-9	9-12	8-72	164-274	20.2	9845419		\$103.75
Alumi-Non®	6-9	9-12	8-72	164-274	21.3	9815419		\$77.80
Marlin Blue	6-9	9-12	8-72	164-274	19.7	9822419		\$77.80
Safety Green	6-9	9-12	8-72	164-274	19.9	9833419		\$77.80
Tile Red	6-9	9-12	8-72	164-274	20.0	9868419		\$77.80

PAINT

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

**RUST-OLEUM®**  
INDUSTRIAL BRANDS

**High Performance 9700 System  
250 VOC Acrylic Polyester Urethane**



Two-Component System:  
Must use base and activator;  
sold separately

Extremely durable 9700  
System complies with air  
quality regulations requiring  
a VOC of 250 g/l. Designed

for heavy industrial applications where superior  
corrosion protection, resistance to fading,  
and gloss retention are required. Thin film  
application dries to 1-2 mils. (2 gallons per  
case; base and 4 quarts per case; activator)

- High gloss for excellent long term appearance
- Does not require thinning

**USES:** Chemical plants and equipment in heavy industrial, severe coastal, and offshore environments.

**APPLICATION METHOD:** Spray gun

**SURFACES:** Concrete, metal, galv. steel

**EXPOSURE CONDITIONS:** Moderate and severe

Description	VOC (g/l)	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Gray	<250	15-60 min	1-1.5	1-1.5	225-375	25.0	3181402		\$32.45
Gray*	<340	30-60 min	2-5	1-2	200-350	17.5	5381405		\$51.88
Red	<340	30-60 min	2-5	1-2	200-350	20.6	5369405		\$51.88
<b>Activators</b>									
Activator (quart)	—	—	—	—	—	14.3	5303504		\$13.81
<b>Finishes</b>									
Crystal Clear	<250	6-8	6-21	16-24	443-887	19.8	207273		\$93.77
Safety Blue	<250	6-8	6-21	16-24	443-887	19.8	207274		\$93.77
Fire Hydrant Red	<250	6-8	6-21	16-24	443-887	19.8	207276		\$93.77
Black	<250	6-8	6-21	16-24	443-887	19.8	207277		\$93.77
Silver Gray	<250	6-8	6-21	16-24	443-887	19.8	207278		\$93.77
White	<250	6-8	6-21	16-24	443-887	19.8	207279		\$93.77
Dark Red	<250	6-8	6-21	16-24	443-887	19.8	207282		\$93.77
Dark Yellow	<250	6-8	6-21	16-24	443-887	19.8	207280		\$123.78
Safety Yellow	<250	6-8	6-21	16-24	443-887	19.8	207281		\$123.78

\*Must use activator #5303504

**High Performance 9400 System  
High Gloss Polyester Urethane**



Two-Component System:  
Must use base and activator  
- sold separately

Refinish vehicles and mobile  
equipment to protect them  
from harsh environments.  
Coatings cure to a durable,

high gloss finish providing years of service  
when applied over recommended Rust-Oleum  
primer.

(2 gallons per case; base and 2 gallons per  
case; activator)

**USES:** Ready-mix concrete trucks, bulk  
haulers, tank wagons, farm equipment, cranes,  
and other outdoor mobile equipment

**APPLICATION METHOD:** Spray gun

**SURFACES:** Metal, galvanized steel

**EXPOSURE CONDITIONS:** Moderate and severe

**FINISHES:** (VOC<600 g/l) Available in high  
gloss, clear and custom tinted colors.

**PRIMERS:** (VOC<550 g/l) For optimum coating  
performance and superior chemical resistance, use high solids epoxy primers. For fast recoat times, use  
2068402 Quick-Dry Gray Primer or 2082402 Quick-Dry Red Primer (VOC<340 g/l).

Description	VOC (g/l)	Tack-Free Time (hrs)	Dry Time (hrs)	Recoat Time (hrs)	Practical Sq. Ft.	Wt. per Case (lbs)	RO#	DIB#	Unit Cost
<b>Primers</b>									
Red (High Solids)	<420	1-2	3-4	After 1	275-475	23.8	HS9369407		\$67.83
Gray (High Solids)	<420	1-2	3-4	After 1	275-475	24.1	HS9381407		\$67.83
Quick Dry Red	<340	30-60 min	1-2	After 1	325-550	28.6	2082402		\$49.38
Quick Dry Gray	<340	30-60 min	1-2	After 1	325-550	30.0	2068402		\$49.38
<b>Primer Activators</b>									
Primer Activator	—	—	—	—	—	4.8	HS9303604		\$20.94
<b>Activators</b>									
Activator (<420 g/l)	—	—	—	—	—	18.9	HS9401402		\$190.21
Activator	—	—	—	—	—	18.9	9401402		\$120.61
<b>Finishes</b>									
Clear	<600	2-4	4-6	6-24**	250-600	19.9	9401402		\$76.08
Safety Blue	<600	2-4	4-6	6-24**	250-600	21.4	9425402		\$76.08
Fire Hydrant Red	<600	2-4	4-6	6-24**	250-600	19.9	9465402		\$120.61
Black	<600	2-4	4-6	6-24**	250-600	19.5	9479402		\$76.08
Silver Gray	<600	2-4	4-6	6-24**	250-600	22.0	9483402		\$76.08
White	<600	2-4	4-6	6-24**	250-600	26.2	9492402		\$76.08
<b>Accessories</b>									
Reducer Thinner	—	—	—	—	—	15.6	190402		\$29.63

\*Must use activator #HS9303

\*\*Or immediately

Get reliable coating solutions in 30 seconds or less.

Virtual Solutions  
INTERACTIVE WEB SITE  
www.rustoleum.com/virtualsolutions

**Rust Oleum**

**Rust-Oleum® Protective Enamels** - Rust-Oleum® finishes are durable, tough, excellent hiding air dry finishes for interior or exterior protection of most metal, wood, or masonry surfaces. Rust-Oleum® coatings resist weathering, salt air, moisture, mild chemicals, and industrial fumes. Prime metal surfaces with model No. 7769 Rusty Metal Primer or model No. 7780 White Clean Metal Primer. Rust-Oleum® finishes cover 350 to 450 sq. ft. per gallon, dries to touch in 2 to 6 hours and to recoat after 24 hours. They may be applied with brush, roller, or spray. Thin sparingly for spray. If thinning is required, use paint thinner or mineral spirits. Clean up with paint thinner or mineral spirits. Gloss sheen except where specified. Available in flat, semi-gloss or satin.



**Rust Oleum**

**Aerosol Spray Can Handle** - Spray Grip™ handle helps the user attain a more professional, uniform spray finish. Hands and fingers stay clear of spray valve meaning less mess. Spring action, extra wide trigger causes less finger fatigue. Pistol grip handle for easier handling and comfort. Spray Grip™ handle fits almost all aerosol spray cans.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778745-D	7899-003	Spray Can Handle	1/0/6	.104	3.29 EA

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777172-C	7715-730	Aluminum Enamel	1/0/6	.693	4.49 HPT
777190-A	7715-502	Aluminum Enamel	1/0/2	2.396	8.49 QT
777207-A	7715-402	Aluminum Enamel	1/0/2	9.220	28.99 GAL
782727-A	7724-502	Sail Blue Enamel	1/0/2	2.100	8.49 QT
777476-C	7727-730	Royal Blue Enamel	1/0/6	.677	4.49 HPT
777494-A	7727-502	Royal Blue Enamel	1/0/2	2.292	8.49 QT
777500-A	7727-402	Royal Blue Enamel	1/0/2	9.280	28.99 GAL
786242-A	7731-502	Grass Green Enamel	1/0/2	2.100	8.49 QT
795944-A	7732-504	Satin Huntr Green Enamel	1/0/2	3.150	8.49 QT
778126-C	7738-730	Hunter Green Enamel	1/0/6	.667	4.49 HPT
778144-A	7738-502	Hunter Green Enamel	1/0/2	2.292	8.49 QT
778153-A	7738-402	Hunter Green Enamel	1/0/2	9.700	28.99 GAL
782754-A	7747-502	Sunburst Yellow Enamel	1/0/2	2.100	8.49 QT
782772-A	7762-502	Sunrise Red Enamel	1/0/2	2.100	8.49 QT
782861-A	7763-502	Carnival Red Enamel	1/0/2	2.100	8.49 QT
777993-C	7765-730	Regal Red Enamel	1/0/6	.667	4.49 HPT
778019-A	7765-502	Regal Red Enamel	1/0/2	2.333	8.49 QT
778028-A	7765-402	Regal Red Enamel	1/0/2	9.060	28.99 GAL
790184-C	7770-730	Almond Enamel	1/0/6	.708	4.49 HPT
790139-A	7770-502	Almond Enamel	1/0/2	2.750	8.49 QT
782932-A	7770-402	Almond Enamel	1/0/2	10.050	28.99 GAL
777715-C	7771-730	Sand Enamel	1/0/6	.708	4.49 HPT
777733-A	7771-502	Sand Enamel	1/0/2	2.750	8.49 QT
786162-A	7771-402	Sand Enamel	1/0/2	10.000	28.99 GAL
790022-C	7775-730	Leather Brown Enamel	1/0/6	.682	4.49 HPT
790040-A	7775-502	Leather Brown Enamel	1/0/2	2.396	8.49 QT
798464-A	7775-402	Leather Brown Enamel	1/0/2	9.100	28.99 GAL
777127-C	7776-730	Flat Black Enamel	1/0/6	.896	4.49 HPT
777145-A	7776-502	Flat Black Enamel	1/0/2	3.146	8.49 QT
777154-A	7776-402	Flat Black Enamel	1/0/2	12.490	28.99 GAL
786135-C	7777-730	Satin Black Enamel	1/0/6	.750	4.49 HPT
786144-A	7777-502	Satin Black Enamel	1/0/2	3.000	8.49 QT
777305-C	7779-730	Black Enamel	1/0/6	.667	4.49 HPT
777323-A	7779-504	Black Enamel	1/0/4	2.313	8.49 QT
777332-A	7779-402	Black Enamel	1/0/2	9.270	28.99 GAL
795906-A	7797-502	S/g White Enamel	1/0/2	3.150	8.49 QT
795913-A	7798-502	S/g Black Enamel	1/0/2	3.150	8.49 QT
777920-C	7786-730	Smoke Gray Enamel	1/0/6	.698	4.49 HPT
777948-A	7786-502	Smoke Gray Enamel	1/0/2	2.417	8.49 QT
777957-A	7786-402	Smoke Gray Enamel	1/0/2	9.720	28.99 GAL
778395-C	7790-730	Flat White Enamel	1/0/6	.917	4.49 HPT
778411-A	7790-502	Flat White Enamel	1/0/2	3.292	8.49 QT
776486-A	7790-402	Flat White Enamel	1/0/2	13.190	28.99 GAL
786126-C	7791-730	Satin White Enamel	1/0/6	.750	4.49 HPT
786117-A	7791-504	Satin White Enamel	1/0/2	3.000	8.49 QT
778448-C	7792-730	White Enamel	1/0/6	.802	4.49 HPT
778466-A	7792-504	White Enamel	1/0/4	2.750	8.49 QT
778475-A	7792-402	White Enamel	1/0/2	10.550	28.99 GAL
795920-A	7793-504	Satin Shell White Enamel	1/0/2	3.150	8.49 QT

**Rust Oleum**

**Rust-Oleum® Metallic Spray Paint** - Rust-Oleum® spray finishes provide long-lasting protection to properly prepared wood, metal, or masonry surfaces. Dries to a tough, bright finish that retains its gloss for years. Resists peeling, chipping, and weathering. Lead free, safe for children's toys and furniture. Can lid shows color. 11 oz. covers approximately 23 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777859-B	7710-830	Gold Mtlc Spray Paint	1/0/6	1.156	5.29 EA
777163-C	7715-830	Aluminum Spray Paint	1/0/6	1.177	5.29 EA
778737-B	7718-830	Chrome Mtlc Spray Paint	1/0/6	1.167	5.29 EA
780773-B	7250-830	Bl Night Mtlc Spray Paint	1/0/6	1.045	5.29 EA
780780-B	7251-830	Cobalt Mtlc Spray Paint	1/0/6	1.045	5.29 EA
780797-B	7252-830	Race Gr Mtlc Spray Paint	1/0/6	1.045	5.29 EA
780803-B	7253-830	Ruby Rd Mtlc Spray Paint	1/0/6	1.045	5.29 EA
780834-B	7255-830	Dp Purp Mtlc Spray Paint	1/0/6	1.045	5.29 EA
780841-B	7256-830	Apl Red Mtlc Spray Paint	1/0/6	1.045	5.29 EA
780858-B	7270-830	Gld Rsh Mtlc Spray Paint	1/0/6	1.045	5.29 EA
780865-B	7271-830	Silver Mtlc Spray Paint	1/0/6	1.045	5.29 EA
782319-B	7272-830	Dk Brnz Mtlc Spray Paint	1/0/6	1.108	5.29 EA
780889-B	7273-830	Copper Mtlc Spray Paint	1/0/6	1.045	5.29 EA

**Rust Oleum**

**ZINC-SELE® Cold Galvanizing Compound** - A zinc-rich primer for clean, lightly rusted metal, or galvanized metal. Protects surface like hot-dip galvanizing. Gray in color. May be used under enamel topcoats or as an all-in-one primer/finish. 16 oz. covers approximately 30 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776529-C	7785-830	Zinc Cold Galv Compound	1/0/6	1.180	6.79 EA

**Rust Oleum**

**Rusty Metal Primer** - Has a unique fish oil vehicle that penetrates rust to bare metal forcing out corrosive moisture and air. It has outstanding film forming properties which provide a tight bond, a long lasting protection to sound rusted steel. Be sure scale or loose rust is removed before priming. Covers approximately 350 to 500 sq. ft. per gallon, dries to touch in 6 to 12 hours and to recoat after 48 hours. Can be applied with brush, roller, or airless spray. Thin sparingly for airless spray with model No. 7700 Rust-Oleum® thinner, or mineral spirits. Color and quality is the same as red/brown iron oxide. Clean up with paint thinner or mineral spirits. Spray can is 12 oz. and covers approximately 25 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777519-B	7769-830	Rusty Metal Spray Primer	1/0/6	1.177	4.29 EA
777528-C	7769-730	Red Rusty Metal Primer	1/0/6	.896	4.49 HPT
777546-B	7769-502	Red Rusty Metal Primer	1/0/2	3.208	8.49 QT
777555-A	7769-402	Red Rusty Metal Primer	1/0/2	12.450	28.99 GAL

**Rust Oleum**

**White Clean Metal Primer** - Designed for use on clean bare metal, previously coated or lightly rusted metal. This primer is compatible with Rust-Oleum Stops Rust brand finishes. This primer is not compatible with top coats that contain strong solvents such as automotive finishes. White clean metal primer covers approximately 550 sq. ft. per gallon at 1 mil. dry or 275 sq. ft. per gallon at 2 mils. dry. Dries to touch in 2 to 4 hours, to handle in 5 to 9 hours, and to recoat in 24 hours. Thin with no more than 1/2 pint paint thinner per gallon. Clean tools and equipment with paint thinner or mineral spirits. Aerosol, 1/2 pint, quart, and gallon sizes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782656-B	7780-830	Clean Metal Spray Primer	1/0/6	1.108	4.29 EA
773764-C	7780-730	White Clean Metal Primer	1/0/6	.667	4.49 HPT
782870-A	7780-502	White Clean Metal Primer	1/0/2	2.100	8.49 QT
773773-A	7780-402	White Clean Metal Primer	1/0/2	12.000	28.99 GAL

**Rust Oleum**

**Auto Primers** - Fast dry, rust inhibitive primers for use under automotive lacquers and enamels. Available in 12 oz. spray can.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773565-B	2067-830	Red auto primer	1/0/6	1.170	4.79 EA
791744-B	2081-830	Light gray auto primer	1/0/6	1.182	4.79 EA
773573-B	2089-830	Dark gray auto primer	1/0/6	1.170	4.79 EA

**Rust Oleum**

**Rust-Oleum® Hammered Metal Finish** - Now you can paint right over rust to get a distinctive hammered metal appearance with the same great rust-preventative qualities as the Stops Rust® finishes. This finish hides flaws and imperfections, requires minimal surface preparation, is ideal for scratched, rusted, and pitted metal. Decorates and protects metal, wood, concrete, and stone. Available in 12 oz. spray and quart. Spray covers approximately 25 sq. ft., quart covers approximately 100 sq. ft. Refer to pricing section for available colors.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780896-C	7210-830	Gold Hammered Spray Paint	1/0/6	1.108	6.49 EA
780902-B	7210-502	Gold Hammered Paint	1/0/2	3.150	12.49 QT
780919-C	7211-830	D Grn Hammr Spray Paint	1/0/6	1.108	6.49 EA
780926-B	7211-502	Dp Green Hammered Paint	1/0/2	3.150	12.49 QT
780933-C	7212-830	L Blu Hammr Spray Paint	1/0/6	1.108	6.49 EA
780940-B	7212-502	Lght Blue Hammered Paint	1/0/2	3.150	12.49 QT
780957-C	7213-830	Slvr Hammr Spray Paint	1/0/6	1.108	6.49 EA
780964-B	7213-502	Silver Hammered Paint	1/0/2	3.150	12.49 QT
780971-C	7214-830	Gray Hammered Spray Paint	1/0/6	1.108	6.49 EA
780988-B	7214-502	Gray Hammered Paint	1/0/2	3.150	12.49 QT
781008-C	7215-830	Blk Hammered Spray Paint	1/0/6	1.108	6.49 EA
781015-B	7215-502	Black Hammered Paint	1/0/2	3.150	12.49 QT

**Rust Oleum**

**Professional Fast Dry Enamels** - Fast drying, high performance enamel formulated with premium alkyd resins for excellent durability, gloss, and color retention. Ideal for protecting metal, wood, concrete, and masonry surfaces. Enamel dries to touch in 15 minutes and to handle in 1 to 2 hours. Packaged in 15 oz. industrial size cans except for model No. 7584 Bright Galvanizing Compound and model No. 7585 Cold Galvanizing Compound which are packaged in 20 oz. cans. 15 oz. can covers approximately 30 sq. ft., 20 oz. can covers approximately 40 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782941-B	7515-838	Aluminum Pro Spray Paint	1/0/6	1.417	5.99 EA
782969-B	7527-838	Ryl Blue Pro Spray Paint	1/0/6	1.417	5.99 EA
782978-B	7538-838	Hntr Grn Pro Spray Paint	1/0/6	1.417	5.99 EA
782987-B	7565-838	Regl Red Pro Spray Paint	1/0/6	1.417	5.99 EA
783236-B	7569-838	Alkyd Red Spray Primer	1/0/6	1.417	5.99 EA
783003-B	7578-838	Flat Blk Pro Spray Paint	1/0/6	1.417	5.99 EA
783012-B	7579-838	Black Pro Spray Paint	1/0/6	1.417	5.99 EA
783030-B	7581-838	Lt Gray Pro Spray Paint	1/0/6	1.417	5.99 EA
783254-B	7582-838	Alkyd Gray Spray Primer	1/0/6	1.417	5.99 EA
783067-B	7587-838	Drk Gray Pro Spray Paint	1/0/6	1.417	5.99 EA
783138-B	7590-838	Flat Wht Pro Spray Paint	1/0/6	1.417	5.99 EA
783183-B	7592-838	White Pro Spray Paint	1/0/6	1.417	5.99 EA
783263-B	7584-838	Brt Galv Spray Compound	1/0/6	1.417	6.29 EA
783272-B	7585-838	Cold Galv Spray Compound	1/0/6	1.417	6.29 EA



**Rust Oleum**

**Professional Industrial Enamels** - Tough durable air dry finishes for most metal, wood, and masonry surfaces. Covers up to 500 sq. ft. per gallon. Dries tack free in 4 to 6 hours. Recoat after 24 hours. Available in federal safety colors. Spray cans contain 15 fl. oz. to cover approximately 25 to 30 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781533-C	7524-402	Safety Blue Pro Enamel	1/0/2	10.125	29.99 GAL
781525-C	7524-838	Safe Blu Pro Spray Paint	1/0/6	1.500	5.49 EA
781517-C	7533-838	Safe Grn Pro Spray Paint	1/0/6	1.500	5.49 EA
781576-C	7543-402	Safety Yellow Pro Enamel	1/0/2	10.125	29.99 GAL
781509-C	7543-838	Safe Yel Pro Spray Paint	1/0/6	1.500	5.49 EA
781584-C	7555-402	Safety Orange Pro Enamel	1/0/2	10.125	29.99 GAL
781495-C	7555-838	Saf Orng Pro Spray Paint	1/0/6	1.500	5.49 EA
781592-C	7564-402	Safety Red Pro Enamel	1/0/2	10.125	29.99 GAL
781487-C	7564-838	Safe Red Pro Spray Paint	1/0/6	1.500	5.49 EA

**Rust Oleum**


**Epoxy Shield® Basement Floor Coating** - Transform your basement into living, playing, and working spaces. Attractive and easy to keep the area clean. Great for basement walls too. Water-based for low odor and easy soap and water clean up. No primer is needed - 1 coat coverage. Provides a hard, durable surface that resists wear, stains, and abrasions for long-lasting beauty. Kit contains 2 cans (47 oz. part A activator and 72 oz. part B base), decorative chips, stir stick, and instruction sheet (English and Spanish). Apply with epoxy roller cover 1/2" nap. 2 gallon kit covers approximately 250 sq. ft. depending on porosity of the surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774051-C	203007	Gray	1/0/2	14.000	53.99 KT
774069-C	203008	Tan	1/0/2	14.000	53.99 KT

**Rust Oleum**

**Epoxy Shield® Industrial Floor Coating** - A tough, 2-component coating forms a bond with the surface that is stronger than concrete. Withstands splash and spillage of mild acid, gasoline, brake fluid, oil, and other automotive chemicals. Will not soften or peel when exposed to extended water immersion. Provides excellent wear, impact, and abrasion resistance from heavy foot and vehicle traffic. Helps prevent concrete chipping, cracking, and dusting. Maintains a stronger bond with the surface than 1-component products - even under hot tires. Use in warehouses, garages, factories, and other heavy traffic indoor floors. Also excellent for steel, metal, masonry, or previously painted surfaces. Kit includes 2 full gallons (1 gallon part A activator and 1 gallon part B base) and complete instruction sheet (English and Spanish). 2 gallon kit covers approximately 350 to 400 sq. ft. on smooth surface depending on porosity of the surface. Available in stock: Silver gray semi-gloss.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774085-B	203373	Sil/gray Ind Epoxyshield	1/0/2	26.500	104.99 KT

**Rust Oleum**

**Machinery And Implement Finishes** - Provides long-lasting gloss protection and corrosion resistance from elements. Can be sprayed, brushed, or rolled on. Available in spray, quart and gallon sizes in colors to match John Deere, International, Allis Chalmers, Ford, and Caterpillar equipment. 12 oz. spray can covers approximately 20 sq. ft., gallon covers 300 to 350 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771203-C	7424-830	Ford Blue Spray Paint	1/0/6	1.167	5.79 EA
771560-C	7424-502	Ford Blue Implmnt Enamel	1/0/2	2.750	11.29 QT
781606-B	7424-402	Ford Blue Implmnt Enamel	1/0/2	10.125	35.99 GAL
771132-C	7435-830	Jd Green Spray Paint	1/0/6	1.167	5.79 EA
771276-C	7435-502	Jd Green Implmnt Enamel	1/0/2	2.750	11.29 QT
781614-B	7435-402	Jd Green Implmnt Enamel	1/0/2	10.125	35.99 GAL
771105-C	7443-830	Jd Yellow Spray Paint	1/0/6	1.167	5.79 EA
771310-C	7443-502	Jd Yellow Implmnt Enamel	1/0/2	2.750	11.29 QT
781622-B	7443-402	Jd Yellow Implmnt Enamel	1/0/2	10.125	35.99 GAL
771169-C	7449-830	Cat Yellow Spray Paint	1/0/6	1.167	5.79 EA
771463-C	7449-502	Cat Yel Implement Enamel	1/0/2	2.750	11.29 QT
781630-B	7449-402	Cat Yel Implement Enamel	1/0/2	10.125	35.99 GAL
771089-C	7458-830	Ac Orange Spray Paint	1/0/6	1.167	5.79 EA
771445-C	7458-502	Ac Orng Implement Enamel	1/0/2	2.750	11.29 QT
781649-B	7458-402	Ac Orng Implmnt Enamel	1/0/2	10.125	35.99 GAL
771123-C	7466-830	Intl Red Spray Paint	1/0/6	1.167	5.79 EA
771294-C	7466-502	Intl Red Implmnt Enamel	1/0/2	2.750	11.29 QT
781665-B	7466-402	Intl Red Implmnt Enamel	1/0/2	10.125	35.99 GAL

**Rust Oleum**

**Aluminum Primer** - An acrylic latex base topcoat and primer designed for use on galvanized metal, aluminum, or vinyl. Ideal for gutters, window casements, door frames, sheds, shutters and more. The gray primer should be used to assure good adhesion of topcoat to badly weathered surfaces, help block out original color when a color change is desired and provide protection from corrosion. Available in quart size only. Gray. Quart covers approximately 100 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782327-C	8781-504	Latex Aluminum Primer	1/0/4	2.100	11.29 QT

**Rust Oleum**

**Rust Reformer** - Chemically converts rust to a protective coating. Eliminates the need to sand rust to bare metal. After application, rust is transformed into a black, rust inhibitive and paintable coating. 8 oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774634-C	7830-730	8oz Rust Reformer	1/0/6	.750	8.79 EA

**Skybryte**

**OSPHO Rust Primer** - A metal treatment or primer that converts rust to an inert, hard substance that can be painted. Also can be used on new or clean metal to make subsequent paint coatings more effective in controlling rust. Recommended for use under oil-base primers and paints. Test a small area before using under epoxy or latex paints. Equally effective for exterior and interior work. Covers approximately 600 sq. ft. per gallon and normally requires overnight drying before topcoating. Contains phosphoric acid. Brushes and spray equipment can be cleaned with water. Avoid spreading OSPHO on adjacent areas such as painted surfaces, concrete, masonry, and stonework. If splashing occurs, flush immediately with water. Quart or gallon size.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772587-C	RUST	Qt Ospho Rust Primer	0/0/12	2.917	9.79 QT
772596-C	RUST	Gal Ospho Rust Primer	0/0/4	11.000	21.99 GAL

**Rust Oleum**

**Industrial Choice Athletic Field Inverted Striping Paint -**

Special water-based formula for striping athletic fields. Creates sharp, well-defined lines with 1 application. Safe for use on grass and is smudge-resistant, durable, long-lasting. Dries fast in 30 minutes. Guaranteed not to clog. Use with Athletic Field inverted Striping Machine (refer to model No. 206346).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789720-C	206043	Wht Field Striping Paint	1/0/12	1.450	5.99 EA

**Rust Oleum**

**Industrial Coatings Inverted Striping Paint** - A lead-free aerosol striping paint designed for use in an inverted position. Features weather and abrasion resistance for durability. When used with the Rust-Oleum Striping Machine, these coatings are ideal for striping parking lots, aisles, and athletic fields. They feature fast dry and adhesion to concrete, blacktop, gravel, and grass. 18 oz. fill covers approximately 30 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780018-D	1627838	Blue Striping Paint	1/0/6	1.667	5.49 EA
780025-D	1648838	Yellow Striping Paint	1/0/6	1.667	5.49 EA
780056-D	1677838	Black Striping Paint	1/0/6	1.667	5.49 EA
780063-D	1691838	White Striping Paint	1/0/6	1.667	5.49 EA

**Rust Oleum**

**Industrial Choice Inverted Marking Paint** - An aerosol coating specifically packaged for use in an inverted position as a marking paint. Use for marking construction and excavation sites, underground utilities and for traffic safety. They can also be used with model No. 2398 marking wand to make large jobs less tedious. Features fast dry and adhesion to concrete, blacktop, gravel, soil, and grass. 17 oz. fill covers approximately 30 sq. ft. Water-based formula available in white, fluorescent orange, and red orange.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779913-D	203025	Hi Visible yellow	1/0/12	1.450	5.29 EA
779920-D	203024	Caution yellow	1/0/12	1.450	5.29 EA
779906-D	203022	Blue	1/0/12	1.450	5.29 EA
779951-D	203029	Red	1/0/12	1.450	5.29 EA
779968-D	203030	White	1/0/12	1.450	5.29 EA
789712-D	203039	Water-based white	1/0/12	1.450	5.29 EA
786355-D	1634838	Safety green	1/0/12	1.417	5.29 EA
779999-D	203027	Fluorescent orange	1/0/12	1.450	5.29 EA
789690-D	203036	Water-based Fluorescent orange	1/0/12	1.450	5.29 EA
780001-D	203028	Fluorescent red orange	1/0/12	1.450	5.29 EA
786317-D	201516	APWA orange	1/0/12	1.417	5.29 EA
786409-D	1662838	Fluorescent red	1/0/12	1.417	5.29 EA
789704-D	203037	Water-based fluorescent red-orange	1/0/12	1.450	5.29 EA
782586-D	1601838	Clear	1/0/12	1.450	5.29 EA

**Rust Oleum**

**Marking Pistol** - Obtain accurate marking with this quick and easy marking spray paint pistol. Features light touch spray control with comfortable grip. Made of durable plastic construction and is 12" in length. Use any brand of marking spray paints with this pistol.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772659-C	210188	12" Marking Pistol	0/0/1	1.000	16.49 EA

## SPECIALTY PAINTS

## PAINT

### Rust Oleum

**Quick Mark™ Marking Wand** - For use with marking paints. Light touch spray control and easy loading make marking jobs simple. Ideal for any ground marking applications. Lightweight aluminum construction. May also be used with Krylon and Plastikote marking paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780636-C	2393-000	Marking Wand	0/0/1	3.000	24.99 EA

### Rust Oleum

**Professional Striping Machine** - Easily allows application of sharp lines from 2" to 4" in width. For use with striping paints. Cart provides storage for additional cans. Durable metal construction. Ideal for athletic fields, parking lots, manufacturing plants, etc. May also be used with Krylon and Plastikote striping paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780643-B	2395-000	Pro Striping Machine	0/0/1	19.000	99.99 EA



**Hammerite® Metal Smooth Finish** - A unique rustproof paint that is formulated with a tough resin base loaded with heat-hardened glass flakes and aluminum particles that bond together when they dry. Provides a high-gloss finish that is decorative and durable. Use on iron, steel, wood, and many types of plastics. Not recommended for galvanized metal or aluminum without use of a special primer. In most situations a primer is not necessary, even when painting rusty metal. 1 generous coat is often sufficient. Read can instructions for recoats. Dries to touch in 30 minutes or less. Large areas should be rolled or sprayed. Covers approximately 200 sq. ft. per gallon. Ideally should be applied at temperatures between 60° F. and 80° F. Clean brushes with Hammerite® brush cleaner and thinner. Hammered finishes listed under Hammered Hammerite® metal finish.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795821-C	42235	Fit Blk Smth Spray Paint	1/0/6	1.050	7.29 EA
795838-C	44235	Flat Black Smooth Paint	1/0/6	2.550	14.29 QT
795807-C	42240	Gls Blk Smth Spray Paint	1/0/6	1.050	7.29 EA
795814-C	44240	Gloss Black Smooth Paint	1/0/6	2.550	14.29 QT
770833-C	42260	Gls Wht Smth Spray Paint	1/0/6	1.000	7.29 EA
782025-C	44260	Gloss White Smooth Paint	1/0/6	2.500	14.29 QT
799920-B	46260	Gloss White Smooth Paint	0/0/2	10.000	44.99 GAL



**Hammerite® Metal Hammered Finish** - A unique rustproof paint that is formulated with a tough resin base loaded with heat-hardened glass flakes and aluminum particles that bond together when they dry. Provides a high-gloss finish that is decorative and durable. Use on iron and steel, wood and many types of plastics. Not recommended for galvanized metal or aluminum without use of a special primer. In most situations a primer is not necessary, even when painting rusty metal. 1 generous coat is often sufficient, but when recoats are necessary they must be applied within 4 hours or after 6 weeks (hammered finish) or 48 hours (smooth finish). Dries to touch in 30 minutes or less. Large areas should be rolled or sprayed. Covers approximately 200 sq. ft. per gallon. Ideally should be applied at temperatures between 60° F. and 80° F. For best results, clean brushes with Hammerite® Brush Cleaner and Thinner. Smooth finishes are listed under Hammerite® metal smooth finish.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770876-C	41140	Black Hammr Spray Paint	1/0/6	1.000	7.29 EA
783528-C	43140	Black Hammered Paint	1/0/6	2.500	14.29 QT
799939-B	45140	Black Hammered Paint	0/0/2	10.000	44.99 GAL
774642-C	41105	S Gry Hammr Spray Paint	1/0/6	1.000	7.29 EA
789860-C	43105	Silvr Gray Hammered Paint	1/0/6	2.500	14.29 QT
799947-B	45105	Silvr Gray Hammered Paint	0/0/2	10.000	44.99 GAL
770922-C	41185	Brz Hammered Spray Paint	1/0/6	1.000	7.29 EA
787108-C	43185	Bronze Hammered Paint	1/0/6	2.500	14.29 QT
772151-C	41120	Brown Hammr Spray Paint	1/0/6	1.000	7.29 EA
772518-C	41125	D Blu Hammr Spray Paint	1/0/6	1.000	7.29 EA
789844-C	43125	Dark Blue Hammered Paint	1/0/6	2.500	14.29 QT
771139-C	41170	Gold Hammr Spray Paint	1/0/6	1.000	7.29 EA
771988-C	41145	Gray Hammr Spray Paint	1/0/6	1.000	7.29 EA
789798-C	43145	Gray Hammered Paint	1/0/6	2.500	14.29 QT
773158-C	41175	M Grn Hammr Spray Paint	1/0/6	1.000	7.29 EA
789852-C	43175	Med Green Hammered Paint	1/0/6	2.500	14.29 QT
787185-C	41165	D Grn Hammr Spray Paint	1/0/6	1.050	7.29 EA
787192-C	43165	Deep Grn Hammered Paint	1/0/6	2.500	14.29 QT
770884-C	41180	Red Hammered Spray Paint	1/0/6	1.000	7.29 EA
783560-C	43180	Red Hammered Paint	1/0/6	2.500	14.29 QT



**Hammerite® Brush Cleaner And Thinner** - Specially formulated for use with Hammerite® finishes. Use to thin Hammerite® finishes for spraying or to effectively clean brushes after application.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
799912-D	48500	Hammered Paint Thinner	0/0/6	2.833	5.99 QT

For your convenience, if an item is no longer available, we will gladly substitute a similar product!

# PAINT

## Sheffield

**Super Krome Paint** - Satin smooth chrome finish that can be sprayed, dipped or brushed. For all interior or exterior surfaces of wood, metal or brick. Comes ready mixed. Coverage: 500 to 650 sq. ft. per gallon depending on porosity of surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789427-C	3310	1/2 pint	1/0/12	.646	5.99 HPT
789445-C	5310	Quart	1/0/6	2.250	14.99 QT
789454-C	6310	Gallon	1/0/4	8.000	47.99 GAL

## Sheffield

**Red Hot Aluminum Paint** - Withstands 1600° heat. Brilliant aluminum finish. Especially adapted to stove pipes, ovens, furnace doors or any surface subjected to extreme heat. Not recommended for any exterior application. Coverage: 500 to 600 sq. ft. per gallon, 1 coat on metal surfaces. Quart.

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789481-C	5319	Red Hot Aluminum Paint	1/0/6	2.167	15.99 QT

## Sheffield

**Porcelain Touch-Up** - Will not turn yellow. Gives a hard, waterproof, glazed finish to any chipped porcelain or tile surfaces on drain boards, bathtubs, refrigerators and stoves. Withstands temperatures up to 400° F. Restores natural and original beauty. Ready-to-use. 1 oz. size.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789613-D	1126	White	1/0/12	.167	3.29 EA
794770-D	1438	Almond	1/0/12	.167	3.29 EA
794794-D	1440	Biscuit	1/0/12	.167	3.29 EA

## Henkel Consumer Adhesives

**Extend® Rust Treatment** - Destroys rust and leaves a tough coating that can be painted without another primer. Seals and protects metal. Remove loose rust with coarse sandpaper or wire brush. Surface must be clean, dry and free of grease, dirt and oil. Spray or brush Extend® onto rusty surface and allow to dry overnight before top coating. Spray can is handy for hard-to-reach areas or detailed objects such as lawn furniture and hand rails.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782386-D	01-81847	10.25 oz. spray can	1/0/12	1.033	7.79 EA
782351-D	01-81138	8 oz. (1/2 pint)	1/0/12	.750	7.99 EA

# SPECIALTY PAINTS

## Henkel Consumer Adhesives

**Naval Jelly®** - Removes rust from metal surfaces and removes bluing from surfaces such as guns, reels, etc. Remove loose scale with coarse sandpaper or wire brush. Apply Naval Jelly® liberally to rusty surface that is free of dirt, oil and grease. Wipe off immediately from painted surfaces. Allow to work for 15 to 30 minutes and rinse off. Repeat application on heavily corroded surfaces. Limit application time to 5 minutes when used on chrome or other plated surfaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782165-C	01-80276	8 oz. (1/2 pint)	1/0/12	.111	4.29 EA
782149-D	01-80277	16 oz. (pint)	1/0/6	1.342	6.49 EA

## Henkel Consumer Adhesives

**Aluminum Jelly®** - Cleans and brightens aluminum by removing the dull film caused by corrosion. Surface to be cleaned should be free of dirt, oil and grease. Apply liberally and allow to stand on surface up to 5 minutes. Wipe jelly off painted surfaces immediately. Rinse with clean water. Several applications may be needed for heavily corroded areas. Adheres to vertical surfaces such as screen doors, window screens and trim. 8 oz. (1/2 pint).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782394-C	01-80270	8oz Alum Jelly	1/0/12	.775	4.29 EA



**Imported Wire Brush** - Flat block handle wire brush for surfaces where extra pressure is required. Wire bristles 6 x 16 rows.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790907-D	883	6x16 Row Wire Brush	1/12/72	.700	2.29 EA

## WIRE BRUSHES



**Imported Wire Brush** - Shoe handle block assures good control for hard, close work of roughing up surfaces and removing flaking, peeling paint and rust. Wire bristles 4 x 16 rows.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790915-E	877	4x16row Short Wire Brush	1/12/72	.408	1.99 EA




**Imported Wire Brush** - Long handle wire brush for removing rust and flaking, peeling paint. Wire bristles 3 x 19 rows.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790923-E	876	3x19 Row Long Wire Brush	1/12/72	.408	1.79 EA

### DQB Ind.

**Wire Brush** - Wire scratch brush cleans all rough surfaces and prepares surfaces for paint applications. Easy-to-handle flat block style offers 6 x 19 rows of wire staple-set in smooth, finished hardwood blocks. Tempered steel. 1-1/2" trim, 7" overall length. Design permits plenty of pressure to be applied for the really tough brushing jobs. 6 x 19 rows.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796415-D	11381	With threaded hole	1/0/6	.667	3.99 EA
789221-D	11382	Solid block	1/0/6	.615	3.99 EA

### DQB Ind.

**Shoe Handle Wire Brush** - Designed for comfortable cleaning of all rough surfaces. Shoe handle features a contoured finger-grip for strong and constant use; 4 x 16 rows, tempered steel, woodblock, 1-1/8" trim, 10" overall length.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772300-D	11395	Shoe Handle Wire Brush	1/0/6	.333	2.79 EA

## PAINT

### DQB Ind.

**Curved Long Handle Wire Brush** - Scrapes all kinds of rough surfaces and prepares surfaces for paint. Curved handle for easy reach. Tempered steel.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772328-D	11390	3 x 19 rows without scraper	1/0/6	.318	2.79 EA
772355-D	11391	3 x 19 rows with scraper	1/0/6	.380	3.49 EA
772337-D	11392	4 x 19 rows without scraper	1/0/12	.422	2.99 EA

### DQB Ind.

**Curved Long Handle Steel Wire Brush** - Scratcher brush 1" steel bristles brush face. 1" W. x 4-1/2" L. 3 x 13 rows. The economical curved handle brush - for cleaning battery connections and general use around the home.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781274-D	11387	Long Handle Wire Brush	1/0/12	.323	2.49 EA

### DQB Ind.

**Heavy-Duty Scraper** - Heavy-duty straight handle with scraper is designed for difficult jobs requiring extra scraping pressure; 4 x 11 rows of tempered steel wire staple-set in smooth, finished hardwood block. 1-1/2" trim, 11" overall length.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772346-D	11380	Wire Brush W/scraper	1/0/6	.521	4.49 EA

PAINT

**Wooster Brush**

**Armadillo™ Flexible Wire Brush** - This innovative tool wraps around the surface. It is flexible from 1 end to the other allowing it to conform to hard-to-prepare surfaces such as pipes, architectural columns, moldings, storage tanks, and machinery. Use the Armadillo™ with 1 hand or 2, 1 hand with the brush held vertically to prep siding or moldings, 2 hands to bend it around a water pipe or the corner of adjoining walls, like living hinge. Packed with 163 wire tufts to quickly remove flaking paint, rust, and scale. Overall 7" length x 2-7/8" width.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788977-D	1838	Armadillo Wire Brush	1/0/4	.875	9.29 EA

**DQB Ind.**

**Squeegee Coater Brush** - For applying blacktop driveway dressing, roof coating and asphalt sealers. White polypropylene fiber. 2 rows, 2" trim. Hardwood block with durable rubber squeegee and threaded hole. Supplied less handle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772248-D	11913	12"	1/0/12	.688	3.99 EA
781247-D	11917	18"	1/0/12	1.083	5.49 EA

**DQB Ind.**

**Driveway Coater Brush** - For applying blacktop driveway dressing, roof coating, and asphalt sealers. Palmyra fiber trimmed to 2". Hardwood block with squeegee.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777072-D	11918-2	18" with 48" handle	1/0/12	2.083	7.79 EA
781220-D	11920	24" with 54" handle	1/0/12	2.750	11.49 EA

**DQB Ind.**

**Roof Brush** - Popular and economical lightweight brushes designed for coating roofs, as well as washing and cleaning brick, stone, and wood. Heavy, hardwood blocks with tapered or threaded handle knobs. 7" x 2" trim. White tampico. Handle model No. 748 tapered or 11022 threaded sold separately.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772257-D	11945	Tapered handle hole	1/0/12	.646	3.29 EA
787019-D	11949	Threaded handle hole	1/0/6	.583	3.29 EA
779376-D	11948	Supplied with handle	1/0/12	1.333	5.29 EA

**DQB Ind.**

**Roof Brush** - Popular and economical lightweight brush designed for coating roofs, as well as washing and cleaning brick, stone, and wood. Heavy, hardwood block with threaded handle hole. 7" x 2" trim. Handle model No. 11022 threaded sold separately.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776971-D	11958	Roof Brush	1/0/6	.542	2.99 EA

**DQB Ind.**

**Roof Brush** - Pure tampico fiber provides density and flexibility for professional results in jobs ranging from heavy-duty to fine-finish work. Hardwood blocks with 2 tapered handle holes. Handle model No. 748 tapered sold separately. 3-1/2" trim.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772266-D	11941	3 knot	1/0/6	1.021	10.79 EA
772275-D	11942	4 knot	1/0/12	1.417	13.49 EA

**DQB Ind.**

**Acid Brush** - Acid brushes offer high fluid retention and are densely packed in a hardwood block with tapered or threaded handle holes. Heavily filled with white tampico fibers, acid scrubs can be used by hand or with a handle for scrubbing brick or masonry. 8" x 1-1/16" trim. Handles model No. 748 tapered or 11022 threaded 72" handle or model No. 354 threaded 54" handle sold separately.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772444-D	11642	Tapered hole	1/0/12	.750	4.29 EA
787027-D	11643	Threaded hole	1/0/12	.729	4.29 EA

## COATER BRUSHES

## PAINT

### DQB Ind.

**Acid And Glue Brush** - Smooth finished block, 3" long with 4-1/2" handle attached. Well filled with white tampico fiber. Trimmed 2". An excellent brush for use in bleaching acid, as used in furniture factories, etc.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770981-D	11300	Acid & Glue Brush	1/0/24	.120	3.29 EA

### DQB Ind.

**Texture Paint Applicator** - For creating wall designs or stippling effects. Brush fits into a 1 gallon container. Bristles: White polypropylene angle trimmed 2-1/2 to 3". Block: 4-3/4" x 1-7/8" Dura-Block™ with 6-3/4" red lacquered hardwood handle. Packed 12 per carton.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771052-D	11923	Texture Paint Applicator	1/0/12	.417	3.79 EA

### DQB Ind.

**Coating Brush** - A terrific all-purpose tool for applying a variety of liquid compounds on rough or smooth masonry surfaces. 6-1/2", 4 row, tampico colored poly, 3-1/2" trim.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777013-D	11943	Coating Brush	1/0/6	.583	4.29 EA

### DQB Ind.

**Masonry Brush** - A terrific all-purpose tool for applying a variety of liquid compounds on rough or smooth masonry surfaces. 6-1/2", 4 row, white tampico, 3-1/2" trim.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772211-D	11955	6" Masonry Brush	1/0/12	.500	4.49 EA

### DQB Ind.

**E-Z Fit Masonry Brush** - Work right from any 1 gallon pail, no pouring into separate containers. Use with many liquid compounds for concrete blocks, basement walls, fences, and other rough surfaces. 4-3/4" x 3" trim. Tampico color poly.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772220-D	11937	Masonry Coat Brush	1/0/12	.365	3.29 EA

### DQB Ind.

**Masonry Brush** - A terrific all-purpose tool for applying a variety of liquid compounds on rough or smooth masonry surfaces. 6-1/2" x 4" trim. 5 row, white tampico with red handle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772239-D	11956	Jumbo Masonry Brush	1/0/6	.802	6.29 EA

### DQB Ind.

**Kalsomine Brush** - The right brush to apply water paints or wallpaper paste to rough or flat surfaces. Hardwood block with 6-3/4" shaped handle, tumble-waxed with hang-up hole. Tampico colored poly. 3" trim.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789187-D	11951	6"	1/0/12	.422	2.79 EA
789196-D	11957	7"	1/0/12	.469	2.99 EA

**DQB Ind.**

**Kalsomine Brush** - The right brush to apply water paints or wallpaper paste to rough or flat surfaces. Hardwood block with 6-3/4" shaped handle, tumble-waxed with hang-up hole. White tampico, 6" x 3" trim.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771980-D	11950	6" Kalsomine Brush	1/0/12	.417	2.99 EA

**DQB Ind.**

**Furniture Stripping Brush** - 3-in-1 paint and varnish stripper, poly 5/8" trim, with a crown of crimped brass wire, built-in plastic scraper in plastic block.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776707-D	08356	Furniture Stripper Brush	1/0/24	.188	3.29 EA

**Wooster Brush**

**FLOQUIL Detailing Artist Brush** - Inexpensive camel hair brushes with natural wood handles, seamless rustproof ferrules and epoxy-set, shed proof tapered bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790842-E	F1628#1	Size: No. 1	0/0/12	.052	1.49 EA
790850-E	F1628#2	Size: No. 2	0/0/12	.053	1.79 EA
790869-E	F1628#3	Size: No. 3	0/0/12	.069	1.99 EA
790877-E	F1628#4	Size: No. 4	0/0/12	.075	2.29 EA
790885-E	F1628#5	Size: No. 5	0/0/12	.075	2.49 EA
790893-E	F1628#6	Size: No. 6	0/0/12	.078	2.79 EA

**Wooster Brush**

**FLOQUIL Lacquering Artist Brush** - Camel hair lacquering brushes with seamless rustproof ferrules and quality natural hair bristles set in epoxy to avoid shedding.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770175-E	F1626-1/4	Size: 1/4"	0/0/12	.060	2.49 EA
770299-E	F1626-1/2	Size: 1/2"	0/0/6	.128	3.29 EA
770906-D	F1626-3/4	Size: 3/4"	0/0/3	.188	4.79 EA
770914-D	F1626-1	Size: 1"	0/0/3	.253	5.49 EA

**Wooster Brush**

**FLOQUIL Round Artist Brush** - Pure red sable round spotters with rustproof, seamless ferrules and natural bristles set in epoxy to avoid shedding. Model No. F208 (Size 15/0) is the smallest and finest detail brush available.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771295-D	F1623#5/0	Size: 5/0	0/0/12	.038	2.99 EA
772097-E	F1627#3/0	Size: 3/0	0/0/12	.025	2.99 EA
772704-D	F1627#0	Size: 0	0/0/12	.041	2.99 EA
772763-D	F1627#1	Size: 1	0/0/12	.050	3.79 EA
772836-D	F1627#2	Size: 2	0/0/6	.050	3.99 EA
772844-D	F1627#3	Size: 3	0/0/6	.054	4.29 EA

**Wooster Brush**

**Shortcut™ Angle Sash Brush** - This unique brush features a maneuverable handle size for better results in corners and tight spaces. Paint the ceiling-to-wall line with ease. Its Shergrip™ handle is soft and flexible for more control and comfort. The full-sized brush head of white nylon/gold polyester, chisel trim provides good paint capacity for fast coverage with less dipping. Preferred choice for applying latex, acrylics, oils, paints, and stains. Size is 2" L. x 1/2" T.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788960-D	B3211-2"	2" Shortcut Brush	1/9/18	.178	5.49 EA

**Wooster Brush**

**Ultra/Pro® Lindbeck® Angle Sash Brush** - Longer length purple nylon/sable polyester filament blend makes this an excellent warm-weather brush for humid conditions. Provides professional, efficient production with all coatings, from interior acrylics to exterior alkyds. Treated maple wood sash handle for added reach and control.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771351-D	4174-1-1/2	1-1/2" sash	1/0/6	.173	10.49 EA
771375-D	4174-2	2" sash	1/0/6	.232	11.49 EA
771382-D	4174-2-1/2	2-1/2" sash	1/0/6	.330	14.29 EA
771399-D	4174-3	3" sash	1/0/6	.425	17.79 EA
788823-D	4177-2-1/2	2-1/2" sable angle varnish	1/0/6	.332	15.79 EA



**Wooster Brush**

**Ultra/Pro® Shergrip™ Brush** - With high-quality solid, round, tapered filaments, the purple nylon/polyester blend provides superior paint capacity, durability, and clean-out. Finely tipped ends provide a smooth finish and controlled cutting ability. The patented Green Shergrip™ handle made of a unique elastomeric material provides a softer grip. The handle resists swelling and cracking from water and resists most common painting solvents. The nonslip surface adds control while reaching or cutting-in. Rust-resistant steel ferrule. Use with all water-based or oil-based paints, enamels, and 1-part epoxies.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788830-D	4184-2	2" angle sash	1/0/6	.257	11.49 EA
788854-D	4184-2-1/2	2-1/2" angle sash	1/0/6	.333	14.29 EA
788861-D	4184-3	3" angle sash	1/0/6	.467	17.79 EA
788878-D	4185-3	3" wall, Jaquar	1/0/6	.490	19.99 EA

**Wooster Brush**

**Cutter™ Flat Sash Brush** - Triple thick flat sash brush with Kaiser handles measure 3/4" thick instead of the standard 9/16" thickness. Black China bristles with soft formulation provides a fine touch. Round rust-resistant steel ferrule. Treated maple wood handle has an oval-shaped neck that tapers to a round, dowel-like tip. Preferred choice for applying all oil-based coatings including alkyd paints, enamels, urethanes, and varnishes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788885-D	Z1202-2"	2" Cutter Brush	1/0/6	.240	10.29 EA

**Wooster Brush**

**Lindbeck Silver/Tip® Angle Sash Brush** - Angle sash brushes have long, thin, untapered handles. The length and uniform thickness of the handles allow the painter to easily turn the brush and reach into corners. It provides extra control when painting narrow surfaces, while cutting-in next to the ceiling line, and for tracing or striping around sash and trim. Special features of the Lindbeck Silver/Tip® include: White chiseled China bristle, soft formulation (velvet feel), round rust-resistant steel ferrule and treated maple wood handle. White China bristles may be used with oil-based paints, stains, and varnishes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783579-D	Z1222-2	2" W. x 2-15/16" L. x 9/16" T. bristles	1/0/6	.232	9.79 EA
783587-D	Z1222-2-1/2	2-1/2" W. x 3-3/16" L. x 5/8" T. bristles	1/0/6	.340	12.49 EA

**Wooster Brush**

**White Majestic™ Varnish Brush** - Varnish-style brushes have a unique diamond-cut handle end and a characteristic shoulder above the ferrule. Special features of the White Majestic™ are: Chiseled white China bristles, soft formulation (velvet feel), round rust-resistant steel ferrule, and treated maple wood handle. May be used with oil-based paints, stains, or varnishes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783617-D	L1104-2-1/2	2-1/2" W. x 3-3/16" L. x 5/8" T. bristles	1/0/6	.320	12.29 EA
783625-D	L1104-3	3" W. x 3-7/16" L. x 11/16" T. bristles	1/0/6	.398	13.29 EA

**Wooster Brush**

**Ultra/Pro® Extra-Firm Blend Jaguar Wall Paint Brush** - These brushes feature an extra-firm blend with a strong touch. Made with a combination of purple NylonPlus™ (a new generation of nylon filament) and purple and black nylon. They provide unbeatable performance wherever a stiffer brush is needed. Great for all thick, heavy coatings such as exterior paints. Maintains a sharp edge - even in hot, humid conditions. Carries more paint to the wall and cleans up fast when done. The Jaguar treated maple wood handle provides good balance. Use with all acrylic, latex, and alkyd paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784379-D	4156-3	3" W. x 3-7/8" L. x 7/8" T. bristles	1/0/6	.487	20.49 EA
784388-D	4156-4	4" W. x 3-15/16" L. x 7/8" T. bristles	1/0/6	.657	29.49 EA

**Purdy Corp.**

**OX-O-Angular Sash Brush** - An ultra fine finish/varnish and enamel brush featuring ox hair angular bristles. Long trim handle is made of natural wood. Square edge, stainless steel ferrule. Size: 2-1/2", thickness: 1/2", length out: 2-3/8".

**NOTE:** Professional quality paint brushes are made with the finest natural bristles available. Because ox-hair and white china bristles are softer and more supple than the black china, they are particularly effective with oil-base products where an extremely smooth surface finish is desired.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788083-C	296025	2-1/2" Ox-o-ang Brush	1/0/6	3.500	25.99 EA

# PAINT

# PAINT BRUSHES/ROLLERS

## Purdy Corp.

**Pro-Extra Brushes** - Bristles are a blend of 3 components. Nylon for softness and ease of paint flow, Chinex™ for faster clean up with self-flagging tip, and polyester for stiffness retention. Extra length-out and thickness of the filament provides extra wear and paint holding capacity. Stainless steel ferrule and alderwood handle. Designed for all exterior paints and medium to heavy bodied interior flat paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788779-C	400730	Swan 3" wide, length 3-11/16", thickness 7/8"	1/0/6	.482	24.99 EA
788786-C	100725	Elasco 2-1/2" wide, length 3-7/16", thickness 3/4"	1/0/6	.335	21.49 EA
788793-C	152725	Glide 2-1/2" wide, length 3-3/16", thickness 5/8"	1/0/6	.335	19.49 EA
788809-C	152730	Glide 3" wide, length 3-7/16", thickness 5/8"	1/0/6	.403	22.99 EA

## Purdy Corp.

**XL-Swan Brush** - Natural, beavertail handle. Squared edge, brushed copper ferrule. Polyester Blend Bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776930-C	400330	Size: 3", thickness: 7/8", length out: 3-3/8"	1/0/6	.344	22.49 EA
776958-C	400340	Size: 4", thickness: 7/8", length out: 3-7/8"	1/0/6	.599	29.99 EA

## Purdy Corp.

**XL-Sprig Brush** - Natural, beavertail handle. Round edge, brushed copper ferrule. Polyester blend bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776976-C	380320	Size: 2", thickness: 9/16", length out: 2-11/16"	1/0/6	.203	13.49 EA
776985-C	380325	Size: 2-1/2", thickness: 5/8", length out: 2-15/16"	1/0/6	.247	15.99 EA
776994-C	380330	Size: 3", thickness: 5/8", length out: 3-3/16"	1/0/6	.359	17.99 EA

## Purdy Corp.

**XL-ELASCO Brush** - Natural, flat handle. Square edge, brushed copper ferrule. Polyester blend bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777038-C	100320	Size: 2", thickness: 11/16", length out: 2-15/16"	1/0/6	.258	15.99 EA
777047-C	100330	Size: 3", thickness: 3/4", length out: 3-7/16"	1/0/6	.425	21.99 EA

## Purdy Corp.

**XL-Bow Brush** - Natural, flat handle. Round edge, brushed copper ferrule. Polyester blend bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777001-C	064320	Size: 2", thickness: 9/16", length out: 2-11/16"	1/0/6	.221	13.99 EA
788045-C	064325	Size: 2-1/2", thickness: 5/8", length out: 2-15/16"	1/0/6	3.843	16.49 EA
777029-C	064330	Size: 3", thickness: 5/8", length out: 3-3/16"	1/0/6	.365	18.99 EA

## Purdy Corp.

**XL-Glide Brush** - Natural fluted handle. Round edge, brushed copper ferrule. Polyester blend bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788052-C	152315	Size: 1-1/2", thickness: 1/2", length out: 2-7/16"	1/0/6	4.500	12.49 EA
777074-C	152320	Size: 2", thickness: 9/16", length out: 2-11/16"	1/0/6	.229	14.99 EA
777092-C	152325	Size: 2-1/2", thickness: 5/8", length out: 2-15/16"	1/0/6	.307	16.99 EA
777109-C	152330	Size: 3", thickness: 5/8", length out: 3-3/16"	1/0/6	.385	19.99 EA

## Purdy Corp.

**XL-Dale Brush** - Natural, long trim handle. Square edge, brushed copper ferrule. Polyester blend bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777261-C	080310	Size: 1", thickness: 5/16", length out: 1-5/16"	1/0/6	.086	10.49 EA
777289-C	080315	Size: 1-1/2", thickness: 3/8", length out: 2-3/16"	1/0/6	.130	11.49 EA
777341-C	080320	Size: 2", thickness: 7/16", length out: 2-7/16"	1/0/6	.193	13.49 EA
777350-C	080325	Size: 2-1/2", thickness: 1/2", length out: 2-11/16"	1/0/6	.271	15.49 EA
777387-C	080330	Size: 3", thickness: 1/2", length out: 3-1/8"	1/0/6	.318	18.49 EA

## Purdy Corp.

**Nylox-Swan Brush** - Natural, beavertail handle. Square edge, stainless steel ferrule. Nylon filament bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778108-C	400230	Size: 3", thickness: 7/8", length out: 3-3/8"	1/0/6	.438	22.99 EA
778180-C	400240	Size: 4", thickness: 7/8", length out: 3-7/8"	1/0/6	.594	30.99 EA

**PAINT BRUSHES/ROLLERS**

**PAINT**

**Purdy Corp.**

**Nylox-Sprig Brush** - Natural, beavertail handle. Round edge, stainless steel ferrule. Nylon filament bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778199-C	380220	Size: 2", thickness: 9/16", length out: 2-11/16"	1/0/6	.203	13.99 EA
778215-C	380225	Size: 2-1/2", thickness: 5/8", length out: 2-15/16"	1/0/6	.253	16.49 EA
778224-C	380230	Size: 3", thickness: 5/8", length out: 3-3/16"	1/0/6	.354	18.99 EA

**Purdy Corp.**

**Nylox-Elasco Brush** - Natural, flat handle. Square edge, stainless steel ferrule. Nylon filament bristles. Size: 2", thickness: 11/16", length out: 2-15/16."



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778233-C	100220	2" Elasco Brush	1/0/6	.258	16.49 EA

**Purdy Corp.**

**Nylox-Glide Brush** - Natural, fluted handle. Round edge, stainless steel ferrule. Nylon filament bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778288-C	152220	Size: 2", thickness: 9/16", length out: 2-11/16"	1/0/6	.229	15.49 EA
778297-C	152225	Size: 2-1/2", thickness: 5/8", length out: 2-15/16"	1/0/6	.323	17.99 EA
778304-C	152230	Size: 3", thickness: 5/8", length out: 3-3/16"	1/0/6	.391	21.49 EA

**Purdy Corp.**

**Nylox-Dale Brush** - Natural, long trim handle. Square edge, stainless steel ferrule. Nylon filament bristles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778313-C	080210	Size: 1", thickness: 5/16", length out: 1-5/16"	1/0/6	.109	10.99 EA
778359-C	080215	Size: 1-1/2", thickness: 3/8", length out: 2-3/16"	1/0/6	.128	11.99 EA
778368-C	080220	Size: 2", thickness: 7/16", length out: 2-7/16"	1/0/6	.188	14.49 EA
778493-C	080225	Size: 2-1/2", thickness: 1/2", length out: 2-11/16"	1/0/6	.268	16.49 EA
778509-C	080230	Size: 3", thickness: 1/2", length out: 2-15/16"	1/0/6	.315	19.49 EA

**Purdy Corp.**

**Swan Brush** - Natural, beavertail handle. Black China bristle. Square edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777662-C	400030	Size: 3", thickness: 7/8", length out: 3-3/8"	1/0/6	.438	20.99 EA
777671-B	400040	Size: 4", thickness: 7/8", length out: 3-3/4"	1/0/6	.589	27.99 EA

**Purdy Corp.**

**Sprig Brush** - Natural, beavertail handle. Black China bristle. Round edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777680-C	380020	Size: 2", thickness: 9/16", length out: 2-13/16"	1/0/6	.201	12.99 EA
777699-C	380025	Size: 2-1/2", thickness: 5/8", length out: 3"	1/0/6	.357	14.49 EA
777724-C	380030	Size: 3", thickness: 5/8", length out: 3-3/16"	1/0/6	.357	17.49 EA

**Purdy Corp.**

**Elasco Brush** - Natural, flat handle. Black China bristle. Square edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777742-C	100020	Size: 2", thickness: 11/16", length out: 2-15/16"	1/0/6	.268	15.49 EA
777779-C	100025	Size: 2-1/2", thickness: 3/4", length out: 3-3/16"	1/0/6	.339	17.99 EA
777804-C	100030	Size: 3", thickness: 3/4", length out: 3-7/16"	1/0/6	.417	20.99 EA

**Purdy Corp.**

**Extra Oregon Brush** - Natural, fluted handle. Black China bristle. Round edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788038-C	116015	Size: 1-1/2", thickness: 1/2", length out: 2-3/8"	1/0/6	4.500	11.49 EA
777813-C	116020	Size: 2", thickness: 9/16", length out: 2-5/8"	1/0/6	.229	13.99 EA
777822-C	116025	Size: 2-1/2", thickness: 5/8", length out: 2-13/16"	1/0/6	.315	16.49 EA
777831-C	116030	Size: 3", thickness: 5/8", length out: 3"	1/0/6	.375	18.99 EA

**PAINT**

# PAINT

# PAINT BRUSHES/ROLLERS

## Purdy Corp.

**Adjutant Brush** - Natural, long trim handle. Black China bristle. Square edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777840-C	024010	Size: 1", thickness: 5/16", length out: 2-1/8"	1/0/6	.089	8.99 EA
777975-C	024015	Size: 1-1/2", thickness: 3/8", length out: 2-7/16"	1/0/6	.130	10.49 EA
778046-C	024020	Size: 2", thickness: 7/16", length out: 2-5/8"	1/0/6	.195	12.49 EA
778064-C	024025	Size: 2-1/2", thickness: 1/2", length out: 2-13/16"	1/0/6	.279	14.99 EA
778082-C	024030	Size: 3", thickness: 1/2", length out: 3-1/8"	1/0/6	.339	17.99 EA

## Purdy Corp.

**W-Sprig Brush** - Natural, beavertail handle. White China bristle. Round edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777421-C	380420	Size: 2", thickness: 9/16", length out: 2-13/16"	1/0/6	.201	12.49 EA
777564-C	380430	Size: 3", thickness: 5/8", length out: 3-3/16"	1/0/6	.357	16.99 EA
777573-C	380440	Size: 4", thickness: 11/16", length out: 3-5/8"	1/0/6	.526	21.99 EA

## Purdy Corp.

**W-extra oregon Brush** - Natural, fluted handle. White China bristle. Round edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777635-C	116425	Size: 2-1/2", thickness: 5/8", length out: 2-13/16"	1/0/6	.315	14.99 EA
777653-C	116430	Size: 3", thickness: 5/8", length out: 3"	1/0/6	.375	17.49 EA

## Purdy Corp.

**W-Adjutant Brush** - Natural, long trim handle. White China bristle. Square edge, stainless steel ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777591-C	024420	Size: 2", thickness: 7/16", length out: 2-5/8"	1/0/6	.229	11.99 EA
777608-C	024425	Size: 2-1/2", thickness: 1/2", length out: 2-13/16"	1/0/6	.273	14.49 EA

## Purdy Corp.

**Wood Handle Roller** - Professional quality roller frame provides rugged durability and extremely easy rolling. Features an alderwood handle, a wide throat for high pile covers, bucket holder, finger grooves, reinforcing ring, and an all metal threaded extension pole insert. Has a 5-wire cage and is made with 5/16" nicked rod. 9" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778590-C	744009	9" Roller Frame	1/0/12	1.167	12.99 EA

## Purdy Corp.

**Utility Roller** - A quality roller frame with a smaller cage diameter for hard to reach areas. Use to paint behind toilets and appliances or small areas. Frame is packed with a 3/8" nap roller cover model No. 606062 replacement roller cover. Roller frame is 6-1/2" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778607-C	763024	24" handle	1/0/12	.667	9.29 EA
778616-C	764092	9" handle	1/0/12	.396	8.29 EA

## Purdy Corp.

**Utility Roller Replacement Cover** - Replacement roller cover designed only for use with the Purdy Crane utility roller, model No. 763024 and 763092. Cover is 6-1/2" wide with a 3/8" nap. Packaged 2 covers per pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784592-C	606062	6-1/2x3/8 Crane Cover	1/0/12	.167	7.99 PK

## Purdy Corp.

**Bluebird Roller Cover** - Deluxe polyester roller cover for use on interior and exterior smooth surfaces. Recommended for use with water or oil-based paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788113-C	604072	3/8" pile x 7" W.	1/0/24	.208	4.29 EA

## PAINT BRUSHES/ROLLERS

## PAINT

### Purdy Corp.

**White Dove Roller Cover** - Deluxe dralon. All-purpose for latex, oil, and enamels.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788144-C	670072	3/8" pile x 6-1/2" W.	1/0/24	.208	4.29 EA
778518-C	662091	1/4" pile x 9" W.	1/0/24	.250	4.29 EA
778527-C	670092	3/8" pile x 9" W.	1/0/24	.250	4.79 EA
778554-D	670093	1/2" pile x 9" W.	1/0/24	.250	5.29 EA

### Purdy Corp.

**Golden Eagle Roller Covers** - High-density polyester. Carries a large amount of material and releases evenly. Use with oil or water-based flat paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778563-C	608093	1/2" pile x 9" W.	1/0/24	.250	4.99 EA
778572-C	608094	3/4" pile x 9" W.	1/0/24	.333	5.29 EA
778581-C	608095	1" pile x 9" W.	1/0/24	.333	5.99 EA

### Purdy Corp.

**Swallow Roller Covers** - Standard polyester. For use with oil or latex based enamels and flat paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779075-C	666092	3/8" pile x 9" W.	1/0/24	.250	4.29 EA
779172-C	666093	1/2" pile x 9" W.	1/0/24	.250	4.49 EA
779180-D	666094	3/4" pile x 9" W.	1/0/24	.333	4.79 EA

### Purdy Corp.


**3 Pack White Dove Roller Cover** - Professional quality roller covers featuring solvent-resistant phenolic cores. Features a perfect spiral seam for smooth rolling with no swerving and a precise bevel to eliminate tracking. Double cleaned to eliminate fibre shedding. Made of deluxe dralon to use with latex, oil, and enamels. 9" x 3/8" nap bulk 3 pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783029-C	863000	3pk 3/8" Roller Covers	1/0/64	.734	11.99 PK

### Purdy Corp.

**Brush Comb** - A valuable tool for effective cleaning of all paints from the heel of the brush. Helps continue top performance from the brush and prolongs its useful lifespan.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778634-C	068010	Brush Comb	1/0/12	.081	6.99 EA

### Wooster Brush

**Super/Fab® Roller Cover** - Contractors' all-time favorite roller cover. Exclusive 3-fiber blended fabric provides exceptional capacity for faster, more even coverage. Extra strong Sherlock® core is impervious to solvents and withstands prolonged soaking. Full production with all flat paints (acrylics, latex, alkyds), stains, and sealers. 18" cover will fit model No. BR045 and BR047 frames.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793520-D	R239-4	4" cover, 3/8" nap	1/0/12	.103	2.29 EA
793544-D	R241-4	4" cover, 3/4" nap	1/0/12	.111	2.99 EA
788922-D	R241-18	18" cover, 3/4" nap	1/0/6	.603	12.29 EA

### Wooster Brush

**Painter's Choice™** - Mint green good-quality fabric for all flat paints. Bargain bag contains 6 roller covers with phenolic cores. 4" cover, 3/8" nap.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793551-D	R271-4	4x1/2 Roller Cover	1/0/12	.383	7.79 PK

### Wooster Brush

**50/50™ Roller Cover** - Golden yellow fabric blend of 50% lambswool and 50% polyester for 100% performance in flat paints, stains, and sealers. Wool provides maximum paint capacity and a smooth finish; polyester reduces matting in warm weather or when using latex paints. 1/2" nap.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788908-D	R295-9	9" cover	1/0/10	.238	5.29 EA
793568-D	R295-4	4" cover	1/0/12	.103	2.79 EA

PAINT

**Wooster Brush**

**The Primer™ Roller Cover** - Professional's choice roller for applying all primers, latex, and oil. Use with stain-killing, bonding, or vapor blocking primers. The shed-resistant fabric provides a smooth base coat and maximum hiding power. Recommended for medium surfaces such as drywall, plaster, smooth wood, and paneling. 9" x 3/8" pile nap.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773020-D	R201-9	9" Primer Roller Cover	1/0/12	.148	3.49 EA

**Wooster Brush**

**3" Trim Roller Cover** - Deluxe trim rollers packaged in convenient 2 pack. Sturdy plastic core with 3/8" nap fabric cover for smooth surfaces. Fits Z-Pro's model No. 805 roller frame. Perfect size to trim door and window frames and tight spaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773079-D	R282-3"	2pk 3" Roller Cover	1/0/12	.110	3.49 PK

**Wooster Brush**

**Super Doo-Z® Roller Cover** - Shed-resistant high-density white fabric for flat, velvet, and semigloss paints or oil primers. Dense fibers reduce spattering and dripping. Phenolic core. Use Sherlock Wide Boy frame model No. BR045 and BR047-18 for the 18" roller cover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793575-D	R203-4	4" cover, 3/4" nap	1/0/24	.076	3.29 EA
793599-D	R204-4	4" cover, 1/2" nap	1/0/24	.065	2.49 EA
793605-D	R205-4	4" cover, 3/8" nap	1/0/24	.062	2.29 EA
773830-D	R205-9	9" cover, 3/8" nap	1/0/12	.147	3.99 EA
773848-D	R206-9	9" cover, 3/16" nap	1/0/12	.137	3.49 EA
788939-D	R205-18	18" cover, 3/8" nap	1/0/6	.360	9.99 EA

**Wooster Brush**

**Doo-Z® Roller Cover** - Shed-resistant white fabric for smooth results. Specifically designed for gloss paints and enamels. High-density fibers reduce spattering and dripping for a cleaner job. Phenolic core. 4" cover, 3/16" nap.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793629-D	R206-4	4x3/16 Roller Cover	1/0/24	.059	1.79 EA

**Wooster Brush**

**Mohair Blend Roller Cover** - Shed-resistant white mohair fabric for a virtually line-free finish with all paints, enamels, urethanes, and epoxies. Blended fibers provide natural painting qualities with added resiliency. Thick professional phenolic core. 4" cover, 1/4" nap.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793636-D	R207-4	4x1/4 Roller Cover	1/0/12	.087	2.49 EA

**Wooster Brush**

**Candy Stripe™ Roller Cover** - This colorful 1/4" nap 9" roller cover is made of shed-resistant mohair fabric for all oil-based paints, enamels, urethanes, and epoxies. For use on smooth surfaces. Cover has a durable phenolic core. The red and white candy-stripe appearance adds extra sales appeal.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787734-D	R209-9	9x1/4 Roller Cover	1/0/12	.167	4.49 EA

**Wooster Brush**

**Pro Tiz® Roller Cover** - This 9" roller provides a super smooth finish with minimal stipple. The 3/16" nap of high-capacity yellow foam gives a lintless finish with all oil-based paints, varnishes, and urethanes. Centered with a thick professional phenolic core.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787741-D	R265-9	9x3/16 Roller Cover	1/0/12	.108	2.79 EA

**Wooster Brush**

**Good Quality Roller Cover** - Bulk packed mint green polyester fabric for flat latex, acrylic, and oil-base paints. Phenolic core. 3/8" nap. For use with model No. BR045 and BR047 18" roller frame.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788915-D	R275-18	18x3/8 Roller Cover	1/0/6	.323	4.99 EA

**Wooster Brush**

**Sherlock® Wide Boy™ Adjustable Roller Frame** - The Wide Boy™ adjusts to hold Wooster roller covers 12" to 18" long, both 1-1/2" standard and 2-1/4" jumbo diameter. Their rigid tubular steel frame resists pressure for excellent results on floors, walls, or ceilings. To reduce fatigue, its extra-strength design weighs less than 1 lb. - 60% less than comparable frames. Includes a handle adapter for the Sherlock GT® poles to match specific job requirements.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788946-D	BR047-18	18" Roller Frame	1/0/3	1.333	29.99 EA

**Wooster Brush**

**Sherlock® Roller Frame** - Quick-release spring prevents roller slippage, yet allows easy 1-rap removal. Fiberglass reinforced cage keeps the roller round. Extremely durable. Smooth internal bearings eliminate shank wear that causes graying and streaking. Chrome-plated 5'16" shank. 4" rollers are perfect for painting house lap siding, small objects, wall or ceiling edging, and trim. They are also the standard size for striping parking lots, factory, and playground areas. Polypropylene grip with reinforced threads for all extension poles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793643-D	R017-4	4" roller pro	1/0/6	.637	9.99 EA
771559-D	R017-9	9" roller pro	1/0/6	.950	10.79 EA

**Wooster Brush**

**Magikage® Traffage Roller Frame** - Sturdy 5-wire cage, built like standard frames, keeps the roller cover round. Galvanized 1/4" shank. Polypropylene grip, threaded for extension pole use. For use with any 4" roller cover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793650-D	R022-4	Cage Roller Frame	1/0/12	.382	3.99 EA

**Wooster Brush**

**Super Trimmer** - Complete trim tool, packed in a colorful bag with header and sell features. Shed-resistant Super-Doo-Z® 3/8" roller provides a smooth finish with all paints and oil primers. Patented Jet® sliding endcap frame. Convenient 4" roller makes it easier to paint lap siding, eaves and soffits, the ceiling line, and other out-of-reach surfaces. Refer to model No. R205-4 for replacement cover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793667-D	R189-4	4" Roller Cover & Frame	1/0/12	.353	5.79 EA

**Shur Line**

**Professional Nylon Polyester Brushes** - Professional quality brushes containing 100% tapered nylon and polyester blend bristles for use in all paints and finishes. Handcrafted construction result in top-quality performance. Other brush features include hardwood handles, satin nickel finish, rust-resistant ferrules and color coded cardboard keepers with velcro closures. A = Angle Sash. FS = Flat Sash. V = Varnish.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780820-C	00911	Length: 2-3/4", width: 2" A, thickness: 9/16"	1/0/6	.175	9.79 EA
780839-C	00912	Length: 3", width: 2-1/2" A, thickness: 5/8"	1/0/6	.192	11.79 EA
780847-C	00907	Length: 3", width 2" FS, thickness: 9/16"	1/0/6	.175	9.29 EA
780855-C	00908	Length: 3-1/4", width: 2-1/2" FS, thickness: 5/8"	1/0/6	.192	10.99 EA
780812-C	00903	Length: 3-1/2", width: 3", thickness: 13/16"	1/0/6	.267	14.99 EA
780871-B	00905	Length: 4-1/4", width: 4", thickness: 1"	1/0/6	.267	18.99 EA

**Shur Line**

**Professional Natural China Bristle Brushes** - Professional quality brushes containing 100% natural black china bristle for use in oil (ALKYD) paints, stains and finishes. Handcrafted construction assures top-quality performance. Other brush features include hardwood handles, satin nickel finish, rust-resistant ferrules and color coded cardboard keepers with velcro closures. A = Angle Sash. FS = Flat Sash. V = Varnish.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780901-D	00931	Length: 2-3/4", width: 2" A, thickness: 9/16"	1/0/6	.175	10.29 EA
780928-D	00932	Length: 3", width: 2-1/2" A, thickness: 5/8"	1/0/6	.192	12.29 EA
780936-D	00927	Length: 3", width: 2" FS, thickness: 9/16"	1/0/6	.175	9.99 EA
780944-D	00928	Length: 3-1/4", width: 2-1/2" FS, thickness: 5/8"	1/0/6	.192	11.99 EA
780898-C	00923	Length: 3-1/2", width: 3", thickness: 13/16"	1/0/6	.375	15.99 EA
780952-C	00925	Length: 4-1/4", width: 4", thickness: 1"	1/0/6	.667	19.99 EA

**PAINT**

# PAINT

# PAINT BRUSHES/ROLLERS

## Shur Line

**Professional Roller Cover** - Top-quality, 100% polyester fabric with maximum density and resiliency. Super strength polypropylene core. Fabric is thermally fused to core. Provides the look and feel of lambswool with durability of synthetic. Covers are 9" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772623-F	07704	1/2" nap	1/0/12	.208	5.29 EA
772631-F	07705	3/4" nap	1/0/6	.242	5.99 EA
772682-F	07706	1" nap	1/0/6	.250	6.99 EA
772690-F	07707	1-1/4" nap	1/0/6	.230	7.29 EA

## Shur Line

**Professional Roller Frame** - Professional quality roller frame that provides rugged durability and extremely easy rolling. Features a plastic handle with finger grooves, a reinforcing ring. Has a wide throat for high pile covers and a 5-wire cage. Made with 5/16" nickled rod. 9" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794545-D	50250	9" Pro Roller Frame	1/0/12	.870	3.99 EA

## Shur Line

**Paint Brush** - Formulated black polyester bristles. Chisel trimmed, fully processed brush tip. Ivory plastic handle and tin plated ferrule. Use with all types of paint. Utility grade.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788936-F	50646	1"	1/0/12	.083	1.79 EA
788945-F	50647	1-1/2"	1/0/12	.099	2.29 EA
788954-F	50648	2"	1/0/12	.141	2.49 EA
783209-F	50649	3"	1/0/6	.271	4.79 EA
783227-F	50650	4"	1/0/6	.386	5.99 EA
783156-D	50629	1-1/2" flat sash	1/0/12	.115	3.29 EA
783165-D	50630	2" flat sash	1/0/12	.156	3.99 EA

## Shur Line

**Paint Brush** - 100% black china bristle for use in oil-base paints, stains and varnishes. Yellow plastic handle and tin plated ferrule. Utility uses.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788570-E	EA50636	Length: 1-3/4", width: 1", thickness: 3/8"	1/0/12	.083	1.79 EA
788589-D	EA50637	Length: 2", width: 1-1/2", thickness: 7/16"	1/0/12	.117	2.29 EA
788632-D	EA50638	Length: 2", width: 2", thickness: 1/2"	1/0/12	.133	2.79 EA
773005-D	EA50639	Length: 2-1/4", width: 3", thickness: 9/16"	1/0/6	.317	4.99 EA
773238-D	EA50640	Length: 2-1/2", width: 4", thickness: 11/16"	1/0/6	.400	7.29 EA

## Shur Line

**Paint Brush** - Synthetic polyolefin filament bristles. Square trimmed, processed tip. Black plastic handle. Not recommended for One Coat™ paints. For use with strippers and adhesives.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772131-F	EA50694	1/2" W. x 1/4" thick x 1-3/4" L.	1/0/36	.028	.49 EA
772140-F	EA50695	1" W. x 5/16" thick x 1-3/4" L.	1/0/36	.049	.59 EA
772159-F	EA50696	1-1/2" W. x 5/16" thick x 1-3/4" L.	1/0/36	.066	.69 EA
772168-F	EA50697	2" W. x 5/16" thick x 1-3/4" L.	1/0/24	.088	.79 EA
772186-E	EA50699	3" W. x 3/8" thick x 1-3/4" L.	1/0/12	.150	.99 EA



**Professional Lightweight Roller Frame** - This top-quality 5-wire cage frame features a thick 5/16" steel shaft with standard Acme threads. Uses a standard 9" roller cover. Lightweight aluminum frame and cage with large soft grip handle provide added work comfort.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797283-D	8600	9" Roller Frame	1/0/12	.642	3.99 EA



## PAINT BRUSHES/ROLLERS

## PAINT




**Z-Pro® Roller Cover** - 9" polyester cover. 4-ply reusable phenolic solvent-resistant core. Not recommended for use with semi-gloss or gloss enamels and paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772358-D	734	1/4" nap	1/0/36	.125	1.49 EA
772365-D	735	3/8" nap	1/0/36	.133	1.49 EA
772389-E	736	1/2" nap	1/0/12	.150	1.79 EA
772396-D	737	3/4" nap	1/0/12	.167	1.99 EA
772419-D	738	1-1/4" nap	1/0/12	.192	2.29 EA



**Twin Pack Roller Covers** - Polyester covers. Cardboard core. 9" x 3/8". Not recommended for use with semi-gloss or gloss enamels and paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772433-E	741	2pk 3/8" Roller Cover	1/0/18	.194	1.79 EA



**Tri-Pack Roller Covers** - 3-ply phenolic solvent-resistant core. 9" x 3/8" nap. Polyester covers. Not recommended for use with semi-gloss or gloss enamels and paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772440-D	1730	3pk 9x3/8 Roller Cover	1/0/60	.205	2.99 PK



**6 Pack Roller Covers** - 3-ply phenolic solvent-resistant core. 9" x 3/8" nap. Polyester covers. Not recommended for use with semi-gloss or gloss enamels and paints.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772457-D	1710	6pk 9x3/8 Roller Cover	1/0/32	.547	5.99 PK



**Premium Quality Roller Frame** - Heavy-duty 9", 5-wire cage frame with 5/16" diameter rod. Threaded handle is reinforced with a metal ferrule. Made to meet the demands of everyday use and provide professional quality performance.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780960-E	800	9" Pro Roller Frame	1/0/24	.871	2.29 EA



**Deluxe Quality Roller Frame** - Deluxe quality 9", 5-wire cage frame with 1/4" diameter rod. Threaded handle is reinforced with a metal ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788277-F	801	9" 5-wire Roller Frame	1/0/24	.550	1.99 EA



**Good Quality Roller Frame** - Good quality, 4-wire cage frame with 1/4" diameter rod. Threaded handle. Available in 4 sizes. Use standard roller covers. For 3" frame refer to model No. 205 for roller cover. For 4" frame refer to model No. 209 for roller cover. For 7" frame refer to model No. 07907 for roller cover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787606-E	799	9" wide	1/0/24	.552	1.79 EA
788268-E	803	7" wide	1/0/24	.496	1.59 EA
786608-E	804	4" wide	1/0/24	.368	1.39 EA
770160-E	805	3" wide	1/0/24	.322	1.29 EA

PAINT

We will gladly special order any items you require, and we can ship most non-stocked items next day!

# PAINT



**Paint Brush** - A utility quality paint brush for use with all types of paints. Made with 100% polyester bristles and black plastic handle.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
798738-E	808	1-1/2"	1/12/144	.113	1.29 EA
798754-F	806	2"	1/12/144	.161	1.79 EA
798762-F	810	3"	1/12/144	.245	2.49 EA



**Chip Brush** - Made with white natural bristles for use with oil-based paints, stains, and finishes. Also excellent for use as parts cleaning brushes or to apply adhesives. Sanded wood handle and tin plated ferrule.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774282-F	890	1/2"	1/36/864	.028	.39 EA
774291-F	891	1"	1/36/864	.042	.49 EA
774647-F	892	1-1/2"	1/36/864	.056	.59 EA
774656-F	893	2"	1/24/432	.075	.69 EA
774745-F	894	2-1/2"	1/24/432	.108	.79 EA
774754-F	895	3"	1/24/432	.125	.99 EA
774763-E	896	4"	1/12/144	.300	1.99 EA



**RAM Columbia Soletec™ Brushes** - A premium professional brush that features solid round Soletec™ filament and polyester filament for smoother paint release and durability. Use with all paints. Stainless steel ferrule mounts the red filament bristles to the *Beavertail* style wood handles.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773467-F	4102	1-1/2" flat sash brush	1/12/144	.011	5.99 EA
773475-F	4103	2" flat sash brush	1/12/144	.017	7.99 EA
773483-F	4105	2-1/2" flat sash brush	1/12/144	.024	9.99 EA
773491-F	4106	3" wall brush	1/12/144	.036	11.99 EA
773509-F	4110	2" angle sash brush	1/12/144	.017	7.99 EA
773517-E	4111	2-1/2" angle sash brush	1/12/144	.024	9.99 EA
773525-E	4113	3" angle sash brush	1/12/144	.036	11.99 EA

# PAINT BRUSHES/ROLLERS

## Shur Line

**Shur Line® Premium™ Roller Cover** - The fastest, smoothest roller cover for guaranteed 1 coat coverage. Exclusive formulated fabric picks up and delivers more paint to the surface for better coverage. Also covers 25% more area per loading which makes the job go faster. Constructed with a thicker, premium core for greater durability. 9" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794411-D	07800	1/4" nap, smooth surface	1/0/12	.162	4.29 EA
794420-D	07801	1/2" nap, semi-smooth surface	1/0/12	.190	4.29 EA

## Shur Line

**General-Purpose Roller Covers** - Quality fabric gives excellent results with all paints. Nap sizes to effectively cover smooth and semi-smooth surfaces only. 9" plastic thermobond core.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794465-D	50526	For smooth surface	1/0/12	.143	2.99 EA
794466-D	50528	For semi-smooth surface	1/0/12	.150	2.99 EA

## Shur Line

**Roller Cover** - Standard quality cover for use with all paints. 3/8" nap length best suited for semi-smooth surfaces. Plastic thermobond core. 9" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788259-D	EA50550	3/8" Nap Roller Cover	1/0/12	.167	2.29 EA

## Shur Line

**Bulk Packed Roller Cover** - Quality fabrics for all paints. Strong cores on *best* covers allow covers to be cleaned and reused. Bulk packed for price image effect and competitive prices. Check grade and nap sizes below. All bulk packed roller covers listed below are 9" width.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773867-E	MD50372	1/4" nap	1/0/12	.108	2.49 EA
773859-E	MD50373	3/8" nap	1/0/12	.125	2.49 EA
773832-E	MD50374	1" nap	1/0/12	.200	3.29 EA

**Shur Line**

**Texture Cover** - For heavy texture effect. Features woven strands of vinyl that create dramatic textures by lifting paint to peaks. Plastic thermobond core. 9" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777010-D	13000	9" Texture Roller Cover	1/0/10	.167	6.49 EA

**Trimaco LLC**

**Painter's Mitt** - Time-saving paint applicator. Ideal for painting pipes, ornamental iron, fire escapes, screens, columns, radiators...anywhere normal brush or roller painting proves difficult. Great for clean up jobs, too. May be used with all types of paint. Polyethylene interliner makes mitt leak-resistant and keeps hands clean, comfortable and dry. Mitt is reversible.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773344-D	10901	Painter S Mitt	1/0/12	.194	2.79 EA

**Trimaco LLC**

**Painting Sponge** - A natural grass sea sponge ideal for faux finishing, decorative painting and long-lasting clean up.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778672-D	10136	5" to 6"	1/0/24	.167	5.49 EA
779466-C	10131	6" to 7"	1/0/12	.167	7.99 EA

**Intex Supply Co.**

**Painting And Texturizing Sponge** - A synthetic painting and texturizing sponge in a 5-1/2" to 6" size. Just the right size and softness for sponge painting and texturizing. Also used for marbleizing, stippling, and antiquing.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785617-D	SP-5560	Painting Sponge	1/0/24	.146	2.79 EA

**Shur Line**

**Do it Best® Mini Trim Roller** - A quality 3" wide roller for painting small areas on smooth to semi-smooth surfaces. Features end cap and wing nut construction and handle is threaded for use with an extension pole. Packaged on a card and includes a medium length nap roller cover. Refer to model No. 78110 for replacement roller covers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770558-D	78109	3" Mini Trim Roller	1/0/4	.210	2.79 EA

**Shur Line**

**Do it Best® Tiny Trim Roller** - Disposable 3" roller for painting small areas on semi-smooth surfaces. Includes 1 medium nap cover. For replacement roller covers order model No. 78110.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793612-D	78111	3" Tiny Trim Roller	1/0/4	.110	1.99 EA

# PAINT

# PAINT BRUSHES/ROLLERS

## Shur Line

**Shur Line® Professional Line Marker Refil** - May be used in all paints polypropylene core. 3/8" smooth nap 4" roller fits model No. 03450 line marker frame.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787663-E	03460	4" Line Marking Covers	1/0/10	.133	2.29 EA

## Shur Line

**Roller Cover** - For use with model No. 78111 3" tiny trim frame roller. Will also fit on model No. 78109 and 78432 frames. May be used in all paints. Polypropylene core. 3/8" nap. Professional quality. Durable. 2 per pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770142-E	78110	2pk 3" Mini Trim Covers	1/0/4	.075	2.99 PK

## Shur Line

**Shur Line® 3" Roller** - For areas too small for larger rollers. Excellent for touch ups and small jobs such as cupboards, closets, furniture, toys, fences, etc. Removable cover for easy cleaning or replacement. Sturdy plastic frame. Packaged for impulse sales in blister which will serve as a handy paint tray. 3" roller cover. Refer to model No. 03100 for replacement cover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791815-D	03000	3" Roller And Tray	1/0/10	.146	2.99 EA

## Shur Line

**Shur Line® Replacement Cover** - Refer to model No. 03000 for 3" roller model No. 03000. 2 per package. Color: Green.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791824-D	03100	2pk 3" Replace Covers	1/0/10	.111	2.79 CD

## Shur Line

**Paint Tray** - Made of durable, lightweight structural plastic. Fits most ladders and comes with built-in brush rest. Color is grey. For 7" and 9" rollers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772615-D	50095	Plastic Paint Tray	1/0/6	.580	2.99 EA

## Shur Line

**9" Deluxe Metal Tray** - Durable finish. Rolled edges. Ladder hooks. Holds 7" and 9" rollers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788455-E	50265	9" Standard Metal Tray	1/0/6	.920	3.49 EA



**Tray Liner** - A sturdy solvent-resistant plastic tray liner for consumers or professionals. Measures 11-3/4" x 15-3/4" x 2-1/4". Refer to model No. 24 and 25 for paint trays.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775876-D	22	Solvent Tray Liner	1/0/48	.113	.59 EA

## PAINT TRAYS

## PAINT

### Shur Line

**Deepwell Metal Paint Tray** - Sturdy deluxe metal tray with rolled edges and rigid ladder hooks. For 7" or 9" rollers. Extra deep well holds more paint for those large jobs. Uses model No. 50088 tray liner.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776397-D	50267	9" Deepwell Metal Tray	1/0/6	1.333	4.79 EA

### Leaktite Corp.

**Plastic Deep Well Tray** - For use with 9" or less rollers. Holds up to 3 quart of paint. Rugged polypropylene construction has built-in flexibility for easy latex clean up with no rusting. Reinforced legs are rigid for positive mount on ladder rung or resting on floor. Uses model No. 75 tray liner.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791389-D	45	Plastic Deep Well Tray	1/0/12	.833	3.29 EA

### Wooster Brush

**Big Ben Tray** - Big 21" polypropylene tray provides roll-off area for 18" frames. 1 gallon working capacity saves time. Resists solvents such as driveway sealers and paint build up. Handy edge compartments hold brushes and tools.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794978-D	BR412-21"	21" Paint Tray	1/0/6	2.490	14.49 EA

### Shur Line

**3 Way Paint Tray** - Perfect paint tray for any painting situation. Has handy 2 quart capacity. Versatile design allows tray to rest on floor, attach to stepladder or hang securely on an extension ladder. Rugged polypropylene construction.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785822-C	12000	3-way Poly Paint Tray	1/0/5	1.100	7.49 EA



**Roller Grid** - A necessary tool when painting with a roller from 5 gallon pails. When roller rolls across sturdy metal grid, excess paint is removed and paint is distributed evenly on roller cover to assure even application on painting surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773891-D	881	5gal Metal Roller Grid	1/0/36	.533	1.99 EA

### Leaktite Corp.

**Disposable Plastic Paint Tray Liner** - No mess, no clean up. Just place plastic paint tray liner in metal tray and paint. When painting job is complete toss away liner and paint tray is clean. Designed to fit ShurLine tray model No. 50265.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790400-C	39	Plastic Paint Tray Liner	0/0/50	.100	.69 EA

### Shur Line

**1-Piece Wood Extension Handle** - 48" long with threaded tip.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780417-F	06510	4 Wood Extension Handle	1/0/12	.883	3.29 EA

### Miller Enterprises

**Threaded Handle** - All wood handle with standard thread to fit most squeegee coater brushes, roof brushes, roller frames, etc. 48" L. x 15/16" diameter.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791904-D	248	48" Threaded Handle	1/12/48	.750	2.49 EA

PAINT

**Miller Enterprises**

**Tapered Handle** - All wood handle with tapered end to use with squeegee coater brushes, roof brushes, acid brushes, etc.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772293-F	712	12" L. x 15/16" diameter	1/24/144	.167	.99 EA
788801-D	748	48" L. x 15/16" diameter	1/12/48	.792	2.49 EA

**Wooster Brush**

**Sherlock® Extension Pole** - Hexagonal aluminum inner pole prevents twisting. Rugged fiberglass outer pole. Easily adjusts in 6" increments with the touch of a thumb, then locks securely in place. Universal zinc die-cast threaded tip. Comfortable soft-grip.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771566-D	R053	1' to 2' pole	1/0/6	.898	22.99 EA
771573-D	R054	2' to 4' pole	1/0/6	1.225	24.99 EA
771580-D	R055	4' to 8' pole	1/0/6	2.122	33.99 EA
794930-D	R056	6' to 12' pole	1/0/3	3.193	42.99 EA
794954-D	R057	8' to 16' pole	1/0/3	4.163	51.99 EA

**Wooster Brush**

**Sherlock GT® Convertible Extension Pole** - A special Bayonet Grip Tip™ holds painting tools in place so they cannot twist or loosen. The model No. R042 conversion tip stores in the end of the grip to make all threaded tools GT compatible. It instantly changes tools with 1 push on the fiberglass-reinforced nylon lever. Hexagonal aluminum inner pole prevents twisting; rugged fiberglass outer pole easily adjusts in 6" increments with a touch of the thumb, then locks in place.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771603-D	R090	2' to 4' pole	1/0/6	1.300	31.99 EA
774457-D	R091	4' to 8' pole	1/0/6	2.303	39.99 EA
774465-D	R092	6' to 12' pole	1/0/3	3.333	51.99 EA



**Telescoping Extension Pole** - Fiberglass/aluminum telescoping extension poles provide added reach for those hard to paint areas. Push button action easily releases the lock.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
797306-D	89008	Extends 2' to 4'	1/0/6	1.467	16.99 EA
797313-D	89009	Extends 4' to 8'	1/0/6	2.433	19.99 EA
797320-C	89010	Extends 6' to 12'	1/0/6	3.433	26.99 EA



**Telescoping Extension Pole** - Medium-duty aluminum twist-lock telescoping extension pole. Standard thread.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771082-F	89005	Extends 2' to 4'	1/0/6	1.333	8.49 EA
789119-E	89006	Extends 4' to 8'	1/0/6	1.300	11.49 EA
789127-E	89007	Extends 6' to 12'	1/0/6	1.800	17.99 EA



**Extension Handle** - Combination of fiberglass and aluminum. More durable than fiberglass alone and 40% lighter in weight. Better balanced and more rigid when telescoped. Designed for the professional. 2 sections.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771819-E	89011	Extends 2' to 4'	1/0/6	1.167	11.99 EA
789135-D	89013	Extends 4" to 8"	1/0/6	1.950	17.99 EA
789143-D	89014	Extends 6' to 12'	1/0/6	2.833	23.99 EA
792330-D	89015	Extends 8' to 16'	1/0/6	3.500	29.99 EA

**Allway Tools**

**Extension Brush Holder** - Handy adjustable-angle extender for brushes and tools. Carded.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789194-D	EBH	Extension Brush Holder	1/10/50	.050	4.99 EA

## HANDLES



**Foam Brush With Plastic Handle** - Poly foam brush with plastic handle is excellent for all smooth surfaces. Ideal for the application of paints, enamels, stains, and varnish. Poly-brush smooths out the paint without brush marks. *Not for use with lacquer or shellac.*



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780710-E	51	1"	1/50/500	.017	.29 EA
780729-E	52	2"	1/50/500	.028	.39 EA
780756-F	53	3"	1/40/400	.042	.59 EA
780809-E	54	4"	1/40/400	.067	.69 EA

## Jen Mfg.

**Poly Foam Brush With Wood Handle** - Inexpensive, throw-away applicators that are ideal for the application of enamel, latex, stain, oil paints, and varnish. *Not for use with lacquer or shellac.* Ideal for even inexperienced painters because foam brushes leave no brush marks or loose bristles. Available in 1", 2", 3", and 4" sizes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776432-F	FOAM BRUSH	1" Foam Brush	1/48/864	.021	.39 EA
776424-E	FOAM BRUSH	2" Foam Brush	1/48/480	.035	.49 EA
776416-E	FOAM BRUSH	3" Foam Brush	1/36/360	.042	.59 EA
776408-E	FOAM BRUSH	4" Foam Brush	1/24/192	.071	.69 EA

## Jen Mfg.

**Poly-Roller Cover** - Throw-away roller cover. Fits standard 9", 3", and 4" frames. For use on smooth surfaces. Same special patented urethane foam as poly-brushes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777966-E	9PR	9"	1/24/96	.115	.99 EA
789479-E	3PR	3"	1/24/240	.042	.49 EA
789486-E	4PR	4"	1/24/192	.052	.69 EA

## PAINT

## Shur Line

**Shur Line® Foam Corner Roller** - Angled roller provides fast, 1 step coverage of inside corners. Creates a smooth finish without lint or brush marks. Cleans easily for reuse. No replacement pad available.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793426-D	07170C	Foam Corner Roller	1/0/12	.130	2.49 EA

## Shur Line

**Shur Line® Skinny Trimmer** - Ideal tool for painting behind toilet tanks, appliances, plumbing fixtures, pipes, and ducts. Narrow frame with 24" handle. Holds a 6-1/2" wide foam roller cover. Packed with 1 refill cover. Refer to model No. 07120 for replacement cover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793345-D	07110	6.5x24 Skinny Roller	1/0/10	.655	7.49 EA

## Shur Line

**Shur Line® Trimmer Refill** - 6-1/2" wide foam replacement roller cover for model No. 07110. Packaged 2 per pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793353-D	07120	2pk 6.5" Trimmer Covers	1/0/10	1.220	4.49 PKG

## Shur Line

**Shur Line® Foam Trim Roller** - A 3" wide roller ideal for small areas and touch ups. Use to paint or finish cabinets, mouldings, doors, railings, furniture and more. Refer to model No. 07140 for replacement roller cover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793361-D	07130	3" Foam Trim Roller	1/0/10	.830	1.99 EA

Some products shown may need to be special ordered for your convenience!

# PAINT

# CAULK GUNS

## Shur Line

**Shur Line® Refill Cover** - 3" wide refill cover for model No. 07130. Packaged 2 per pack.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793388-D	07140	2pk 3" Roller Covers	1/0/10	.620	1.99 PKG

## Shur Line

**Shur Line® Paint Grid** - Fits directly into a gallon paint can. Eliminates the need for a paint tray. Designed for use with all Shur Line® QuickPro rollers.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772195-D	03780	Gallon Paint Grid	1/0/20	.073	1.29 EA

## Shur Line

**Shur Line® Exterior Stain Brush** - Capable of holding 3 times as much stain as a 4" brush. Provides excellent results on rough textured shingles, shakes, brick, fences, concrete, patios, decks, siding and masonry. Designed with an extra bristle row for reaching under shingles. Use with latex or oil-based sealers and stains.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793302-D	06800C	Exterior Stain Brush	1/0/8	.665	11.49 EA

## Shur Line

**Do it Best® Interior And Exterior 6" Pad Painter With Static Handle** - Best choice for small interior projects and exterior siding (smooth or semi-rough) surfaces. Completes the paint job faster than the traditional brush or roller. Static handle provides control and fits a standard threaded extension pole. Refer to model No. 78099 or 78100 (rough surface) for replacement pad.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790729-D	78440	6" Static Pad Painter	1/0/3	.467	4.99 EA



**Ratchet Style Caulking Gun** - 1/10th gallon cradle style metal framed caulking gun for all standard size cartridges. Nonslip, ratchet drive ram rod design. Hand fitted grip with high-leverage trigger. **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775110-E	121	10oz Cradle Caulk Gun	1/24/864	1.250	3.29 EA



**Quart Size Caulking Gun** - Powerful ratchet piston rod. For all quart size cartridges. Metal framed gun. **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770366-E	125	Qt Cradle Caulk Gun	1/6/360	2.083	9.49 EA

## Dripless Inc.

**Contractor Grade Quart Size Caulk Gun** - The flow of caulk stops when you stop. As with all dripless guns there is no thumb release, no buttons to push, no special way to click the handle. It's simple and automatic. The model No. CR400 is a professional quality designed gun for daily use and suitable for most caulks and sealants. It features the 29 oz. quart size cradle ratchet drive, ladder hook, and seal punch/cutter. Made of sturdy metal construction and carries a 1 year manufacturer's guarantee.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792071-B	CR400	Qt Ratchet Caulk Gun	1/0/12	2.167	8.99 EA



**Smooth Rod Caulking Gun** - Good quality, consumer priced metal framed gun for all standard size cartridges. Has smooth rod for steady, smooth action and quick release lever stops flow immediately. **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773778-E	792	10oz Cradle Caulk Gun	1/0/24	1.208	2.29 EA



## CAULK GUNS

## PAINT



**Skelton Hex Rod Caulking Gun** - 1-piece metal frame caulking gun designed for strength and durability. Creates 3 times the pressure as standard caulking guns to more easily extrude heavy-bodied or stiff caulks and sealants. Features quick release action to stop the flow of caulk immediately. **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782092-D	789	10oz Skeleton Caulk Gun	1/0/12	1.250	3.79 EA



**Heavy-Duty Caulking Gun** - Heavy-duty, chrome-plated professional quality ratchet style caulking gun. Rugged and dependable for hard use. Has a clean-out feature to remove hardened or excess caulk from the cartridge tip and also has a spout cutter. Model No. 785 also features a D-ring and wrist strap for convenience in carrying. 1/10 gallon. **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773751-E	785	10oz Pro Cradl Caulk Gun	1/0/24	.833	5.29 EA



**Heavy-Duty Caulking Gun** - Heavy-duty, chrome-plated professional quality ratchet style caulking gun. Rugged and dependable for hard use. Has a clean-out feature to remove hardened or excess caulk from the cartridge tip and also has a spout cutter. Model No. 785 also features a D-ring and wrist strap for convenience in carrying. Quart. **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782876-D	127	Qt Pro Cradle Caulk Gun	1/0/6	2.167	9.29 EA



**Professional Caulking Gun** - Professional smooth rod metal framed caulking gun that features a rotating barrel for hard to reach applications, a stop flow feature to avoid dripping and a nozzle clean-out tool. For all standard size cartridges (1/10 gallon). **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778168-D	786	10oz Pro Skelt Caulk Gun	1/0/12	1.333	9.99 EA

## Cox North America

**Wexford II Skeleton Caulking Gun** - A fiberglass reinforced nylon gun designed for maximum durability. Comes complete with a retractable puncture device and ladder/belt hook. Auto release mechanism prevents continued caulk flow when the trigger is released. Nondrip 10 oz. cartridge cradle. Mechanical advantage 7:1. **Made in Britain U.K.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
798347-C	21001	10oz Skeleton Caulk Gun	1/0/12	1.000	6.99 EA

## Cox North America

**Wexford Professional Caulking Gun** - Caulk gun for the professional or quality conscious homeowner. Sturdy die-cast zinc alloy body but lightweight. Compact size for easy storage. Operator controls the extrusion rate with smooth effortless action. Quick pressure release. Convenient spike is attached to puncture tubes. Standard gun. Nondrip 10 oz. cartridge cradle. Mechanical advantage 7:1. **Made in Britain U.K.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786624-C	41001	10oz Skeleton Caulk Gun	1/0/12	1.250	8.49 EA

## Cox North America

**Chilton Professional Caulking Gun** - Caulk gun for professional or industrial use. Sturdy die-cast zinc alloy body but lightweight. Operator controls the extrusion rate with smooth effortless action. Quick pressure release. Barrel rotates for application around corners. Available in both 10 oz. and quart size. Mechanical advantage 12:1. **Made in Britain U.K.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
786616-B	41004	10 oz. cartridge gun	1/0/6	2.000	24.99 EA
786632-B	41002	Quart gun	1/0/3	2.667	27.99 EA

## Cox North America

**Extra Thrust Caulking Gun** - Professional gun with a mechanical advantage ratio 18:1 makes it perfect for medium to high viscosity materials. The rotating barrel is great for corner applications. Constructed of die-cast zinc alloy. Features include; Built-in ladder hook, thumb activated instant pressure release, and sintered steel catch plate. Uses standard 10.3 oz. cartridge. Manufacturer provides 1 year warranty. **Made in Britain U.K.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792802-B	41004-XT	10oz Pro Caulk Gun	1/0/6	1.833	25.99 EA

PAINT

**Dripless Inc.**

**Ergo-Tech Contractor Quart Caulk Gun** - The model No. ETS5000 is engineered to provide superior performance due to its many enhanced features including a precision cutter with a viewing port to check the angle of the cut and an extra-long clean out rod that snaps in place when not in use. The rugged composite construction weighs up to 60% less than other models and has a reinforced cage for extra strength. The ergonomic grip has been designed to keep the wrist in a natural and balanced position for comfort. Features the patented dripless no-drip for bead control. 18:1 ratio is recommended for, but not limited to construction adhesives, polyurethanes, concrete, and masonry sealants. Accommodates 29 oz. cartridges.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772872-C	ETS5000	Qt Composite Caulk Gun	1/0/6	2.167	17.99 EA

**Dripless Inc.**

**Ergo-Tech Industrial Caulk Gun** - The model No. ETS3000 is engineered to provide superior performance due to its many enhanced features including a precision cutter with a viewing port to check the angle of the cut and an extra-long clean out rod that snaps in place when not in use. The rugged composite construction weighs up to 40% less than other models and has a reinforced cage for extra strength. The ergonomic grip has been designed to keep the wrist in a natural and balanced position for comfort. Features the patented dripless no-drip for bead control. 18:1 ratio is recommended for, but not limited to construction adhesives, polyurethanes, concrete, and masonry sealants. Accommodates 10 oz. cartridges.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773032-C	ETS3000	10oz Ergo Caulk Gun	1/0/6	1.500	15.99 EA

**Newborn C/O J. Bierig**

**X-Tender Caulking Gun** - 45" Caulker for subfloors, ceilings, walls, and roofs. Sturdy steel and aluminum construction. Durable hex rod with 7 pull bar. EZ-Thrust and long trigger for greater power extrusion. 1-hand operation with thumb release. 2-in-1 joist guide included. 1/4 gallon barrel holds 32 oz. cartridge. 5 lb. **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783873-B	132	Qt X-tender Caulk Gun	1/4/8	2.688	51.99 EA

**Newborn C/O J. Bierig**

**Caulk Gun Deluxe X-Tender And Adapter** - Increase productivity and save back-breaking bending over and reaching to apply adhesives on floor joists, studs, and overhead joists with the new X-Tender. It measures 45" long with sturdy steel and aluminum construction and only weighs 5 lb. Durable hex rod caulk with 7 pull bar and 2-in-1 joist guide included. Easy 1-hand operation and thumb release. Convenient built-in seal puncture tool and spout cutter. Model No. 377 easily converts from 1/4 gallon to 1/10 gallon with spring loaded piggyback adapter model No. BRP-10 (order separately). **Made in China.**



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790536-B	377	X-Tender	1/0/4	6.750	61.99 EA
790543-B	BRP-10	Adapter	1/0/12	1.000	17.99 EA



**Dow-Corning® Silicone Sealant** - 100% silicone rubber sealant. Forms a waterproof and weatherproof seal that won't crack, crumble or dry out. Resists temperature extremes. For interior and exterior use. Packaged in 3 fl. oz. squeeze tubes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794813-C	00684	Clear	1/0/12	.308	4.29 EA
794821-C	00683	White	1/0/12	.308	4.29 EA



**Dow-Corning® Aquarium Sealant** - 100% silicone sealant for building and repairing aquariums. Sealant stays flexible and will not crack or shrink. Nontoxic to fresh and saltwater fish when cured. Tack free in one hour and is fully cured and bonded in approximately 24 hours. Adheres to most surfaces including glass, nonoily woods, metal, porcelain, ceramic, painted surfaces, many plastics and rubbers. Packaged in a 3 fl. oz. squeeze tube.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
794848-D	00688	2.8oz Aquarium Sealant	1/0/12	.308	4.99 EA

## CAULK



**Titanium™ (Ti) Silicone Sealant** - A revolutionary new 100% silicone product that outperforms most silicones. Ti silicone has superior adhesion on the following substrates: Glass, porcelain, metal, concrete, wood, cedar siding, vinyl siding, aluminum, ABS plastics (tub surrounds), tile, bathtubs, and painted surfaces. Ti fights mold and mildew and has superior flexibility to other silicones. 0% shrinkage. This is a lifetime manufacturer warranted product. Temperature application range: -35° to 140° F. Open time: 10 minutes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781201-C	08671	Clear, 10.1 oz.	0/0/12	.892	5.99 EA
781229-C	08680	White, 10.1 oz.	0/0/12	.892	5.99 EA



**Dow-Corning® Silicone Plus™ Sealant** - A silicone sealant that is paintable and cleans up with soap and water. Offers silicone rubber performance without the odor. Bonds to most construction materials.

Recommended uses include sealing window and door frames, siding, vents, flashings, foundations, showers, sinks, and many more. Concrete sealant.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
778508-C	08675	Concrete Titanium Sealant	0/0/12	1.083	5.99 EA



**Alex Plus® 4 Pack** - The No. 1 selling caulk is now available in a convenient 4 pack. The premium quality, moisture and mildew-resistant latex caulk with silicone is well known by professionals. Use around window or door frames and siding corner joints. Provides excellent adhesion to glass, ceramic, wood, metal, brick, stone, and more. Highly flexible and carries a 35 year durability guarantee. White paintable color. Exceeds ASTM Specification C834-76. 10.5 oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772766-C	18136	4pk Wht Alex Plus Caulk	0/0/6	4.500	7.49 PK

## PAINT



**DAP Paintable Silicone** - Mildew-resistant, 100% silicone rubber sealant. Ideal for the DIY. Provides durable, long lasting flexible seal and excellent adhesion, both indoors and out. Formulated for excellent paint coverage, adhesion, and retention. Easily cleans up with water. Lifetime durability guarantee. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773379-C	08654	10.1 oz.	0/0/12	1.083	6.29 EA



**Silicone Sealant** - 100% silicone rubber sealant. Forms a waterproof and weatherproof seal that won't crack, crumble, or dry out. Resists temperature extremes. For interior and exterior use.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793485-D	08641	Clear	0/0/12	.892	4.29 EA
778494-C	08642	Black	0/0/12	.892	4.99 EA
778486-C	08643	Aluminum	0/0/12	.892	4.99 EA
793476-C	08646	White	0/0/12	.892	4.29 EA
778478-C	08647	Bronze	0/0/12	.892	4.99 EA
799639-C	08649	Almond	0/0/12	.850	4.99 EA



**Butyl-Flex® Gutter And Flashing Sealant** - Butyl rubber formula provides a durable, flexible, watertight seal for gutters, drainspouts, lap joints, flashings, roof vents, aluminum siding, and other metal joints. Stands up to weather and temperature extremes. Meets ASTM Spec. C-1085. 10.1 oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787937-E	18182	White	0/0/12	1.125	4.29 EA
770516-E	18188	Aluminum	0/0/12	1.083	4.29 EA

PAINT



**Side Winder Sealant** - Named the *All Season Sealant* because its unique polymer formulation can be used in temperature extremes of 180° F. to -30° F. It can be applied to wet surfaces even during a rain storm. Provides superior adhesion with no shrinkage and stays flexible. Adheres particularly well to: Vinyl siding, aluminum, cedar siding, hardy board, masonry, metal, and all woods. It can be painted after 2 hours. Properly applied, this product will have lifetime durability with no degradation by heat, moisture, humidity, or movement. Comes in all of the most popular colors and is the product of choice by professional siding installers. Meets ASTM codes C920 Class A. 10.1 fl. oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795005-C	00801	White	1/0/12	1.125	5.79 EA
795012-C	00804	Clay	1/0/12	1.125	5.79 EA
795029-C	00807	Light grey	1/0/12	1.125	5.79 EA
795043-C	00810	Tan	1/0/12	1.125	5.79 EA
795050-C	00813	Almond	1/0/12	1.125	5.79 EA
795067-C	00816	Clear	1/0/12	1.125	5.79 EA
796804-C	00846	Terratone	1/0/12	1.167	5.79 EA
795074-C	00823	Cedar	1/0/12	1.125	5.79 EA
795098-C	00835	Medium grey	1/0/12	1.125	5.79 EA
773558-C	00840	Off white	1/0/12	1.063	5.79 EA
773566-C	00843	Canvas	1/0/12	1.063	5.79 EA
773574-C	00849	Sandstone	1/0/12	1.063	5.79 EA



**Asphalt Sealant** - Top quality compound for filling and sealing cracks in driveways, parking lots and other asphalt surfaces. Has butyl rubber asphalt base. Provides tough, water and ice-resistant seal. Can be recoated. Also repairs cracks in concrete, seals gutter and chimney flashings. Available in 11 fl. oz. cartridges.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776949-E	18020	Blacktop Asphalt Sealant	1/0/12	1.208	4.29 EA



**Latex Concrete Sealant With Silicone** - Fills and seals cracks in concrete and masonry. Contains silicone for improved adhesion and water resistance. Repairs cracks in steps, driveways, sidewalks, mortar joints and similar surfaces. Available in standard size 10.5 oz. tube.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770671-E	18096	Gray Concrete Sealant	0/0/12	1.167	4.29 EA



**Black-Tite Sealant** - Asphalt base. Seals chimney flashings; spots shingles; repairs minor roof leaks. Stays flexible. Cartridges and bulk.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789347-E	18268	Black-tite Roof Sealant	1/0/12	1.350	3.79 EA



**Fire Silicone Sealant** - Dap® Fire Stop is a single component, neutral cure, silicone firestopping sealant. It is an elastomeric, high-performance sealant capable of 25% movement in a fire-rated joint. Independent laboratories tested Fire Stop for up to a 2 hour F-Rating and is approved for both through penetrations and joint applications. Do *Not* use in areas routinely exposed to high heat or open flames. Apply to steel, copper, or EMT pipe; fiberglass pipe insulation; construction joints on concrete, CMU as well as gypsum wallboard. Applicable test standards: ASTM E-814/UL 1479 and UL 2079. Color is gray.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789653-B	18806	Fire-stop Silicon Sealant	1/0/12	1.067	13.99 EA



**Create A Color™ Caulk** - A specially formulated caulk that can be tinted using the Red Devil Create-A-Color™ caulk mixer model No. 4070 or 4071. This superior quality sealant offers excellent adhesion to most surfaces and provides a long-lasting, mildew-resistant seal that cures to an ultra smooth, satin finish. Create any color caulk in minutes by adding 10ml. of tinted latex paint to the caulk and mixing with the caulk mixer for 1 to 2 minutes. The results are custom-colored caulk that perfectly matches your paint and seamlessly blends with your decor. Use on: Countertops, vanities, bathtubs, sinks, showers, splashboards, fixtures, window and door frames, siding, trim, and moldings. Adheres to: Ceramic, porcelain, marble, glass, plastic, vinyl, painted and unpainted wood, plaster, drywall, aluminum and metal. Apply in temperatures between 40° and 90° F. Do *not* use in marine or below-grade areas. 10.1 fl. oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774101-C	0409	Create-a-color Caulk	1/0/12	1.000	4.99 EA

## CAULK



**Create A Color™ Pro Caulk Mixer** - This professional mixer is a simple and easy way to create custom colored caulk in minutes. Color a single tube of Create-A-Color™ caulk, model No. 0409, using any pre-tinted latex paint. It is the perfect tool for painters, decorators, and contractors. Match paint on fixtures, tile, countertops, siding, trim moldings, and more. Tints a single 10.1 fl. oz. tube of Create-A-Color™ caulk quickly. The durable metal construction mixer is portable and convenient to use at site. Easy-to-clean. Kit includes: Create-A-Color™ Pro Caulk Mixer, syringe (for extracting paint), and easy-to-follow instruction guide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774119-A	4071	Pro Caulk Mixer	0/0/1	2.300	99.99 EA



**Dap Cap™ Tool** - A handy tool that smooths and finishes a bead of caulk for professional results. When the job is completed it can be used to reseal the cartridge for storage.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775334-C	18570	Dap Cap Caulking Tool	1/0/12	.042	2.79 EA

## Sashco/Peer-Group

**Mor-Flexx™ Sealant** - Unlike other mortar, stucco, and grout repair products that dry hard, brittle, and soon re-crack, Mor-flexx™ stretches and flexes for a long-lasting seal. The sandy texture and color of mortar is paintable, so repairs can literally disappear. Use to repair mortar, stucco, artificial stucco, EIFS, concrete foundation sidewalls, and basement floors, even textured walls and ceilings. It adheres excellently to wood, concrete, brick, stone, block, and other masonry surfaces. 10.5 oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
796422-C	15010	Concrete beige	1/0/12	1.083	6.29 EA
796439-C	15020	Mortar gray	1/0/12	1.083	6.29 EA

## PAINT

### G. E. Silicone Prod.

**Max 3500 Latex Caulk With Silicone** - Exceeds performance requirements of 230, Class B and withstands 25% total joint movement. Spans gaps up to 2" in size and adheres to damp wood. It is mildew-resistant and is paintable. Sealant comes out milky white but dries clear in 7 to 10 days. Cleans up with water. 10.1 oz. tubes. 45 year durability.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779547-C	GE22582	White	1/0/12	1.245	2.99 EA
779563-D	GE22624	Brown	1/0/12	1.272	3.49 EA
779571-D	GE22640	Woodtone	1/0/12	1.245	3.49 EA
779598-D	GE22681	Almond	1/0/12	1.245	3.49 EA
798592-D	GE22665	Gray	1/0/12	1.242	3.49 EA
779601-C	GE22608	Clear	1/0/12	.902	3.49 EA

### G. E. Silicone Prod.

**Max 1000 Siliconized Acrylic Caulk** - A good all-purpose caulk providing flexibility and adhesion for lasting protection. For interior or exterior use. Paintable with either oil-base or latex based paints. For use with most common building materials. 10.1 oz. tubes. Exceeds ASTM C-834-91.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776431-B	GE24737	Max 1000, clear	1/0/12	.892	2.79 EA
779628-C	GE22566	Window and door	1/0/12	1.245	2.29 EA

### G. E. Silicone Prod.

**XST Silicone II Paintable Sealant** - The patented XST extreme delivers Silicone II performance, premium paintability, and another break through: Easy soap and water clean up. Paintable with both latex and oil paints anytime after cure (approximately 2 hours). Remains permanently flexible. Won't shrink or crack. Low odor formula. 10.1 oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776618-A	GE7000	Wht Xst Silicone Sealant	1/0/12	1.042	6.49 EA

## Macco Adhesives

**Liquid Nails® 35 Year Window And Door Caulk** - A 100% acrylic latex sealant that is recommended for most common building materials including wood, glass, metal, masonry, and painted surfaces. Available in white, clear, and colors it dries tack free in 24 hours and to a complete cure in 72 hours. Covers 30 lineal ft. at 1/4" bead. 10.3 oz. cartridge. Clean up wet sealant with water and dried adhesive with caulk and adhesive remover.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790601-D	LC-130	White	1/0/12	1.167	2.79 EA
790629-C	LC-130	Almond	1/0/12	1.167	2.99 EA
790638-C	LC-130	Brown	1/0/12	1.167	2.99 EA
790647-C	LC-130	Clay	1/0/12	1.167	2.99 EA
790665-C	LC-130	Gray	1/0/12	1.167	2.99 EA
790610-C	LC-130	Clear	1/0/12	.917	2.99 EA

PAINT

**Macco Adhesives**

**Liquid Nails® Contractors Grade Painter's Caulk** - A 15 year vinyl acrylic latex caulk for interior or exterior use. It is flexible, paintable, and mildew-resistant and is recommended for use with most common building materials including wood, metal, masonry, and painted surfaces. Sets in 24 to 48 hours and to a complete cure in 72 hours. Covers 30 lineal ft. at 1/4" bead. Clean up wet sealant with water, cured sealant with caulk and adhesive remover. 10.3 oz. cartridge. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790674-C	LC-135	Wht Latex Painters Caulk	1/0/12	1.333	1.99 EA

**G. E. Silicone Prod.**

**Advantage™ Silicone Sealant** - A low cost 100% silicone rubber sealant for interior and exterior use. Creates a long lasting weatherproof and watertight seal on many common building materials including wood, metal, glass, and masonry. Remains flexible. Will not crack, crumble, peel, or dry out. Adheres very well to most building materials and provides a service range from -65° F. to 400° F. Product is tack free in 45 to 50 minutes and normally cures in 24 hours. Not paintable. A single cartridge will supply 50 linear ft. of 3/16" bead.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783811-B	GE60.01	Clear	1/0/24	.888	3.79 EA
783838-B	GE60.02	White	1/0/24	.888	3.79 EA

**G. E. Silicone Prod.**

**100% Silicone Rubber Window And Door Sealant** - Excellent adhesion on wood, concrete, glass, metal, plastic, and vinyl siding. Remains flexible with minimal shrinkage. Long-lasting 35 year durability. Not paintable. 10.1 oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787256-C	012	Clear	1/0/12	.883	4.49 EA
787248-C	112	White	1/0/12	.883	4.49 EA

**G. E. Silicone Prod.**

**Silicone II Caulk** - Provides excellent adhesion on wood, masonry, metal, glass, vinyl siding, plastic, and fiberglass. Use indoor or outdoor. Low odor. Watertight seal will not shrink and stays permanently flexible. Withstands the most extreme weather. Not paintable 10.1 oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785387-A	5000	Clear	1/0/12	.883	5.99 EA
785378-A	5010	White	1/0/12	.883	5.99 EA
793494-A	5030	Black	1/0/12	.883	6.49 EA

**G. E. Silicone Prod.**

**Silicone II Aluminum & Metal Sealant** - This sealant is a gray metallic color and is ideal for all metal sealing applications such as aluminum windows and doors, gutters, downspouts and mobile home seams and joints. Temperature range of -65° to 400° F. Permanently flexible. Formulated for aluminum.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793500-B	GE5050	Gray Silicone Sealant	1/0/12	.883	6.49 EA

**G. E. Silicone Prod.**

**Silicone II Natural Wood Sealant** - This dark brown sealant provides 50 year durability like all other Silicone II sealants. Ideal for applications such as rustic and stained siding, trim, paneling, etc.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
777449-A	5080	Brown Silicone Sealant	1/0/12	.883	6.49 EA

**G. E. Silicone Prod.**

**GE Silicone II Paintable Sealant** - White paintable sealant is a high-quality interior/exterior sealant that is excellent for use on windows, doors, gutters, roofs, etc. Adheres to most common construction materials. Paintable with latex paint. 10.1 oz. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783502-B	GE5091	Wht Paintable Sealant	1/0/12	1.175	6.49 EA

**G. E. Silicone Prod.**

**Silicone II Concrete & Masonry Sealant** - A light gray color sealant that fills cracks and small holes with a durable, weathertight seal. Adheres to concrete, brick, granite, marble, slate, and other masonry surfaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775227-A	5020	Gray Masonry Sealant	1/0/12	.883	6.49 EA

**G. E. Silicone Prod.**

**100% Silicone Rubber Kitchen And Bath Sealant** - Provides a watertight mildew-resistant seal on kitchen and bath fixtures. The 100% silicone rubber remains flexible with minimal shrinkage. Apply to: Ceramic tile, Formica® laminate, wood, metal, glass, granite, plastic, and fiberglass.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791335-B	GE612	Clear, 10.1 oz	1/0/12	.875	4.49 EA
791359-B	GE712	White, 10.1 oz.	1/0/12	.875	4.49 EA
791366-C	GE360	Clear, 2.8 oz. squeeze tube	1/0/12	.875	3.79 EA

**G. E. Silicone Prod.**

**SideGuard™ Acrylic Urethane** - Ideal for use on a broad range of siding and trim materials. GE SideGuard™ Acrylic Urethane promotes excellent adhesion and durability when used with a broad range of building materials. Providing performance that goes unmatched by competitive acrylic siding products, it forms a durable, flexible, airtight seal for enhanced water and weather protection, while reducing dirt pick-up, yellowing and eliminates *shiners* (unsightly visible variations in the sheen level of a painted surface). Meets ASTM C-920, Type S Grade NS, Class 12.5. Use NT, G, and M. Meets Federal Specification TT-S-00230C, Type II, Class B. Meets performance specifications of ASTM Spec C-834, Type OP, Grade -18° F. Stocked colors: Arctic white, autumn tan, navajo beige, khaki brown, monterey taupe, and heathered moss. 10.1 fl. oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781882-B	GE21020	Arctic white	1/0/12	1.250	4.99 EA
781890-B	GE22020	Autumn tan	1/0/12	1.250	4.99 EA

Continued Next Column

## CAULK

Continued From Previous Column

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781957-B	GE22030	Khaki brown	1/0/12	1.250	4.99 EA
781965-B	GE23010	Navajo beige	1/0/12	1.250	4.99 EA
781973-B	GE24020	Monterey taupe	1/0/12	1.250	4.99 EA
781981-B	GE25020	Heathered moss	1/0/12	1.250	4.99 EA

### G. E. Silicone Prod.

**SideGuard™ 100% Clear Silicone** - Ideal for use on a vinyl siding and trim. GE SideGuard™ 100% silicone is a 100% silicone sealant designed for the most demanding exterior siding and trim applications. The combination of strong adhesion and unmatched flexibility gives this formula superior joint movement (+/-50%) ensuring that the bond-line stays intact even in conditions of extreme expansion and contraction. Meets the requirements of Federal Specification TTS-001543A (COM-NBS), TT-S-00230C (COM-NBS), ASTM C-920, Type S, Class 50 use NT, G, A, and O test requirements. Color: Clear. 10.1 fl. oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781999-B	GE5201	Clear Silicone Sealant	1/0/12	.867	5.99 EA

### G. E. Silicone Prod.

**SideGuard™ Modified Silicone Polymer** - Ideal for use on primed fiber cement board and PVC siding and trim. GE SideGuard™ Modified Silicone Polymer is a paintable sealant ideal for use with today's newest composite building materials. It can be applied in all weather conditions, has a fast paint-over time and will not crack, shrink, or dry out. The combination of strong adhesion and unmatched flexibility gives this formula superior joint movement (+/-50%), ensuring unmatched protection against water and the elements. Meets ASTM C-920, Type S, NS, Class 50, use NT, G, A, and O test requirements. Colors: Arctic white, autumn tan, navajo beige, khaki brown, monterey taupe, and heatherd moss. 10.1 fl. oz.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
782021-B	GE81020	Arctic white	1/0/12	1.067	6.99 EA
782039-B	GE82020	Autumn tan	1/0/12	1.067	6.99 EA
782047-B	GE82030	Khaki brown	1/0/12	1.067	6.99 EA
782054-B	GE83010	Navajo beige	1/0/12	1.067	6.99 EA
782062-B	GE84020	Monterey taupe	1/0/12	1.067	6.99 EA
782070-B	GE85020	Heathered moss	1/0/12	1.067	6.99 EA



**Elastomeric Sealant** - A permanently flexible elastomeric sealant provides excellent adhesion to damp surfaces. Excellent UV resistance. Use indoor or outdoor on windows, doors, siding, trim, ducts, vents, sinks, tubs, showers, or backsplashes. Crystal clear color. 10.1 oz. cartridge.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772382-C	18376	Clr Elastomeric Sealant	1/0/12	1.175	6.49 EA

## PAINT

### G. E. Silicone Prod.

**Infinity™ Acrylic Urethane Elastomeric Sealant** - Offers exceptional acrylic sealant formulation and performance technology, providing a consistent painted finish with no *shiners* (unsightly visible variations in the sheen level of a painted surface) and is resistant to dirt pick up and yellowing.



This unique formulation combines easy tooling, superior adhesion elasticity, and durability to contribute to a great looking and high-quality job. And with BioSealO Mold and Mildew Protection, the cured sealant is resistant to mold and mildew growth. Meets ASTM C-920, Type S Grade NSm Class 12.5. Use NT, G, and M. Meets Federal Specification TT-S-00230C, Type II, Class B. Meets performance specifications of ASTM Spec C-834, Type OP, Grade - 18° F. Color: White. 10.1 fl. oz.

Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781874-B	GE2900	White Acrylic Caulk	1/0/12	1.250	4.99 EA

### G. E. Silicone Prod.

**Max 5000 Sealant With Silicone** - Has the strength and adhesion of silicone, but is paintable and cleans up with water. Exceeds the performance requirements of 230, Class A and withstands 50% total joint movement. Helps stop mildew and mold growth. May be used for interior and exterior applications. 10.1 oz. tubes.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
779490-C	GE22764	White	1/0/12	1.250	4.49 EA
791403-C	GE22780	Clear	1/0/12	.892	4.99 EA

### G. E. Silicone Prod.

**Speed Paint Caulk** - Premium painter's caulk dries faster and shrinks less. Helps prevent paint cracks. Meets ASTM C-834 requirements. 10.1 fl. oz. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791465-C	GE55749	White Painter S Caulk	1/0/12	1.167	2.99 EA

### G. E. Silicone Prod.

**Tub And Tile Latex Caulk** - Seals around tubs, showers, and sinks. Dries to a smooth finish. Water clean up. Mildew- resistant. 10.1 fl. oz. cartridge. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791472-B	GE14209	Wht Latex Tub&tile Caulk	1/0/12	1.000	3.99 EA

### G. E. Silicone Prod.

**Kitchen And Bath Elastene® Polymer Caulk** - Silicone-like flexibility and durability using Elastene® technology. Mildew proof. Water clean up and low odor. 10.1 fl. oz. cartridge. Bright white.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
791489-C	GE23895	White Kitchen&bath Caulk	1/0/12	.961	5.99 EA

PAINT

**G. E. Silicone Prod.**

**Caulk-it Window And Door All-Purpose Caulk** - An effective paint preparation caulk to stop drafts by sealing around doors, windows, siding, trim, molding, and baseboards. Cured product is mildew-resistant. This durable latex acrylic sealant has adhesion and flexibility in most sealant applications. The easy-to-use squeeze tube has a unique nozzle that can be resealed within the cap after clean up. The formula is easy to tool (smooth), clean up with soap and water, and has a low odor. It is paintable with latex and oil-base paints and the cured sealant is mildew-resistant. Allow to cure 24 hours before painting. Can be applied to wood, glass, brick, concrete, masonry, drywall, steel, aluminum, tile, vinyl, PVC, fiberglass, plywood, primed fiber cement board. Apply in temperature range of 40° F. or above. The 8 fl. oz. tube will cover approximately 51 linear ft. of 3/16" bead. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773046-B	GEWP250	8oz Wht Window&door Caulk	0/0/6	.933	4.99 EA



**Wallpaper Seam Repair** - The easiest solution for repairing torn or peeling wallpaper. This premium adhesive provides a strong final bond between surface and wallpaper and prevents peeling in high-humidity areas such as kitchens and baths. Odorless. Water clean up. Packaged in the patented E-Z Squeeze® tube. This patented device allows you to wind up the tube as you work, ensuring a steady supply of product. Approximate coverage 20' to 25'.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789820-D	0878	5oz Wallpapr Seam Repair	1/0/5	.600	3.29 EA

**G. E. Silicone Prod.**

**Caulk-it Painter's All-Purpose Caulk** - An effective paint preparation caulk to seal cracks and gaps around doors, windows, baseboards, plastic, and ceilings. A durable latex acrylic sealant has adhesion and flexibility in most sealant applications. The easy-to-use squeeze tube has a unique nozzle that can be resealed within the cap after clean up. The formula is easy to tool (smooth), clean up with soap and water, and has a low odor. It is paintable with latex and oil-base paints and the cured sealant is mildew-resistant. Allow to cure 24 hours before painting. Can be applied to wood, glass, brick, concrete, masonry, drywall, steel, aluminum, tile, vinyl, PVC, fiberglass, plywood, primed fiber cement board. Apply in temperature range of 40° F. or above. The 8 fl. oz. tube will cover approximately 51 linear ft. of 3/16" bead. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773053-B	GEWP240	8oz Wht Painter S Caulk	0/0/6	.933	4.99 EA

**G. E. Silicone Prod.**

**Caulk-it Spackling** - An effective wall patch caulk to fill cracks, holes, dents, and joints in plaster, drywall, and wood. This durable latex acrylic spackling has good adhesion in most applications. The easy-to-use squeeze tube has a unique nozzle that can be resealed within the cap after clean up. Also contains a built-in spackling knife and nail hold filler. The formula is easy to tool (smooth), clean up with soap and water, and has a low odor. It is paintable with latex and oil-base paints. Allow to cure 24 hours before painting. Apply in temperature range of 40° F. or above. The 8 fl. oz. tube will cover approximately 51 linear ft. of 3/16" bead. White.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773061-B	GEWP230	8oz Wall Spackling	0/0/6	.933	4.99 EA

**Sashco/Peer-Group**

**Lexel Weatherproofing Caulk** - A versatile multipurpose caulk sealant. May be used on a variety of materials both inside and outside. It is scrubbable and mildew-resistant. Remains elastic over a wide temperature range, adheres very well. Available in white and clear. The clear is known for its extreme clarity. Paintable after 24 to 48 hours cure at room temperature with latex paints. Application range: 10° F. to 120° F. Service range: -30° F. to 200° F.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
780464-C	13013	Clear 5.5 oz. squeeze tube	1/12/72	.333	4.79 EA
780472-C	13010	Clear 10.5 oz. cartridge	1/0/12	.792	7.49 EA
780502-C	13033	White 5.5 oz. squeeze tube	1/12/72	.333	4.79 EA
780529-C	13030	White 10.5 oz. cartridge	1/0/12	.792	7.49 EA

**White Lightning Prod.**

**White Lightning Acrylic Latex Caulk With Silicone** - Top quality adhesive caulk for both interior and exterior applications. Contains mildew inhibitors. Excellent adhesion to all construction materials including showers, tubs and other bathroom fixtures. Can be used for interior repair of ceramic tile, glass, cork, wood, metal, or acoustical tile. Exceeds Federal Spec. No. ASTM-C-834-76. 10 fl. oz. cartridge. Can be painted after curing 5 to 7 days. 40 year durability.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776203-D	30060	White	0/0/12	1.250	2.49 EA
787710-D	30067	Clear	0/0/12	.823	2.79 EA
799478-D	01010	Almond	0/0/12	1.192	2.49 EA

**White Lightning Prod.**

**Painter's Caulk** - Painter's preferred acrylic latex caulk is fast drying. For interior/exterior use. Paintable and cleans up easily with water. 25 year durability.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787727-D	30100	10oz Wht Painters Caulk	0/0/12	1.167	1.69 EA



## FIRE STOP

### White Lightning Prod.

#### White Lightning 35 Year Acrylic Latex With Silicone Caulk

- White Lightning 3060 acrylic latex caulk with silicone is a blend of acrylic polymers with silicone additives designed to meet the needs of professional painters. It cures in 5 to 7 days to form a seal that will not crack, split, or dry out. May be painted when dry. Designed for use with all common building materials including wood, masonry, brick, drywall, metal, and glass. Clean up with water. 10 oz. cartridge. White.




Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790497-C	30600	10oz White Latex Caulk	1/0/12	1.191	1.99 EA

### Geocel Corp.

#### Pro Flex™ Multi-Purpose Brushable Sealant

- A brushable, clear sealant that forms a durable, elastic seal. Can be applied to practically any material in any weather. Ideal for sealing roof valleys and repairing small areas on wood, asphalt, fiberglass, slate, tile, and metal roofs. Seals and rustproofs metal surfaces such as vents, roof flashings, and exterior duct work. Also seals and waterproofs concrete surfaces, chimney crowns, and retaining wall caps. It is paintable when cured and is mildew-resistant. Nontoxic when fully cured.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
795704-C	22200	Quart	1/0/6	2.333	15.49 QT
795712-B	22300	Gallon	1/0/4	9.500	49.99 GAL

### Geocel Corp.

#### Watershield® Sealant

- Watershield® is a proven performer that keeps your customers coming back. Geocel Watershield® penetrates and seals quickly. Sticks to virtually all materials (including wet, frozen, oily, and dirty surfaces). Applies in all weather at any temperature. Watershield® is paintable and stainable. Remains flexible-won't crack or crumble.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770810-C	10100	Clear	1/0/12	.875	5.29 EA
770874-C	10101	White	1/0/12	.875	5.29 EA
777458-C	10104	Brown	1/0/12	.875	5.29 EA

## PAINT

### Geocel Corp.

**Watershield® Sealant** - Clear brushable. A single-component, brushable-grade elastomeric sealant designed for many construction, residential, agricultural, and industrial applications. It has the following unique properties: May be applied at any working temperature, withstands water contact immediately after application to stop leaks fast, forms a tough and flexible film with outstanding adhesion to metal, concrete, wood, and glass. It penetrates and seals quickly and is paintable.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770758-C	20200	Quart	1/0/6	2.667	12.49 QT
770730-C	20300	Gallon	1/0/4	10.125	38.99 GAL

### The Rectorseal Corp.

#### Metacaulk® 1000 Fire Stopping Sealant

- An intumescent water-based single-component, fire-rated sealant for wide variety of applications, including through-penetration on both vertical and horizontal surfaces, as well as construction joints. It is designed for use in floors or walls and can be used on PVC, CPVC, ABS, PVC foam core. As well as polybutylene (PB), insulated and uninsulated steel pipe, copper, and cast-iron. Metacaulk sealants are tested in accordance with 1 or more of the following standards: ASTM E8 14, UL 1479, CAN-S115M, and UL 2079 Fire Test Standards for up to a 4 hour fire rating in addition to ASTM E84, UL 723 Surface Burning Characteristics. UL Classified, Warnock Hersey, and Factory Mutual approved. Product color is red and available in 10.3 oz. cartridge. Other sizes, including gallons, are available from Rectorseal. Do *Not* use against hot uninsulated surfaces above temperatures 300° F. nor continuously wet surfaces.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787036-C	66302	Red Fire Stop Caulk	1/0/24	1.000	12.49 EA

### N.A.F.T.I.

#### Fire Code Pink Caulk

- A noncombustible waterbased filler compound used to fill holes from heated to nonheated areas and between stories in 1 and 2 family dwellings in residential construction. Use around mechanical penetrations in the building envelope. An effective fire blocking, draft stopping, and fire stopping sealant. The pink color provides ease of inspection. Applicable standards: UBC 94 edition, CABO 89, 92, and 95 editions, BOCA 93 edition, MEC 92 and 95 editions. The definitions sections of all model building codes uses the test criteria of ASTM-E136 as the basis for this classification. Stocked in 10.3 oz. cartridge. 1 and 5 gallon pails are available through Drop Shipment. Do *Not* use in areas exposed to uninsulated surface above 120° F.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781992-D	00210	Fire Code Pink Caulk	1/0/12	1.333	7.99 EA

Call us if you need an item that you don't find in this catalog...  
We stock many items that are not listed!




**Alex Plus® Acrylic Latex Caulk With Silicone** - Premium quality. Moisture and mildew-resistant for caulking around window or door frames and siding corner joints. Provides excellent adhesion to glass, ceramic, wood, metal, brick, stone and more. Highly flexible and durable. Paintable. 35 year durability guarantee. Exceeds ASTM Specification C834-76.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784823-B	18128	White, squeeze tube 6 oz.	1/0/12	.750	2.49 EA
783423-C	18152	White, 10.5 oz. cartridge	0/0/12	1.250	1.99 EA
771622-C	18126	Black, 10.5 oz. cartridge	0/0/12	1.250	2.49 EA
771891-C	18124	Dark bronze, 10.5 oz. cartridge	0/0/12	1.292	2.49 EA
771490-C	18118	Slate gray, 10.5 oz. cartridge	0/0/12	1.292	2.49 EA
771551-C	18122	Cedar tan, 10.5 oz. cartridge	0/0/12	1.292	2.49 EA
780701-C	18120	Brown, 10.5 oz. cartridge	0/0/12	1.292	2.49 EA
776609-C	18130	Almond, 10.5 oz. cartridge	0/0/12	1.292	2.49 EA
788856-C	18156	Clear, 10.5 oz. cartridge	0/0/12	.833	2.99 EA
779261-C	18172	Antique white (bisque) 10.5 oz. cartridge	0/0/12	1.233	2.49 EA
772364-C	18401	Crystal clear 10.1 oz.	0/0/12	.833	3.29 EA

**Savogran**

**Strypeeze® Paint And Varnish Remover** - The original semi-paste formula improves cling, making it ideal for vertical or rounded surfaces. Removes latex and oil-base paints, varnish, and lacquers. Surfaces can be cleaned using a scraper and/or water wash-off method. Use outdoors or indoors in well ventilated areas. Does not harm bristles, bare wood, metal, plaster, etc. 1 application is usually enough. Strips approximately 100 sq. ft. per gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775389-D	1101	Pint	0/0/6	1.250	8.49 PT
775398-D	1102	Quart	0/0/6	2.333	10.99 QT
775405-C	1103	Gallon	0/0/4	8.500	26.99 GAL

**Savogran**

**Super Strip Paint Remover** - Deeper cutting, nonflammable remover. Removes paint, lacquer, enamel, epoxies, shellac, varnish, and most synthetic finishes. Use indoors in well ventilated areas, or outdoors.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775414-D	1131	Pint	1/0/6	1.625	9.49 PT
775423-D	1132	Quart	1/0/6	3.000	12.99 QT
775432-C	1133	Gallon	1/0/4	11.500	35.99 GAL

**Savogran**

**Kutzit Paint And Varnish Remover** - Liquid remover for use in well ventilated areas, away from open flames, sparks or heaters. Removes oil-base paints, lacquers, synthetic baked finishes and varnishes from flat or horizontal surfaces. Sludge is easily removed with dull putty knife.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792681-D	1111	Pint	0/0/6	1.333	7.49 PT
792672-D	1112	Quart	0/0/6	2.333	9.49 QT
792583-C	1113	Gallon	0/0/4	8.500	24.99 GAL

**Homax Corp.**

**Varnish & Stain Remover** - A specially formulated semi-paste remover for antiques and fine furniture. It is safe-to-use on all wood surfaces. Pulls red and brown wood stains from surface. The semi-paste formula clings to vertical surfaces for longer working time. Residue wipes off clean and water soluble. Effectively removes varnish, lacquer, shellac, and stains. Use only in well ventilated areas. Keep away from heat or flame.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
788348-C	0102	Quart	1/0/6	2.333	7.49 QT
788357-C	0103	Gallon	0/0/2	8.000	18.99 GAL



**Water Rinsable Zip Strip®** - Nonflammable, nontoxic, semi-paste remover for interior or exterior use. Formulated for heavy-duty commercial and industrial use as well as for household and marine use. Removes 5 to 10 coats in 1 application.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775628-C	73004	Quart	1/0/6	2.917	13.99 QT
775637-C	73001	Gallon	1/0/2	11.000	37.99 GAL

## PAINT/VARNISH REMOVERS



**Zip Strip® Paint Remover** - Remove baked enamels, lacquers, rubber base paints and varnish. Nonflammable. No afterwash required. Will not harm the grain of wood. Use on any surface. May be refinished immediately after old material has been wiped or scraped off. Will not harm hands. Removes 5 to 6 coats in 1 application.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775584-D	72008	Pint	1/0/6	1.500	8.49 PT
775593-D	72004	Quart	1/0/6	2.917	12.99 QT
775600-B	72001	Gallon	1/0/2	11.000	34.99 GAL

### Homax Corp.

**Spray-On Stripper** - An extra strength liquid spray-on paint remover that stays wet longer and clings to vertical surfaces. The painted object can be sprayed, brushed, or dipped. It is safe-to-use on wood, metal, and natural surfaces such as fiberglass doors. Rinses cleanly with water. Removes paint, varnish, most stains, shellac, lacquer, and latex or oil based enamels without harming the original surface. Use in well ventilated area. Keep away from heat or flame. Does not have a sprayer.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
799447-C	0212	Quart	1/0/6	2.667	8.49 QT
799430-C	0213	Gallon	0/0/2	9.000	21.99 GAL

### Supreme Chemical

**Krud Kutter® Graffiti Remover Spray** - Remove acrylic enamel, aerosol paint, enamels, lacquers, and more from most hard, soft and porous surfaces with this convenient-to-use 32 oz. trigger spray bottle. Also removes permanent markers, ink, lipstick, crayon, and shoe dye stains. Works great on street signs. The biodegradable formula has a low odor and is environmentally safe.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775819-B	GR32/6	Spray Graffiti Remover	1/0/6	2.333	8.49 EA

### Homax Corp.

**Premium Paint & Epoxy Remover** - A professional fast acting paint and epoxy remover for home and marine products. It strips multiple layers in 1 application. Use on wood, metal, concrete, and masonry surfaces. The brushable semi-paste formula is water rinseable. Cleanly removes epoxy, polyurethane, enamel, latex, and oil-based coatings. 17 oz. aerosol is ideal for use on concrete and concrete blocks to penetrate the pores.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793051-C	793051	Spray	1/0/6	1.417	5.99 EA

### Valspar

**Goof Off Remover** - Not a paint stripper. Removes dried latex paint from areas where it has been accidentally applied, such as overspray from rollers and drips. Designed for use on most surfaces including floors, furniture, carpets, clothing, glass, and most plastics. Also can be used to remove ink, magic marker, crayon, lipstick, oil and grease, etc.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781061-D	011.0002400.045	4.5 oz.	1/0/12	.417	3.99 EA
799988-C	011.0002407.076	12 oz. spray	1/0/6	1.000	5.79 EA
782488-D	011.0002415.004	16 oz. bottle	1/0/6	.583	6.29 EA
799997-E	011.0002432.005	Quart bottle	1/0/12	1.750	12.99 QT
799355-C	011.0002494.007	Gallon	1/0/4	8.500	23.99 GAL

### Back to Nature

**Ready-Strip™ Plus Paint and Varnish Remover** - A unique, environmentally safe, user friendly, technologically advanced stripper. It is capable of removing up to 7 layers in a single application. As a result of the unique *color change* feature, the user is signaled as to when paint removal should occur. The stripper is applied to the surface and turns off-white when the paint or varnish is ready to be removed. Ready-Strip™ is biodegradable, nonflammable, odor-free, and easily cleans up with water. It contains no methylene chloride or caustic. It truly clings to vertical surfaces. It removes most varieties of paints and varnishes which are oil or water based. Available in quart, gallon, and kit with scraper tool and scrub pad (refer to model No. TV25).



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
790816-B	RS25	Quart	1/0/6	3.750	11.99 QT
790825-B	RS01	Gallon	1/0/4	10.000	34.99 GAL

PAINT

# PAINT

# PAINT/VARNISH REMOVERS

## Sunnyside Corp.

**Do it™ Quick Stripper** - For fast and economical removal of most paints and finishes. Not recommended for epoxy, marine finishes, or floor finishes. Clings to vertical surfaces. Will not harm wood, metal, or masonry.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793116-C	793116	Quart	1/0/6	3.000	8.49 QT
793118-D	793118	Gallon	0/0/2	9.500	19.99 GAL

## 3M

**Safest Stripper™ Paint And Varnish Remover** - Effectively strips paints, varnishes and other wood finishes without unpleasant odors or harmful fumes. Can be used indoors. It is nonflammable and it won't burn skin so gloves are not needed. Contains no methylene chloride. The semi-paste formulation reduces drips on vertical surfaces and stays effective up to 30 hours once it is applied. No neutralizing is required, wash with water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771376-C	10101	Quart	1/0/6	2.417	13.49 QT
771406-C	10103	Gallon	1/0/2	9.500	37.99 GAL

## 3M

**Stripping Pads** - Can be used as a replacement pad for the model No. 10110 stripping tool or alone. Effectively replaces No. 2 and No. 3 steel wool. Won't splinter or shred like steel wool. Pad design allows residue to be absorbed into the pad - just rinse and reuse. Tough and durable but it won't scratch or gouge wood. Packed 2 pads per package.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771449-D	10111NA	2pk Paint Stripping Pads	1/0/12	.125	2.49 PKG

## 3M

**Heavy-Duty Stripping Pads** - Replaces and outperforms No. 2 steel wool. Conforms to and effectively strips coatings from detailed and rounded surfaces such as spindles and chair legs. Designed for use with chemical strippers. Won't scratch or gouge wood. Reusable.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771465-D	10112NA	2pk H/d Stripping Pads	1/0/12	.083	2.49 PKG

## 3M

**Final Stripping Pads** - Replaces No. 0 steel wool. Designed to thoroughly clean surfaces of remaining residue so blemishes do not occur when stains or finishes are applied. Won't scratch or gouge wood surfaces. Reusable.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771503-D	10113NA	2pk Final Stripping Pads	1/0/12	.083	2.49 PKG

## 3M

**Tack Cloth** - Use prior to staining or finishing to remove dust, dirt, lint and other particles to help achieve super smooth surfaces. Cloth size is 17" x 36".



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771724-C	10132NA	17x36 Tack Cloth	1/0/48	.052	1.59 EA

## 3M

**Finishing Pads** - Removes bubbles, dust nibs and other minor blemishes for super smooth finishes. Use before first coat and/or between coats of finish or sealer. Replaces #00 steel wool. Won't splinter or shred like steel wool. Rinse and reuse. 2 pads per package.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771759-D	10144NA	2pk Finishing Pads	1/0/12	.125	2.49 PKG

## PAINT/VARNISH REMOVERS

### Midwest Quality Glove

**Stripping Gloves** - Heavy-duty, rubber coated gloves that resist many refinishing chemicals and tough enough to withstand abrasive conditions. Pebbled palm provides a secure, safer grip on wet or dry.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773557-D	769M	Medium	1/12/72	.250	3.99 PR
773603-D	769L	Large	1/12/72	.250	3.99 PR



**Dissolve® Wallpaper Stripper** - 24 oz. Dissolve® is a concentrated wallpaper stripper designed to penetrate wallcoverings and dissolve wallpaper paste, as well as, clean dried paste from newly applied vinyl wallcoverings. Dissolve will not stain and is self-neutralizing as it dries. Its concentrated formula makes 6 gallon per 24 oz. bottle. Coverage: 1 bottle yields 6 gallon which removes up to 720 sq. ft.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771481-D	209424	24oz Wallpaper Stripper	1/0/12	1.167	4.99 EA



**Universal Wheat Paste With Sizing** - Universal wheat paste contains a premium grade dry wheat powder which mixes to an exceptionally smooth and creamy texture. Developed for the discriminating DIY and craft oriented consumer. This product is an all-in-1 wall multi-purpose sizing/adhesive. 8 oz. carton hangs 6 to 8 single rolls of lightweight or 8 to 10 single rolls of prepasted wallpaper.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
785118-D	209701	8oz Sizing & Wheat Paste	1/0/12	1.167	2.99 EA

## PAINT



**Clear Strippable Adhesive GH-80** - The first *universal adhesive* excellent for the retail customer as well as the most discriminating contractor. GH-80 combines the best features of a clear and a clay. It is designed for hanging all types and weights of wallcoverings. In addition, GH-80 can be diluted 33 to 50% for hanging pre-pasted papers. It promotes strippability of fabric-backed wallcoverings over new bare drywall. GH-80 applies easily with brush, roller, or pasting machine. Coverage: 300 sq. ft. per gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771338-C	209884	Gh80 Strippable Adhesive	1/0/4	10.250	7.99 GAL



**Wallcovering Primer** - Bite® all-surface wallcovering primer/sizer is a ready-to-use, clear acrylic coating that provides the tacky base necessary for wallcovering adhesives to perform with maximum effectiveness. It is specially formulated for use as an adhesive undercoat for paint. Bite® dries clear and is ready for hanging in as little as 1 hour. It applies easily with brush, roller, or sprayer. Coverage: 450 sq. ft. per gallon.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
771659-D	209401	Quart	1/0/6	2.500	3.99 QT
771524-C	209402	Gallon	1/0/4	9.750	10.99 GAL

### Wm Zinsser, William

**Shieldz® Universal Wallcovering Primer** - A white pigmented 100% acrylic water-based primer that primes, seals and sizes surfaces prior to wallcovering hanging. Protects drywall facing paper from damage when removing strippable wallcoverings. White pigmentation helps prevent flaws, color and patterns from bleeding through new wallcovering. Makes positioning of wallcovering easier and assures easy removal. Can be tinted. Dries in 2 hours making same day priming and paper hanging possible.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776076-C	2504	Quart	1/0/6	3.000	7.79 QT
776084-B	2501	Gallon	1/0/4	10.750	19.99 GAL

PAINT

# PAINT

# WALLPAPER PRODUCTS

## ESI

**WP Chomp™ Wallpaper Remover** - Labeled as the *World's Best Wallpaper Stripper*, the convenient 32 oz. trigger spray bottle of WP Chomp™ will quickly remove wallpaper. Leaves a clean and undamaged surface ready for painting or new wallpaper. 4 out of 5 professional wallpaper installers recommend against scoring wallpaper for removal as it may damage the subsurface. In most cases scoring is not necessary with this extraordinary remover. The low odor noncaustic formula is pleasant to use. WP Chomp™ does not contain any dyes, so it will not stain nearby carpets or fabrics. Simply pull off the wallpaper to expose paper backing on the wall. Spray exposed backing working from top-down and wait 1 to 5 minutes then pull off the backing. Sponge clean the wall with mild soap and water to prepare for the new coating.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772408-C	5300QC	Wallpaper Remover	1/0/12	2.383	5.99 EA

## Wm Zinsser, William

**DIF® Gel Wallpaper Stripper** - A ready to use wallpaper remover that is gelled to cling to vertical surfaces and stay wet for efficient removal. Penetrates and loosens wallpaper making it easy to pull or scrape off the wallpaper and the residual paste behind the paper. Effective on all types of wallcoverings and starch-based adhesives. Nontoxic and odor free formula makes it safe and easy to use. Apply with a brush or roller. Protect carpeting, floors, and furniture. Allow the gel to work for 20 or 30 minutes before removing the paper. Difficult areas may need more working time or a second application. After removing the wallcovering apply a thin layer of DIF® gel to walls to remove any remaining adhesive. After 10 minutes rinse the surfaces and adjoining areas very well with water. A gallon will cover approximately 200 sq. ft. Clean tools with warm water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793617-B	2431	Gallon	1/0/4	9.500	15.49 GAL
793834-C	2466	Spray	1/0/12	2.383	5.99 EA

## Wm Zinsser, William

**DIF® Wallpaper Stripper** - Only wallpaper remover based on enzymatic action. Has special wetting system that carries enzymes through wallpaper to attack paste. Enzyme action converts paste to water-thin solution for easy paper removal. Paper comes off easily in half the time and without the mess of steamers. The contents of one 22 oz. bottle makes enough solution to remove paper from a 12' x 24' room.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781681-B	2422	22 oz.	1/0/12	1.750	5.49 EA
790157-B	2401	Gallon	1/0/4	9.000	19.49 GAL

## Wm Zinsser, William

**Papertiger® Wallcovering Scoring Tool** - A tool designed to score wallcovering surfaces to allow wallpaper removers to penetrate to the wall surface. The unique cutting action penetrates the wallcovering only and lifts small sections away from the surface.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781673-C	2966	Wallpaper Scoring Tool	1/0/6	.500	9.99 EA

## Warner Mfg.


**Do it® Pasting Brush** - An inexpensive brush designed to effectively apply wallpaper adhesives, both ready-mixed and dry. Can be cleaned for reuse.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774294-D	3363	Pasting Brush	1/0/10	.300	3.29 EA

## Warner Mfg.

**Foam Smoother** - Lightweight but sturdy tool to help smooth out wrinkles and bubbles when hanging wallcoverings.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774308-D	461	Foam Smoother	1/0/12	.040	4.29 EA

## Warner Mfg.

**Plastic Smoothing Tool** - Made of high-impact polystyrene. Flexible. Use for smoothing all weights of vinyl or paper wallcoverings. Tool is 9" wide.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
776896-E	498	Wallcovering Smoother	1/0/20	.200	1.49 EA

## WALLPAPER PRODUCTS

## PAINT

### Warner Mfg.

**Do it® Paper Hanging Brush** - White tampyl fiber. 2 rows. 2" trim. Longer fibers are designed for the softer wall papers while still providing stiffness to smooth out the paper. Smooth polished block.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
789178-D	3374	Paper Hanging Brush	1/0/10	.563	3.29 EA

### Warner Mfg.

**Do it® Vinyl Smoother** - Designed for applying vinyl plastic wallcoverings. The heavy filling and short trim of the stiff bristles press the wallcovering tightly and evenly against the surface being covered. Rounded ends prevent tearing or nicking of the wallcovering. Specifications: 12" lacquered hardwood block, 2 rows heavily filled black Berlite plastic bristles, trimmed 3/4".



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
770099-D	3375	Vinyl Smooth Brush	1/0/10	.521	3.29 EA

### Warner Mfg.

**Do it® Razor Knife** - For trimming all wall-covering, shelf or packaging paper, opening packages, model carving, trimming, carpets, and many other uses. Blade reversible for safety. Carded.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772907-D	3359	Razor Knife	1/0/10	.136	2.79 EA

### Warner Mfg.

**Do it® Seam Roller** - Makes seams of wallpaper lay flat. Wood handle with plastic roller. 12 cards per shelf pack. Carded.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773381-D	3357	Seam Roller	1/0/10	.257	2.49 EA

### Warner Mfg.

**Do it® Wallstripper** - Polished die cast aluminum. Storage area for blades in handle by removing rubber grip. Remove up to 11 coats of wallpaper that is painted or unpainted, plastic or fabric, easily and safely. Can also use to strip paint from windows and clean grease from grills. Head 4" wide. Handle 9" long. Carded. Refer to model No. 3356 for replacement blade.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772845-D	3361	Wallpaper Stripper	1/0/10	.583	9.29 EA

### Warner Mfg.

**Do it® Replacement Scraper Blade** - 4" wallpaper stripper blade. Fits Warner model No. 3361 wallpaper stripper. 5 blades to a package.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
775913-D	3356	5pk Repl Scraper Blade	1/0/10	.075	3.79 PKG

### Leaktite Corp.

**Heavy-Duty Wallpaper Tray** - Heavier weight than standard for greater durability and longer life. Thermoformed polystyrene construction. Large enough to handle any roll of pre-pasted wallpaper. 33-1/4" L. x 7" W. x 4" D. Also ideal for use indoors or out as a seeding planter.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
784789-D	32	Heavy Dty Wallpaper Tray	1/0/25	.640	3.99 EA

PAINT

# PAINT

# WALLPAPER PRODUCTS

## Leaktite Corp.

**Standard Weight Wallpaper Tray** - Good quality product at competitive price for best consumer value. Large enough for all pre-pasted wallpaper jobs. 33-1/4" L. x 7" W. x 4" diameter. Can also be used indoors or out as a seeding planter.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774736-C	30	Std Wght Wallpaper Tray	1/0/25	.400	2.49 EA

## Wagner Spray Tech.


**Power Steamer™ 750 Wallpaper Remover** - Quickly and efficiently removes all types of wallcoverings including vinyls (vinyls may require scoring). Steam plate is 8" x 11" to cover a large area for faster wallpaper removal. Includes an 11'6" steam hose and a 6' power cord providing a wide working radius. Provides power of 1000W. Reservoir holds 1 gallon of water which will give up to 1 hour and 30 minutes of continuous steaming time. Steam plate weighs just 8.5 oz. meaning less arm fatigue. No solvents, detergents, or chemicals are required making it safe and easy-to-use.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792764-B	0282018A	Wallpaper Steamer	1/0/4	5.625	84.99 EA

## Warner Mfg.

**Wallpaper Steamer** - A heavy-duty wallpaper steamer designed for the rental industry or sales to professional contractors. Simple to operate yet effectively removes all types of wallcoverings. Features a 1.5 gallon capacity stainless steel tank and a thermostatically controlled 1500W heating element. Requires 15 to 20 minutes to produce steam and will produce steam for 1 to 1.5 hours from a full tank of water. Also features a safety release weight cap, hooks for storing pans and hose, a heavy-duty cord with GFCI and enlarged safety instructions in tri-lingual format. Steamer includes a 15' hose, 2 steam pans (8" x 12" and 2-1/2" x 14"), a 5 minute *how-to* video, a rental window banner, and an extra gauge glass. 1 year warranty.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
787892-B	5687	Wallpaper Steamer	0/0/1	40.000	679.99 EA

## Wm Zinsser, William

**Roll-A-Tex Paint Additive** - A 1-step paint, repair and texture additive for any interior or exterior paint. Will not change the color of the paint. May be added in any amount desired for varying needs of the particular job from light refinishing to a heavy coat to cover repaired surfaces. Produces an extremely durable and even-flowing texture with low roller drag for easy and fast application. Available in 3 textures.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772649-D	22232	Fine	1/0/6	.583	3.99 EA
772667-D	22233	Medium	1/0/6	1.333	3.99 EA
772676-D	22234	Coarse	1/0/6	.583	3.99 EA

## Wm Zinsser, William

**Roll-Acoustic Paint Additive** - Produces a thick, even applying acoustic with the same look, texture, and sound deadening qualities as machine-blown acoustic. Applies easily with a roller and bonds to any surface whether new or old. Use to create acoustic on new or remodeled surfaces or to restore cracked, damaged, or patched existing acoustic.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772701-D	22235	Acoustic Paint Additive	1/0/6	.583	3.99 EA

## Wm Zinsser, William

**Sand-Tex™ Sand Texture Finish Additive** - A sand finish paint additive that can be added to any interior or exterior paint to create a light, decorative texture to walls and ceilings. Easily applied with a brush or roller. Add any amount to produce the desired texture. See Skid-Tex™ for a skid-resistant paint additive. 1 lb.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
792276-E	22616	1lb Sand Txture Additive	1/0/6	1.167	3.79 EA



## TEXTURING

## PAINT

### Wm Zinsser, William


**Skid-Text™ Paint Additive** - An exclusive nonskid compound formulated for easy mixing and application. Use in any floor paint on any area a slip-resistant surface is desired. Ideal for marine use, pool decks, patios, floors, stairs, ramps, showers, and washrooms. Add any amount to achieve the desired results.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772792-D	22242	Nonskid Paint Additive	1/0/12	1.083	3.49 EA

### Wm Zinsser, William

**Ceiling Glitter** - Professional quality nontarnish aluminum glitter. Apply to fresh, wet paint or coatings. A 1 lb. bag contains enough glitter to cover approximately 500 sq. ft. See Glitter Gun model No. 22237 for applicator. Clear.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
772854-D	22254	1lb Bag Ceiling Glitter	1/0/12	1.083	9.29 EA

### Homax Corp.

**Manual Spray Texture Gun** - A spray texture gun designed for homeowners and contractors to apply textures on walls and ceilings. Ideal for small to medium size jobs. Requires no power source. Sprays multiple texture patterns to match an existing pattern or to create a custom look. Use with Homax premixed textures. Uses Homax premixed (model No. 8322 and 8522) or empty 3 liter hopper (model No. 4505P) not included. Texture gun cleans up easily.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793797-C	4205	Manual Spray Texture Gun	1/0/6	2.500	51.99 EA

### Homax Corp.

**Pneumatic II Spray Texture Gun** - A texture gun requiring a power source such as an air compressor. Uses less air than hopper guns. Designed for use with a 3/4 HP or larger air compressor (minimum 2.7 cfm @ 40 P.S.I.). It is also compatible for use with HVLP spray systems (minimum 80 cfm). Sprays fast and is easy to use. Very versatile. Sprays as many as 16 different texture patterns. Uses Homax premixed (model No. 8322 & 8522) or empty 3 liter hopper (model No. 4505P), not included.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793804-C	4610	Pneumatic Texture Gun	1/0/4	1.500	59.99 EA

### Homax Corp.

**Premixed Wall And Ceiling Textures** - Premixed textures for creating professional looking texture patterns on walls and ceilings. Texture bottles snap directly onto the texture gun. Can be applied using the model No. 4205 texture gun or the model No. 4610 pneumatic texture gun. Bottles hold 2.2 liters (74 fl. oz.) of texture. Approximate coverage for orange peel texture is 350 sq. ft., splatter texture is 100 to 200 sq. ft., coarse acoustic is 25 to 50 sq. ft. Surface should be clean and dry before application. Allow texture to dry at least 24 hours before painting (if desired). Clean up equipment with warm water.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
793813-C	8322	Orange peel/splatter texture	1/0/4	8.500	12.99 EA
793822-C	8522	Coarse acoustic ceiling texture	1/0/4	5.000	12.99 EA

### Homax Corp.

**3 Liter Hopper** - This accessory allows the user to mix their own texture and may be used with both the manual and pneumatic spray texture guns. Designed with a wide mouth screw-on lid for filling. The hopper attaches directly onto guns to hold either Homax texture or a variety of other manufacturer's texture materials. Holds 3 liters of material.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
783095-C	4505P	3 Liter Texture Hopper	1/0/6	1.000	16.29 EA

**Homax Corp.**

**Acoustic Texture Touch Up Kit** - This hand operated applicator is for smaller spray texture repairs. The Acoustic Touch Up kit includes a sprayer, 8 oz. mixing cup, and 2 bags of dry-mix acoustic polystyrene chip texture for patching sprayed-on ceiling texture. Uses refill model No. 4122.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774095-C	4120	Texture Touch Up Kit	1/0/6	1.333	16.29 EA

**Homax Corp.**

**Acoustic Texture Refill** - Refill for model No. 4120 Acoustic texture touch up kit.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
781930-C	4122	Acoustic Texture Refill	1/0/10	600	4.29 EA

**Homax Corp.**

**Spray Touch Up Kit** - This hand operated applicator is for smaller spray texture repairs. The Spray Texture Touch Up kit repairs orange peel, splatter, and knockdown textures. It includes an adjustable sprayer and one 8 oz. bottle of premixed texture. Uses refill model No. 12-100A.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
773840-C	4105	Texture Touch Up Kit	1/0/6	1.333	16.29 EA

**Homax Corp.**

**Spray Texture Refill** - Refill for model No. 4105 spray touch up kit.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774979-C	12-100A	Refill Spray Texture	1/0/10	1.000	5.49 EA



**Sheetrock® Spray Texture. QT Medium** - QT Medium is a super-aggregated powder with polystyrene aggregate providing a bold, rugged surface with a fine perlite-aggregated background. Produces a simulated acoustical ceiling finish but with no acoustical correction. Requires only the addition of water with no extended soaking or mixing. Provides good pumpability for fast, easy spray application. Bonds to new or old concrete, gypsum panels, and plaster. Levels minor surface irregularities, masks surface defects, and has superior resistance to fissure-cracking in normal thicknesses. Dries to a crisp bright white finish that usually is left unpainted on noncontact surfaces: May be overpainted if desired. Nonwashable unpainted. Not recommended in high humidity rooms such as kitchen and bath. Covers up to 8 sq. ft. per pound of dry mix when applied with appropriate spray equipment. 40 lb. Medium.



Product No.	Mfg. No.	Description	Order Mult.	Weight	Unit Cost
774040-A	540795	40lb Qt Medium Texture	1/10/60	40.000	12.79 EA

**Can't Find It! Give Us a Call!**